



Physics Equations Sheet

**GCSE Combined Science: Trilogy (8464)
and GCSE Combined Science: Synergy
(8465)**

FOR USE IN JUNE 2024 ONLY

[Turn over]

HT = Higher Tier only equations

kinetic energy = $0.5 \times \text{mass} \times (\text{speed})^2$	$E_k = \frac{1}{2} m v^2$
elastic potential energy = $0.5 \times \text{spring constant} \times (\text{extension})^2$	$E_e = \frac{1}{2} k e^2$
gravitational potential energy = mass \times gravitational field strength \times height	$E_p = m g h$
change in thermal energy = mass \times specific heat capacity \times temperature change	$\Delta E = m c \Delta \theta$
power = <u>energy transferred</u> <u>time</u>	$P = \frac{E}{t}$
power = <u>work done</u> <u>time</u>	$P = \frac{W}{t}$
efficiency = <u>useful output energy transfer</u> <u>total input energy transfer</u>	
efficiency = <u>useful power output</u> <u>total power input</u>	

charge flow = current × time	$Q = I t$
potential difference = current × resistance	$V = I R$
power = potential difference × current	$P = V I$
power = (current)² × resistance	$P = I^2 R$
energy transferred = power × time	$E = P t$
potential difference across primary coil × current in primary coil = potential difference across secondary coil × current in secondary coil	$V_p I_p = V_s I_s$
density = mass / volume	$\rho = \frac{m}{V}$

HT

[Turn over]

thermal energy for a change of state = mass × specific latent heat	$E = m L$
weight = mass × gravitational field strength	$W = m g$
work done = force × distance (along the line of action of the force)	$W = F s$
force = spring constant × extension	$F = k e$
distance travelled = speed × time	$s = v t$
acceleration = $\frac{\text{change in velocity}}{\text{time taken}}$	$a = \frac{\Delta v}{t}$
$(\text{final velocity})^2 - (\text{initial velocity})^2 = 2 \times \text{acceleration} \times \text{distance}$	$v^2 - u^2 = 2 a s$
resultant force = mass × acceleration	$F = m a$

HT	momentum = mass × velocity	$p = m v$
	$\text{period} = \frac{1}{\text{frequency}}$	$T = \frac{1}{f}$
	wave speed = frequency × wavelength	$v = f \lambda$
	force on a conductor (at right angles to a magnetic field)	$F = B I l$
HT	carrying a current = magnetic flux density × current × length	

BLANK PAGE

**Physics Equations Sheet - GCSE Combined Science:
Trilogy (8464) and GCSE Combined Science: Synergy
(8465)**

FOR USE IN JUNE 2024 ONLY

WP/M/CH/Jun24/8464/8465/INS/V2