Centre Number						Candidate Number				
Surname										
Other Names										
Candidate Signature										

For Examiner's Use	
Examiner's Initials	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
TOTAL	

General Certificate of Education
Advanced Subsidiary Examination
January 2011

Mathematics MFP1

Unit Further Pure 1

Friday 14 January 2011 1.30 pm to 3.00 pm

For this paper you must have:
- the blue AQA booklet of formulae and statistical tables.

You may use a graphics calculator.

Time allowed
- 1 hour 30 minutes

Instructions
- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- Write the question part reference (eg (a), (b)(i) etc) in the left-hand margin.
- You must answer the questions in the spaces provided. Do not write outside the box around each page.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.

Information
- The marks for questions are shown in brackets.
- The maximum mark for this paper is 75.

Advice
- Unless stated otherwise, you may quote formulae, without proof, from the booklet.

Do not write outside the box

Answer **all** questions in the spaces provided.

1 The quadratic equation $x^2 - 6x + 18 = 0$ has roots α and β.

(a) Write down the values of $\alpha + \beta$ and $\alpha\beta$. *(2 marks)*

(b) Find a quadratic equation, with integer coefficients, which has roots α^2 and β^2. *(4 marks)*

(c) Hence find the values of α^2 and β^2. *(1 mark)*

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

2 (a) Find, in terms of p and q, the value of the integral $\int_p^q \frac{2}{x^3}\,\mathrm{d}x$. *(3 marks)*

(b) Show that only one of the following improper integrals has a finite value, and find that value:

(i) $\int_0^2 \frac{2}{x^3}\,\mathrm{d}x$;

(ii) $\int_2^\infty \frac{2}{x^3}\,\mathrm{d}x$. *(3 marks)*

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

3 (a) Write down the 2×2 matrix corresponding to each of the following transformations:

(i) a rotation about the origin through 90° clockwise; *(1 mark)*

(ii) a rotation about the origin through 180°. *(1 mark)*

(b) The matrices **A** and **B** are defined by

$$\mathbf{A} = \begin{bmatrix} 2 & 4 \\ -1 & -3 \end{bmatrix}, \quad \mathbf{B} = \begin{bmatrix} -2 & 1 \\ -4 & 3 \end{bmatrix}$$

(i) Calculate the matrix $\mathbf{AB}$. *(2 marks)*

(ii) Show that $(\mathbf{A} + \mathbf{B})^2 = k\mathbf{I}$, where $\mathbf{I}$ is the identity matrix, for some integer k. *(3 marks)*

(c) Describe the single geometrical transformation, or combination of two geometrical transformations, represented by each of the following matrices:

(i) $\mathbf{A} + \mathbf{B}$; *(2 marks)*

(ii) $(\mathbf{A} + \mathbf{B})^2$; *(2 marks)*

(iii) $(\mathbf{A} + \mathbf{B})^4$. *(2 marks)*

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

4 Find the general solution of the equation

$$\sin\left(4x - \frac{2\pi}{3}\right) = -\frac{1}{2}$$

giving your answer in terms of π. *(6 marks)*

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

5 (a) It is given that $z_1 = \frac{1}{2} - \mathrm{i}$.

(i) Calculate the value of ${z_1}^2$, giving your answer in the form $a + b\mathrm{i}$. *(2 marks)*

(ii) Hence verify that z_1 is a root of the equation

$$z^2 + z^* + \frac{1}{4} = 0$$ *(2 marks)*

(b) Show that $z_2 = \frac{1}{2} + \mathrm{i}$ also satisfies the equation in part **(a)(ii)**. *(2 marks)*

(c) Show that the equation in part **(a)(ii)** has two equal **real** roots. *(2 marks)*

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

6 The diagram shows a circle C and a line L, which is the tangent to C at the point $(1, 1)$. The equations of C and L are

$$x^2 + y^2 = 2 \quad \text{and} \quad x + y = 2$$

respectively.



The circle C is now transformed by a stretch with scale factor 2 parallel to the x-axis. The image of C under this stretch is an ellipse E.

(a) **On the diagram below**, sketch the ellipse E, indicating the coordinates of the points where it intersects the coordinate axes. *(4 marks)*

(b) Find equations of:

(i) the ellipse E; *(2 marks)*

(ii) the tangent to E at the point $(2, 1)$. *(2 marks)*

QUESTION PART REFERENCE

(a)



Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

7 A graph has equation

$$y = \frac{x - 4}{x^2 + 9}$$

(a) Explain why the graph has no vertical asymptote and give the equation of the horizontal asymptote. *(2 marks)*

(b) Show that, if the line $y = k$ intersects the graph, the x-coordinates of the points of intersection of the line with the graph must satisfy the equation

$$kx^2 - x + (9k + 4) = 0$$ *(2 marks)*

(c) Show that this equation has real roots if $-\frac{1}{2} \leqslant k \leqslant \frac{1}{18}$. *(5 marks)*

(d) Hence find the coordinates of the two stationary points on the curve.

(No credit will be given for methods involving differentiation.) *(6 marks)*

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

8 (a) The equation

$$x^3 + 2x^2 + x - 100\,000 = 0$$

has one real root. Taking $x_1 = 50$ as a first approximation to this root, use the Newton-Raphson method to find a second approximation, x_2, to the root. *(3 marks)*

(b) (i) Given that $S_n = \sum_{r=1}^{n} r(3r+1)$, use the formulae for $\sum_{r=1}^{n} r^2$ and $\sum_{r=1}^{n} r$ to show that

$$S_n = n(n+1)^2$$ *(5 marks)*

(ii) The lowest integer n for which $S_n > 100\,000$ is denoted by N.

Show that

$$N^3 + 2N^2 + N - 100\,000 > 0$$ *(1 mark)*

(c) Find the value of N, justifying your answer. *(3 marks)*

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

END OF QUESTIONS

Do not write outside the box

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Copyright © 2011 AQA and its licensors. All rights reserved.