

|                     |  |  |  |  |  |                  |  |  |  |  |
|---------------------|--|--|--|--|--|------------------|--|--|--|--|
| Centre Number       |  |  |  |  |  | Candidate Number |  |  |  |  |
| Surname             |  |  |  |  |  |                  |  |  |  |  |
| Other Names         |  |  |  |  |  |                  |  |  |  |  |
| Candidate Signature |  |  |  |  |  |                  |  |  |  |  |

|                     |      |
|---------------------|------|
| For Examiner's Use  |      |
| Examiner's Initials |      |
| Question            | Mark |
| 1                   |      |
| 2                   |      |
| 3                   |      |
| 4                   |      |
| 5                   |      |
| 6                   |      |
| 7                   |      |
| TOTAL               |      |



General Certificate of Education  
Advanced Subsidiary Examination  
June 2011

# Mathematics

Unit Statistics 1B

# MS/SS1B

# Statistics

Unit Statistics 1B

Friday 20 May 2011 1.30 pm to 3.00 pm

**For this paper you must have:**

- the blue AQA booklet of formulae and statistical tables.

You may use a graphics calculator.

### Time allowed

- 1 hour 30 minutes

### Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- Write the question part reference (eg (a), (b)(i) etc) in the left-hand margin.
- You must answer the questions in the spaces provided. Do not write outside the box around each page.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.
- The **final** answer to questions requiring the use of tables or calculators should normally be given to three significant figures.

### Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 75.
- Unit Statistics 1B has a **written paper only**.

### Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.



J U N 1 1 M S / S S 1 B 0 1

Answer **all** questions in the spaces provided.

- 1** The number of matches in each of a sample of 85 boxes is summarised in the table.

| Number of matches | Number of boxes |
|-------------------|-----------------|
| Less than 239     | 1               |
| 239–243           | 1               |
| 244–246           | 2               |
| 247               | 3               |
| 248               | 4               |
| 249               | 6               |
| 250               | 10              |
| 251               | 13              |
| 252               | 16              |
| 253               | 20              |
| 254               | 5               |
| 255–259           | 3               |
| More than 259     | 1               |
| <b>Total</b>      | <b>85</b>       |

- (a)** For these data:
- (i)** state the modal value; *(1 mark)*
  - (ii)** determine values for the median and the interquartile range. *(3 marks)*
- (b)** Given that, on investigation, the 2 extreme values in the above table are 227 and 271 :
- (i)** calculate the range; *(1 mark)*
  - (ii)** calculate estimates of the mean and the standard deviation. *(4 marks)*
- (c)** For the numbers of matches in the 85 boxes, suggest, with a reason, the most appropriate measure of spread. *(2 marks)*









**3 (a)** During a particular summer holiday, Rick worked in a fish and chip shop at a seaside resort.

He suspected that the shop's takings, £ $y$ , on a weekday were dependent upon the forecast of that day's maximum temperature,  $x$  °C, in the resort, made at 6.00 pm on the previous day.

To investigate this suspicion, he recorded values of  $x$  and  $y$  for a random sample of 7 weekdays during July.

|     |      |      |      |      |      |      |      |
|-----|------|------|------|------|------|------|------|
| $x$ | 23   | 18   | 27   | 19   | 25   | 20   | 22   |
| $y$ | 4290 | 3188 | 5106 | 3829 | 5057 | 4264 | 4485 |

- (i) Calculate the equation of the least squares regression line of  $y$  on  $x$ . *(4 marks)*
- (ii) Estimate the shop's takings on a weekday during July when the maximum temperature was forecast to be 24 °C. *(2 marks)*
- (iii) Explain why your equation may not be suitable for estimating the shop's takings on a weekday during February. *(1 mark)*
- (iv) Describe, in the context of this question, a variable other than the maximum temperature,  $x$ , that may affect  $y$ . *(1 mark)*

QUESTION  
PART  
REFERENCE

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....



QUESTION  
PART  
REFERENCE

Area with horizontal dotted lines for writing.

Question 3 continues on the next page

Turn over ►



**3 (b)** Seren, who also worked in the fish and chip shop, investigated the possible linear relationship between the shop's takings, £ $z$ , recorded in £000s, and **each** of two other explanatory variables,  $v$  and  $w$ .

- (i) She calculated correctly that the regression line of  $z$  on  $v$  had a  $z$ -intercept of  $-1$  and a gradient of  $0.15$ .

Draw this line, for values of  $v$  from 0 to 40, on **Figure 1** below.


- (ii) She also calculated correctly that the regression line of  $z$  on  $w$  had a  $z$ -intercept of  $5$  and a gradient of  $-0.40$ .

Draw this line, for values of  $w$  from 0 to 10, on **Figure 2** opposite. (3 marks)

QUESTION  
PART  
REFERENCE

(b)(i)

**Figure 1**











**5 (a)** Emma visits her local supermarket every Thursday to do her weekly shopping.

The event that she buys orange juice is denoted by  $J$ , and the event that she buys bottled water is denoted by  $W$ . At each visit, Emma may buy neither, or one, or both of these items.

(i) Complete the table of probabilities, printed below, for these events, where  $J'$  and  $W'$  denote the events 'not  $J$ ' and 'not  $W$ ' respectively. (3 marks)

(ii) Hence, or otherwise, find the probability that, on any given Thursday, Emma buys either orange juice or bottled water but not both. (2 marks)

(iii) Show that:

(A) the events  $J$  and  $W$  are **not** mutually exclusive;

(B) the events  $J$  and  $W$  are **not** independent. (3 marks)

(b) Rhys visits the supermarket every Saturday to do his weekly shopping. Items that he may buy are milk, cheese and yogurt.

The probability,  $P(M)$ , that he buys milk on any given Saturday is 0.85.

The probability,  $P(C)$ , that he buys cheese on any given Saturday is 0.60.

The probability,  $P(Y)$ , that he buys yogurt on any given Saturday is 0.55.

The events  $M$ ,  $C$  and  $Y$  may be assumed to be independent.

Calculate the probability that, on any given Saturday, Rhys buys:

(i) none of the 3 items; (2 marks)

(ii) exactly 2 of the 3 items. (3 marks)

QUESTION  
PART  
REFERENCE

(a)(i)

|       | $J$  | $J'$ | Total |
|-------|------|------|-------|
| $W$   |      |      | 0.65  |
| $W'$  | 0.15 |      |       |
| Total |      | 0.30 | 1.00  |









**7 (a)** Three airport management trainees, Ryan, Sunil and Tim, were each instructed to select a random sample of 12 suitcases from those waiting to be loaded onto aircraft.

Each trainee also had to measure the volume,  $x$ , and the weight,  $y$ , of each of the 12 suitcases in his sample, and then calculate the value of the product moment correlation coefficient,  $r$ , between  $x$  and  $y$ .

- Ryan obtained a value of  $-0.843$ .
- Sunil obtained a value of  $+0.007$ .

Explain why neither of these two values is likely to be correct. (2 marks)

**(b)** Peggy, a supervisor with many years' experience, measured the volume,  $x$  cubic feet, and the weight,  $y$  pounds, of each suitcase in a random sample of 6 suitcases, and then obtained a value of 0.612 for  $r$ .

- Ryan and Sunil each claimed that Peggy's value was different from their values because she had measured the volumes in cubic feet and the weights in pounds, whereas they had measured the volumes in cubic metres and the weights in kilograms.
- Tim claimed that Peggy's value was almost exactly half his calculated value because she had used a sample of size 6 whereas he had used one of size 12.

Explain why neither of these two claims is valid. (2 marks)

**(c)** Quentin, a manager, recorded the volumes,  $v$ , and the weights,  $w$ , of a random sample of 8 suitcases as follows.

|     |      |      |      |      |      |      |      |      |
|-----|------|------|------|------|------|------|------|------|
| $v$ | 28.1 | 19.7 | 46.4 | 23.6 | 31.1 | 17.5 | 35.8 | 13.8 |
| $w$ | 14.9 | 12.1 | 21.1 | 18.0 | 19.8 | 19.2 | 16.2 | 14.7 |

**(i)** Calculate the value of  $r$  between  $v$  and  $w$ . (3 marks)

**(ii)** Interpret your value in the context of this question. (2 marks)

QUESTION  
PART  
REFERENCE

.....

.....

.....

.....

.....

.....

.....







**There are no questions printed on this page**

**DO NOT WRITE ON THIS PAGE  
ANSWER IN THE SPACES PROVIDED**



**There are no questions printed on this page**

**DO NOT WRITE ON THIS PAGE  
ANSWER IN THE SPACES PROVIDED**



**There are no questions printed on this page**

**DO NOT WRITE ON THIS PAGE  
ANSWER IN THE SPACES PROVIDED**

