

Surname	
Other Names	
Centre Number	For Examiner's Use
Candidate Number	
Candidate Signature	
I declare this is my own work.	

A-level

ENVIRONMENTAL SCIENCE

Paper 2

7447/2

Tuesday 19 May 2020 Afternoon

Time allowed: 3 hours

For this paper you must have:

• the insert (enclosed).

You may use a calculator.

At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.



BLANK PAGE



INSTRUCTIONS

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Answer ALL questions 1 to 10 and ONE essay from question 11.
- You must answer the questions in the spaces provided. Do not write on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.

INFORMATION

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 120.
- All questions should be answered in continuous prose.
- You will be assessed on your ability to:
 - use good English
 - organise information clearly
 - use specialist vocabulary where appropriate.

DO NOT TURN OVER UNTIL TOLD TO DO SO



BLANK PAGE



Answer ALL questions in the spaces provided.

0 1

TABLE 1 shows details of some ecological sampling activities and equipment that may be used.

Complete TABLE 1 by adding the appropriate ecological activity or equipment in the blank spaces.

The first row has been completed. [5 marks]

TABLE 1

Ecological activity	Equipment
Estimating the turbidity of water	Secchi disk
	Surber sampler
Sampling night-flying moths	
	Sweep net
Collecting insects in overhead vegetation	
	Tüllgren funnel

[Turn over]



5

0 2

A research group investigated the effects of the eradication of rats on the abundance of tree species on an island in the Central Pacific Ocean.

The results are shown in TABLE 2.

TABLE 2

Tree species	Mean number of trees per unit area	
	Before eradication of rats	After eradication of rats
Α	100	688
В	12	250
С	6	35
D	2	4
E	4	26
F	6	150

Simpson's Index of Biodiversity

$$D = \frac{N (N-1)}{\sum n(n-1)}$$

KEY

Where D = index of diversity

N = total number of organisms of

all species

n = number of individuals of a

species

 \sum = sum of



0 2 . 1	Calculate the Simpson's Index of Biodiversity (D) for the trees before the eradication of rats.
	Give your answer to TWO decimal places
	Show your working. [3 marks]



0 2 . 2	Suggest how TWO variables may have been standardised during the collection of the data in TABLE 2 to ensure that the results were representative. [2 marks]
0 2 . 3	The rats were eradicated from the island because they were predators of indigenous wildlife.
	Outline TWO other ways that introduced species may threaten indigenous wildlife. [2 marks]
	1
	2



	Where woodland is well developed, a dense tree canopy affects the abiotic factors beneath it.
0 2 . 4	Explain why the reduction in light levels caused by the dense canopy may affect the biodiversity of invertebrates. [3 marks]



0 3	The Northern Pool Frog, 'Pelophylax lessonae', was declared extinct in the UK in 1995. A re-introduction programme imported 50 Northern Pool Frogs from Sweden to the UK, with the aim of establishing a breeding population.
	The habitat at the release sites was managed to increase the carrying capacity for the frogs. The population of frogs was monitored over time.
0 3 . 1	Define the term 'carrying capacity'. [1 mark]

FIGURE 1, on page 2 of the insert, shows the design of two habitats considered as release sites for the Northern Pool Frog.



0 3 . 2	Explain why SITE A would be the better habitat design to increase the population of the Northern Pool Frog. [4 marks]



The population of frogs was monitored using two methods:

- traditional methods of listening for the calls and finding individual frogs
- detecting eDNA.

0 3 . 3	Describe TWO advantages and TWO disadvantages of using eDNA instead of the traditional methods as a technique for monitoring aquatic species. [4 marks]
	Advantages



Disadvantages	 	



The amount of eDNA present in 10 different ponds was investigated. The aim was to find out if the amount of eDNA correlated with the number of frogs found using traditional monitoring methods.

The results are shown in TABLE 3.

TABLE 3

Pond	eDNA /g x 10 ⁻¹² dm ⁻³	Frogs counted by traditional method
1	0.0	3
2	8.0	14
3	0.0	4
4	0.2	2
5	0.2	1
6	0.9	2
7	0.0	18
8	0.0	6
9	4.0	34
10	0.0	0



0 3 . 4	Describe how THREE factors may have been standardised during the collection of data in TABLE 3 to ensure the results were valid. [3 marks]



Only ONE answer per question is allowed.

For each answer completely fill in the circle alongside the appropriate answer.

CORRECT METHOD



WRONG METHODS










If you want to change your answer you must cross out your original answer as shown.

out, ring the answer you now wish to select as shown.



Which of the following methods may be used to assess whether there is a significant correlation between the data in TABLE 3?

Shade ONE box only. [1 mark]

- O A Chi-squared
- B Spearman's rank
- C Standard deviation
- O D Student's t-test



	produced a test value of 0.198. The critical value for these data was 0.648 at a p-value of 0.05.
0 3 . 6	Explain how these values can be used to determine whether there is a significant correlation between the two data sets. [2 marks]

A statistical test on the data in TABLE 3

15



0 4

The Living Planet Index (LPI) is a measure of the state of the world's biodiversity. It uses the population trends of thousands of vertebrate species from monitored sites around the world.

FIGURE 2, on page 3 of the insert, shows the numbers of known bird, mammal, reptile and amphibian species in different regions of the world and the numbers that were used in the calculation of the LPI.

0 4 . 1

Use data in FIGURE 2 to calculate the percentage (%) of known reptile and amphibian species living in the Neotropical region that have been included on the LPI. [1 mark]



0 4 . 2	Explain how the use of electronic monitoring technology may provide information that is useful for the conservation of wildlife. [9 marks]









		_
		10



0 5

TABLE 4 includes details of the features of Earth that makes it suitable for life.

Complete TABLE 4. [5 marks]

TABLE 4

Feature of Earth	How the feature makes Earth suitable for life
Distance from the sun	Suitable temperature range
	Retention of an atmosphere
Speed of rotation	
Presence of a magnetic field	
	Seasonal climatic changes
High atmospheric pressure	

[Turn over]



_

BLANK PAGE



0 6 . 1	The yields of agricultural production systems may be increased by using more intensive methods.
	Explain why intensive agricultural systems have higher energy inputs. [3 marks]



TABLE 5 gives some features of the production of orange crops.

TABLE 5

Total energy input	46 600 MJ ha ^{−1}
Total orange yield	41 000 kg ha ⁻¹
Edible proportion of the harvested crop mass	85%
Energy content of edible material	3.0 MJ kg ⁻¹

0 6 . 2

Use the information in TABLE 5 to calculate the energy ratio for production of the edible proportion of the orange harvest.

Give your answer to TWO significant figures.

Show your working. [2 marks]



Aphids are a common type of pest in orange farms. Scientists investigated the effectiveness of two pest control methods in killing aphids.

TEST AREA 1: trees were sprayed with a pesticide.

TEST AREA 2: parasitic wasps were released. The wasps laid eggs in the aphids so that the developing wasp larvae killed the aphids.

06.3	Describe a plan that may have been used to determine if there was a significant difference in the aphid populations of the two pest control areas after treatment. [5 marks]



10



0 7	Oil palm is one of many oil-seed crops grown for vegetable oil.
	FIGURE 3, on page 4 of the insert, shows the global area of land used to grow each oil-seed crop in 2015.
	FIGURE 4, on page 5 of the insert, shows how much each contributed to the global production of oil-seed crops in 2015.
07.1	Use data in FIGURE 3 and FIGURE 4 to calculate the difference in productivity of oil palm and rapeseed.
	Give your answer to TWO decimal places
	Show your working. [2 marks]
	t ha ⁻¹



Many people have stopped buying food products containing palm oil due to the impacts that its production may have on the environment. However, production of the other oil-seed crops also creates environmental impacts.

07.2	Use information in FIGURE 3 and FIGURE 4 to suggest why replacing oil palm with any of the other oil-seed crops may cause more environmental damage. [2 marks]
07.3	Explain how factors that limit productivity may be managed to increase the sustainability of crop production. [6 marks]





0	8
---	---

TABLE 6 shows the primary productivity of three areas of ocean.

TABLE 6

Ocean area	Mean primary productivity /g m ⁻² yr ⁻¹
Upwelling	700
Continental shelf	300
Open ocean	100


08.1	Explain why primary productivity varies between open oceans and continental shelves. [3 marks]





FIGURE 5 shows how light levels and nutrient concentrations vary with depth in the open ocean.

FIGURE 5





Giant Kelp, 'Macrocystis pyrifera', is a seaweed being researched as a new biofuel. The kelp is grown in the open ocean on a 'Kelp Elevator'. This is a large frame connected to motors that move it up and down in the water column to maximise the growth of kelp.

08.2	Use data in FIGURE 5 to explain how the timing of the vertical movements of the Kelp Elevator may be controlled to increase the growth rate of kelp. [3 marks]



08.3	Explain why biofuel production in the open ocean is more sustainable than growing biofuel crops on land. [4 marks]	
		_
		1






0 9

FIGURE 6 shows the change in the percentage cover of woodland in England since the year 1100.

FIGURE 6

Percentage of land area



Explain how the change in woodland cover between 1100 and 1900, shown in FIGURE 6, may have caused changes to

the local hydrology. [2 marks]



	One reason for the increase in woodland cover since 1920 has been the planting of non-indigenous conifer forests for commercial purposes.
0 9 . 2	State why non-indigenous conifers were favoured over indigenous broadleaved trees for timber production in the UK. [1 mark]



Students investigated the species richness of ground invertebrates in mixed deciduous woodland and compared this to the species richness of ground invertebrates in conifer woodland. The results are shown in TABLE 7.

TABLE 7

Mean number of ground invertebrate species (± 2 standard deviations)	
Mixed deciduous woodland	Conifer woodland
11 (± 4.8)	4 (± 1.2)

0 9 . 3	Explain how the standard deviations in TABLE 7 may be used to analyse the data from the two woodland habitats. [2 marks]



0 9 . 4	Describe how the students may have collected representative data for the number of ground invertebrate species in the different woodland habitats. [4 marks]



09.5	Suggest why the invertebrate species richness is lower in the conifer woodland. [1 mark]	
		10






1 0

FIGURE 7 shows two feedback mechanisms affecting global climate.

FIGURE 7



1 0 . 1

Complete the blank boxes in FIGURE 7 with the changed processes that would cause the feedback mechanisms shown. [2 marks]




Describe how a positive feedback mechanism involving a change in albedo may lead to a tipping point for Global Climate Change. [4 marks]



FIGURE 8 shows the changes in atmospheric CO₂ between the years 1850 and 2020.

FIGURE 8

CO₂ concentration / ppm





10.3	Use FIGURE 8 to calculate the difference in mean annual change in CO ₂ between the period 1900–1950 and the period 1960–2010.
	Show your working. [2 marks]
	ppm yr ⁻¹
	Since the 1950s, studies of ice cores have been used to produce proxy data on past climatic conditions.
10.4	State ONE type of proxy data that can be obtained from ice cores to estimate past climatic conditions. [1 mark]



10.5	Outline ONE limitation of using proxy data to estimate past climates. [1 mark]	





	Write an essay on ONE of the following topics.	
11.1	Discuss how the environmental impacts of aquaculture may be reduced. [25 marks]	
OR		
11.2	Discuss how the environmental impacts of livestock production may be reduced. [25 marks]	
	enge below to indicate which optional nave answered.	
Question 1 1	. 1	
CORRECT METHOD		
WRONG METHODS 🗴 💿		









· · · · · · · · · · · · · · · · · · ·













		25

END OF QUESTIONS



For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
11		
TOTAL		

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2020 AQA and its licensors. All rights reserved.

G/KL/Jun20/7447/2/E2



