

A

AQA 

Surname _____

Other Names _____

Centre Number _____

Candidate Number _____

Candidate Signature _____

I declare this is my own work.

GCSE

PHYSICS

F

Foundation Tier Paper 1

8463/1F

Wednesday 20 May 2020 Afternoon

Time allowed: 1 hour 45 minutes

At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.

[Turn over]



J U N 2 0 8 4 6 3 1 F 0 1

For this paper you must have:

- **a ruler**
- **a scientific calculator**
- **the Physics Equations Sheet (enclosed).**

INSTRUCTIONS

- **Use black ink or black ball-point pen. Pencil should only be used for drawing.**
- **Answer ALL questions in the spaces provided.**
- **Do not write on blank pages.**
- **If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).**
- **Do all rough work in this book. Cross through any work you do not want to be marked.**



- **In all calculations, show clearly how you work out your answer.**

INFORMATION

- **The maximum mark for this paper is 100.**
- **The marks for questions are shown in brackets.**
- **You are expected to use a calculator where appropriate.**
- **You are reminded of the need for good English and clear presentation in your answers.**

DO NOT TURN OVER UNTIL TOLD TO DO SO





Answer ALL questions in the spaces provided.

0 1

FIGURE 1 shows how the National Grid connects power stations to consumers.

FIGURE 1



0 1 . 1

**Name the parts of the National Grid labelled K, L and M.
[3 marks]**

K = _____

L = _____

M = _____

5


[Turn over]



FIGURE 2 shows how the percentage of electricity generated by gas-fired power stations changed in the UK over 5 years.

FIGURE 2

Percentage of electricity generated by gas-fired power stations



0	1	.	2
---	---	---	---

Calculate how many times greater the percentage of electricity generated by gas-fired power stations was in 2018 than in 2014. [2 marks]

Number of times greater =

[Turn over]



01.3

Explain ONE environmental effect of generating electricity using a gas-fired power station. [2 marks]



0 1 . 4

The UK government wants more electricity to be generated using renewable energy resources.

**What is a renewable energy resource?
[1 mark]**

Tick (✓) ONE box.

An energy resource that can be burned

An energy resource that can be recycled

An energy resource that can be replenished quickly

An energy resource that can be reused

[Turn over]



0 1 . 5

An offshore wind farm is a group of wind turbines that are placed out at sea.

FIGURE 3, on the opposite page, shows the power output of an offshore wind farm compared with a wind farm on land for a 24-hour period.

Give TWO advantages of the offshore wind farm compared with the wind farm on land.

Use information from FIGURE 3. [2 marks]


1 _____

2 _____



FIGURE 3

**Power
in MW**



KEY

- Offshore wind farm
- Wind farm on land

[Turn over]



02

FIGURE 4 shows a theme park ride called AquaShute.

FIGURE 4



Rider

Sled

Slide

Water



0 2 . 1

Riders of the AquaShute sit on a sled and move down a slide.

There is a layer of water between the sled and the slide.

**How does the layer of water affect the friction between the sled and the slide?
[1 mark]**

Tick (✓) ONE box.

The friction is decreased.

The friction is increased.

The friction is not affected.

[Turn over]



02.2

The mass of one rider is 62.5 kg.

The height of the slide is 16.0 m.

gravitational field strength = 9.8 N/kg

Calculate the gravitational potential energy of the rider at the top of the slide.

Use the equation:

gravitational potential energy =
mass × gravitational field strength × height

[2 marks]



Gravitational potential energy =

J

[Turn over]



0 2 . 3

At the bottom of the slide the speed of the rider is 12 m/s.

The mass of the rider is 62.5 kg.

Calculate the kinetic energy of the rider at the bottom of the slide.

Use the equation:

$$\text{kinetic energy} = 0.5 \times \text{mass} \times (\text{speed})^2$$

[2 marks]

Kinetic energy = _____ J



0 2 . 4

When a rider reaches the bottom of the slide, the sled decelerates and stops.

Give TWO factors that will affect how far the sled will move before it stops.

[2 marks]

1 _____

2 _____

[Turn over]


7



0	3
---	---

FIGURE 5 shows part of a lighting circuit in a house.

FIGURE 5



0 3 . 1

What is the frequency of the ac mains electricity supply in the UK? [1 mark]

Tick (✓) ONE box.

20 Hz

50 Hz

60 Hz

100 Hz

[Turn over]









0	3	.	2
---	---	---	---

The mains electricity supply has an alternating potential difference.

**Which diagram, on the opposite page, shows an alternating potential difference?
[1 mark]**

Tick (✓) ONE box on the opposite page.





[Turn over]



0	3	.	3
---	---	---	---

The potential difference across the lamp is 230 V.

The current in the lamp is 0.020 A.

Calculate the power output of the lamp.

Use the equation:

power = potential difference × current

[2 marks]

Power = _____ **W**



0	3	.	4
---	---	---	---

The potential difference across the lamp is 230 V.

Calculate the energy transferred by the lamp when 180 C of charge flows through the lamp.

Use the equation:

energy transferred =
charge flow \times potential difference


[2 marks]

Energy transferred = _____ J

[Turn over]



REPEAT OF FIGURE 5



03.5

An electrician needs to replace the light switch in FIGURE 5.

Describe the possible hazard and the risk to the electrician of changing the light switch. [2 marks]

Hazard _____

Risk _____

[Turn over]

8



The student repeated each reading of resistance three times.

TABLE 1 shows the student's results for 3 resistors in series.

TABLE 1

Number of resistors	Total resistance in Ω			
	Reading 1	Reading 2	Reading 3	Mean
3	35.9	36.0	36.1	36.0

[Turn over]



BLANK PAGE



04.1

Calculate the mean resistance of 1 resistor. [2 marks]

Resistance = _____ Ω

29

[Turn over]



0 4 . 2

**What was the resolution of the ohmmeter the student used?
[1 mark]**


Tick (✓) ONE box.

0.1 Ω

0.2 Ω

1.1 Ω

36.0 Ω



0 4 . 3

How do the results show that the student's measurements were precise? [1 mark]

Tick (✓) ONE box.

The measurements are accurate.

The measurements are grouped closely together.

The measurements are reproducible.


[Turn over]



FIGURE 7 shows the results.

FIGURE 7

**Mean total
resistance
in ohms**



0	4	.	4
---	---	---	---

How do the results show that the total resistance is directly proportional to the number of resistors? [1 mark]

Tick (✓) ONE box.

The results give a line with a positive gradient.

The results give a straight line that would go through the origin.

The results show a linear relationship.

0	4	.	5
---	---	---	---

Predict the mean total resistance of 7 resistors.

Use FIGURE 7. [1 mark]

Mean total resistance of 7 resistors =

Ω



[Turn over]

0	4	.	6
---	---	---	---

Some resistors are connected in series with a battery.

When more resistors are added in series, the total resistance increases.

Complete the sentences on the opposite page.

Choose answers from the list below.

Each answer may be used once, more than once or not at all. [2 marks]

- **decreases**
- **increases**
- **remains the same**



**When the number of resistors increases,
the potential difference across each
resistor _____ .**

**When the number of resistors increases,
the current in the circuit
_____ .**

[Turn over]

8



BLANK PAGE



0	5
---	---

Radioactive waste from nuclear power stations is a man-made source of background radiation.

0	5	.	1
---	---	---	---

Which of the following is also a man-made source of background radiation? [1 mark]

Tick (✓) ONE box.

cosmic rays

radiotherapy

rocks

stars

[Turn over]



05.2

Nuclear power stations use the process of nuclear fission.

Complete the sentences, on the opposite page, to describe the process of nuclear fission.

Choose answers from the list below.

[3 marks]

- **a neutron**
- **a proton**
- **an electron**
- **cosmic rays**
- **energy**
- **gamma rays**
- **x-rays**



An unstable nucleus absorbs

_____ and splits into

two parts. Two or three neutrons are

released, as well as _____

and _____.

[Turn over]



0	5	.	3
---	---	---	---

Plutonium-239 is one type of radioactive waste from nuclear power stations.

The following nuclear equation represents the decay of plutonium-239 (Pu-239).



How does the nuclear equation show that alpha radiation is emitted when plutonium-239 decays? [1 mark]

Tick (✓) ONE box.

An alpha particle contains 92 protons.

An alpha particle has a mass number of 235.

An alpha particle is the same as a helium nucleus.



BLANK PAGE


[Turn over]



FIGURE 8 shows how the activity of a sample of plutonium-239 varies with time.

FIGURE 8

Activity in becquerels



0 5 . 4

How much time will it take for the activity of the sample of plutonium-239 to fall to half of its initial activity? [1 mark]

Time = _____ years

0 5 . 5

**What is the half-life of plutonium-239?
[1 mark]**

Half-life = _____ years

[Turn over]



05.6

The radioactive waste from a nuclear power station is buried underground.

People are warned to stay away from places where radioactive waste is buried.

Suggest ONE risk of going near the place where radioactive waste is buried.

[1 mark]

8




BLANK PAGE

[Turn over]



06

A student used the equipment in **FIGURE 9** to investigate how the pressure of a gas varies with the volume of the gas.

FIGURE 9

The syringe is filled with air.

TABLE 2, on the opposite page, shows the results.



TABLE 2

Volume in cm³	Pressure in kPa
24	100
20	120
12	200
10	240

0	6	.	1
----------	----------	----------	----------

Describe how the student could use the equipment in FIGURE 9 to obtain the data shown in TABLE 2. [4 marks]

[Turn over]





0	6	.	2
---	---	---	---

Describe what happens to the pressure of the air when the volume of the air is halved. [2 marks]

[Turn over]



06.3

The temperature of the air in the syringe remained constant during the student's investigation.

Which TWO properties of the air particles would change if the temperature increased? [2 marks]

Tick (✓) TWO boxes.

kinetic energy

mass

shape

speed

volume



BLANK PAGE

[Turn over]



0	7
---	---

A student heated water in an electric kettle.

0	7	.	1
---	---	---	---

Water has a high specific heat capacity.

Complete the sentence, on the opposite page.

**Choose answers from the list below.
[2 marks]**

- °C
- J
- kg
- s
- W



The specific heat capacity of a substance is the energy needed to raise the temperature of 1 _____ of the substance by 1 _____ .

[Turn over]






07.2

The kettle circuit contains a thermistor which is used to switch the kettle off when the water reaches 100 °C.

What is the correct symbol for a thermistor? [1 mark]

Tick (✓) ONE box.



07.3

The resistance of the heating element in the kettle is 15Ω .

The current in the heating element is 12 A .

Calculate the power of the heating element.

Use the equation:

$$\text{power} = (\text{current})^2 \times \text{resistance}$$

[2 marks]

Power = _____ W




[Turn over]

The student investigated how quickly the kettle could increase the temperature of 0.50 kg of water.

FIGURE 10, on the opposite page, shows the results of the investigation.



FIGURE 10**Temperature
in °C****[Turn over]**

BLANK PAGE



0	7	.	4
---	---	---	---

The temperature of the water did NOT start to increase until 10 seconds after the kettle was switched on.

What is the reason for this? [1 mark]

Tick (✓) ONE box.

Energy is transferred from the surroundings to the kettle.

The charge flows slowly through the kettle circuit.

The heating element in the kettle takes time to heat up.


The power output of the kettle increases slowly.

[Turn over]



REPEAT OF FIGURE 10

Temperature
in °C



0 7 . 6

The mass of water in the kettle was 0.50 kg.

The temperature of the water increased from 20 °C to 100 °C.

specific heat capacity of water = 4200 J/kg °C

Calculate the energy transferred to the water.



**Use the Physics Equations Sheet.
[3 marks]**

Energy = _____ J

[Turn over]

07.7

The water in the kettle boiled for a short time before the kettle switched off.

During this time 5.0 g of water changed to steam.

specific latent heat of vaporisation of water = 2 260 000 J/kg

Calculate the energy transferred to change the water to steam.

Use the Physics Equations Sheet.
[3 marks]

Energy = _____ J

[Turn over]

18




08

A student investigated how the current in a filament lamp varied with the potential difference across the filament lamp.

FIGURE 11 shows part of the circuit used.

FIGURE 11



0	8	.	1
---	---	---	---

Complete FIGURE 11 by adding an ammeter and a voltmeter.

Use the correct circuit symbols. [3 marks]

[Turn over]



FIGURE 12, on the opposite page, shows some of the results.

0 8 . 2

The student reversed the connections to the power supply and obtained negative values for the current and potential difference.



Draw a line on FIGURE 12 to show the relationship between the negative values of current and potential difference.
[2 marks]

0 8 . 3


Write down the equation which links current (I), potential difference (V) and resistance (R). [1 mark]



FIGURE 12



REPEAT OF FIGURE 12



08.4

Determine the resistance of the filament lamp when the potential difference across it is 1.0 V.

Use data from FIGURE 12. [4 marks]

71

Resistance = _____ Ω

[Turn over]



08.5

A second student did the same investigation. The ammeter used had a zero error.

What is meant by a zero error? [1 mark]

72

11



BLANK PAGE

[Turn over]



0	9
---	---

FIGURE 13 shows an LED torch.

FIGURE 13






0	9	.	1
---	---	---	---

The torch contains one LED, one switch and three cells.

**Which diagram, on the opposite page, shows the correct circuit for the torch?
[1 mark]**



Tick (✓) ONE box.



[Turn over]



0	9	.	2
---	---	---	---

**Write down the equation which links charge flow (Q), current (I) and time (t).
[1 mark]**



0	9	.	3
---	---	---	---

The torch worked for 14 400 seconds before the cells needed replacing.

The current in the LED was 50 mA.

Calculate the total charge flow through the cells. [3 marks]

Total charge flow = _____ C

[Turn over]



0	9	.	5
---	---	---	---

Write down the equation which links efficiency, total power input and useful power output. [1 mark]

[Turn over]



0	9	.	6
---	---	---	---

The total power input to the LED was 0.24 W.

The efficiency of the LED was 0.75

Calculate the useful power output of the LED. [3 marks]

Useful power output =

W

11



BLANK PAGE

[Turn over]



10

FIGURE 14, on the opposite page, shows a hydroelectric power station.

Electricity is generated when water from the reservoir flows through the turbines.


10.1

82

Write down the equation which links density (ρ), mass (m) and volume (V). [1 mark]



FIGURE 14



[Turn over]



1 0 . 2

The reservoir stores 6 500 000 m³ of water.

The density of the water is 998 kg/m³.

Calculate the mass of water in the reservoir.

Give your answer in standard form. [4 marks]

84

Mass (in standard form) = _____ kg



10.3

Write down the equation which links energy transferred (E), power (P) and time (t). [1 mark]

[Turn over]



1 0 . 4


The electrical generators can provide

1.5×10^9 W of power for a maximum of 5 hours.

Calculate the maximum energy that can be transferred by the electrical generators. [3 marks]


86

Energy transferred = _____ J



BLANK PAGE

[Turn over]




10.5

FIGURE 15 shows how the UK demand for electricity increases and decreases during one day.

FIGURE 15

**Demand for
electricity
in $\times 10^9$ W**



The hydroelectric power station in FIGURE 14 can provide 1.5×10^9 W of power for a maximum of 5 hours.

Give TWO reasons why this hydroelectric power station is not able to meet the increase in demand shown between 04:00 and 16:00 in FIGURE 15. [2 marks]

1 _____

2 _____

END OF QUESTIONS

11



BLANK PAGE

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
TOTAL	

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2020 AQA and its licensors. All rights reserved.

IB/M/SB/Jun20/8463/1F/E3

9 2



2 0 6 G 8 4 6 3 / 1 F