

Other Names

Centre Number

Candidate Number

Candidate Signature _____

I declare this is my own work.

GCSE

PHYSICS

Higher Tier Paper 1

8463/1H

Wednesday 20 May 2020 Afternoon

Time allowed: 1 hour 45 minutes

At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.



For this paper you must have:

- a ruler
- a scientific calculator
- the Physics Equations Sheet (enclosed).

INSTRUCTIONS

- Use black ink or black ball-point pen.
 Pencil should only be used for drawing.
- Answer ALL questions in the spaces provided.
- Do not write on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.



 In all calculations, show clearly how you work out your answer.

INFORMATION

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

DO NOT TURN OVER UNTIL TOLD TO DO SO



Answer ALL questions in the spaces provided.


0 1

A student investigated how the current in a filament lamp varied with the potential difference across the filament lamp.

FIGURE 1, on the opposite page, shows part of the circuit used.



FIGURE 1



0 1.1

Complete FIGURE 1 by adding an ammeter and a voltmeter.

Use the correct circuit symbols. [3 marks]


n the opposite page, shows some of the results. FIGURE 2, of


reversed the connections to the power supply and obtained negative values for the current and potential difference. The student

Draw a line on FIGURE 2 to show the relationship between values of current and potential difference. the negative [2 marks]


0 1 3

Write down the equation which links current (I), potential difference (V) and resistance (R). [1 mark]












4
~
0

Determine the resistance of the filament lamp when the potential difference across it is 1.0 V.

m FIGURE 2. [4 marks] Use data fro

[Turn over]


Resistance =




10

A second student did the same investigation. The ammeter used had a zero error.

nt by a zero error? [1 mark] What is mea



BLANK PAGE



0 2

FIGURE 3 shows an LED torch.

FIGURE 3




0 2 . 1

The torch contains one LED, one switch and three cells.

Which diagram, on the opposite page, shows the correct circuit for the torch? [1 mark]



Tick (✓) ONE box.





02.2

Write down the equation which links charge flow (Q), current (I) and time (t). [1 mark]



0	2	3
U	Z	3

The torch worked for 14 400 seconds before the cells needed replacing.

The current in the LED was 50 mA.

Calculate the total charge flow through the cells. [3 marks]

Total charge flow =	C



0 2 . 4

When replaced, the cells were put into the torch the wrong way around.

Explain why the torch did not work. [2 marks]			k.	



0 2 . 5

Write down the equation which links efficiency, total power input and useful power output. [1 mark]



Useful power output =	_ W
Lisoful nowar autaut =	
the LED. [3 marks]	
Calculate the useful power output of	
The efficiency of the LED was 0.75	
The total power input to the LED was 0.24 W.	
0 2 . 6	



BLANK PAGE



0


FIGURE 4, on the opposite page, shows a hydroelectric power station

generated when water from the reservoir flows through the turbines. Electricity is

0 3.

he equation which links density (ρ), mass (m) (V). [1 mark] Write down tl and volume







7
3
0


r stores 6 500 000 m^3 of water. The reservoil

The density of the water is 998 kg/m³.

mass of water in the reservoir. Calculate the Give your answer in standard form. [4 marks]


22

K g
rm)
d fo
dar
stan
(in §
Mass
Σ



0 3.

he equation which links energy transferred (E), Write down the equation which I power (P) and time (t). [1 mark]



4
3
0


The electrical generators can provide

 1.5×10^9 W of power for a maximum of 5 hours.

maximum energy that can be transferred by the electrical generators. [3 marks] Calculate the

24

red =
y transfer
Energ



BLANK PAGE



0 3.5

FIGURE 5 shows how the UK demand for electricity increases and decreases during one day.

FIGURE 5

Demand for electricity in × 10⁹ W



00:00 04:00 08:00 12:00 16:00 20:00 00:00

Time of day



The hydroelectric power station in FIGURE 4 can provide 1.5×10^9 W of power for a maximum of 5 hours.

Give TWO reasons why this hydroelectric power station is not able to meet the increase in demand shown between 04:00 and 16:00 in FIGURE 5. [2 marks]

1			
2			

[Turn over]

11



0	4

FIGURE 6, on the opposite page, shows how much electricity was generated using coal-fired and gas-fired power stations in January for 5 years in the UK.

0	4		1
---	---	--	---


Determine the percentage increase in electricity generated using gas-fired power stations from 2014 to 2018. [2 marks]

Percentage increase =	%



FIGURE 6

Electricity generated in MJ



0 4	. 2
-----	-----

Give TWO environmental advantages of using a gas-fired power station to generate electricity compared with using a coal-fired power station. [2 marks]

1			
2			

The mean surface temperature of the sea changes throughout the year.


A change in the mean surface temperature from year to year indicates climate change.



FIGURE 7 shows how the mean surface temperature changed between 1988 and 2016.

FIGURE 7

Mean surface temperature in °C





BLANK PAGE



0 4 . 3	0	4		3
---------	---	---	--	---

A student does not believe that climate change is occurring.

Explain how the data in FIGURE 7 suggests the student is wrong. [2 marks	;]



0 4 . 4


A thermistor can be used to measure temperature.

FIGURE 8, on the opposite page, shows how the resistance of four different thermistors A, B, C and D, varies with temperature.



FIGURE 8


Resistance in kΩ





REPEAT OF FIGURE 8

Resistance in kΩ





Which	of the	four th	ermistor	's wol	ald be	9
the mo	ost suit	able to	measur	e the	surfa	ce
tempe	rature	of the s	sea?			

Tick (✓) ONE box.

Explain your answer. [3 marks]

A			
В			
C			
D			



0 5

Radioactive waste from nuclear power stations is a man-made source of background radiation.

0 5. 1

Give ONE other man-made source of background radiation. [1 mark]

Nuclear power stations use the energy released by nuclear fission to generate electricity.

0 5.2

Give the name of ONE nuclear fuel. [1 mark]



0 5 . 3	0	5		3
---------	---	---	--	---

Nuclear fission releases energy.

Describe the process of nuclear fission inside a nuclear reactor. [4 marks]



0	5		4
_	_	_	_

A new type of power station is being developed that will generate electricity using nuclear fusion.

-	-	lear fusion [2 marks]



0	5	5

Nuclear fusion power stations will produce radioactive waste. This waste will have a much shorter half-life than the radioactive waste from a nuclear fission power station.

-	n the a having			

[Turn over]

10




0 6

FIGURE 9 shows a theme park ride called AquaShute.

Riders of the AquaShute sit on a sled and move down a slide.

FIGURE 9





0	6	1

A light gate and data logger can be used to determine the speed of each rider and sled.

What two measurements are needed to determine the speed of a rider and sled? [2 marks]

Tick (✓) TWO boxes.

Gravitational field strength

Length of sled

Mass of rider and sled

Temperature of surroundings

Time for sled to pass light gate

0 0 1 2	0	6		2
---------	---	---	--	---

The decrease in gravitational potential energy of one rider on the slide was 8.33 kJ.

The rider moved through a vertical height of 17.0 m.

gravitational field strength = 9.8 N/kg

Calculate the mass of the ric	der. [4 marks]
Mass of rider =	ka



6		3
	6	6.

At the bottom of the slide, all riders and their sleds have approximately the same speed.

Explain why. [4 marks]			



0	7

An electric kettle was switched on. FIGURE 10 shows how the temperature of the water inside the kettle changed.

0 7.	1
------	---


When the kettle was switched on the temperature of the water did NOT immediately start to increase.

Suggest ONE reason why.	[1 mark]



FIGURE 10

Temperature in °C



on in seconds



BLANK PAGE




07.2	
The energy transferred to the water in 100 seconds was 155 000 J.	
specific heat capacity of water = 4200 J/kg °C	
Determine the mass of water in the kettle	le.
Use FIGURE 10 on page 47.	
Give your answer to 2 significant figure [5 marks]	S.
Mass of water (2 significant figures) =	
	Kg



REPEAT OF FIGURE 10

Temperature in °C







0	7		3
	_	_	

The straight section of the line in FIGURE 10 can be used to calculate the useful power output of the kettle.

Explain how. [3 marks]				

[Turn over]

9




∞ 0 A student investigated how the total resistance of identical nected in parallel varied with the number resistors con of resistors.

used an ohmmeter to measure the total the resistors. resistance of The student


FIGURE 11, on the opposite page, shows the student's circuit & with 3 resistors.



FIGURE 11



[Turn over]



repeated each reading of resistance three times. The student

TABLE 1 shows some of the results for 3 resistors in parallel.

TABLE 1

Number of	Total resistance	ance in ohms	JS	
resistors	Reading 1	Reading 2	Reading 3	Mean
3	15.8	15.3	×	15.7

ue X in TABLE 1. [2 marks] Calculate val



C

2
8
0

thought that taking a fourth reading would precision of the results. The student improve the

The fourth reading was 16.2 Ω.

the student was wrong. [2 marks] **Explain** why


55



FIGURE 12 shows the results from the investigation.

FIGURE 12

Mean total resistance in ohms





0	8	3
0	$\boldsymbol{\times}$	3

The student concluded that the number of resistors in parallel was inversely proportional to the mean total resistance.

Explain why the student was correct.

Use data from FIGURE 12 in your answe [3 marks]	r.



0	8	4

Explain why adding resistors in parallel decreases the total resistance. [2 marks]		




BLANK PAGE



0 9

FIGURE 13 shows part of a mains electricity lighting circuit in a house.

FIGURE 13



0 9 . 1

A fault in the switch caused a householder to receive a mild electric shock before a safety device switched the circuit off.

The mean power transfer to the person was 5.75 W.



The potential difference across the person was 230 V.

Calculate the resistance of the person. [5 marks]				
Resist	tance =	Ω		
	[Turn over]			

0	9		2
---	---	--	---

An electrician replaced the switch.

The electrician would have received an electric shock unless the circuit was disconnected from the mains supply.

Explain why. [3 marks]					



BLANK PAGE



0 9 . 3


The current from an electric shock causes a person's muscles to contract. The person cannot let go of the electrical circuit if the current is too high.

FIGURE 14, on the opposite page, shows how the maximum current at which a person can let go depends on the frequency of the electricity supply.



FIGURE 14

Maximum current at which a person can let go in mA





BLANK PAGE



The UK mains frequency is 50 Hz.

Explain why it would be smains frequency was NO [2 marks]	
[Turn over]	10



1 0

FIGURE 15 shows a balloon filled with helium gas.

FIGURE 15





10.1	
Which statements describe the moveme of the gas particles in the balloon? [2 marks]	nt
Tick (✓) TWO boxes.	
The particles all move in a predictable way.	
The particles move at the same speed.	
The particles move in circular paths.	
The particles move in random directions.	
The particles move with a range of speeds.	
The particles vibrate about fixed positions.	

6 9

10.2

The pressure of the helium in the balloon is 100 000 Pa.

The volume of the balloon is 0.030 m³.

The balloon is compressed at a constant temperature causing the volume to decrease to 0.025 m³.

No helium leaves the balloon.

Calculate the new pressure in the balloon. [4 marks]





New pressure =	Pa



1	0		3
_	_	_	_

The temperature of the helium in the balloon was increased.

The mass and volume of helium in the balloon remained constant.

Explain why the pressure exerted by the helium inside the balloon would increase. [4 marks]	



END OF QUESTIONS





Additional page, if required. Write the question numbers in the left-hand margin.



Additional page, if required. Write the question numbers in the left-hand margin.



BLANK PAGE

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
TOTAL		

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2020 AQA and its licensors. All rights reserved.

IB/M/SB/Jun20/8463/1H/E2



