

Surname	
Other Names	
Centre Number	
Candidate Number	
Candidate Signature	
I declare this is my own work	<u>.</u>

GCSE

PHYSICS

F

Foundation Tier Paper 2

8463/2F

Friday 12 June 2020 Morning

Time allowed: 1 hour 45 minutes

At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.



For this paper you must have:

- a ruler
- a scientific calculator
- a protractor
- the Physics Equations Sheet (enclosed).

INSTRUCTIONS

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Answer ALL questions in the spaces provided.
- Do not write on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.



INFORMATION

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.


DO NOT TURN OVER UNTIL TOLD TO DO SO

Answer ALL questions in the spaces provided.

0 1 A student dropped a piece of modelling clay into oil.

FIGURE 1 shows the modelling clay just before it was dropped into the oil.

FIGURE 1





01.1	What was the distance fallen by the modelling clay? [1 mark]		
	Tick (✓) ONE box.		
	from A to C		
	from A to D		
	from B to C		
	from B to D		
01.2	What measuring instrument should be used to measure the distance fallen? [1 mark]		



The student dropped four pieces of modelling clay, each with a different shape.

For each piece the student measured the time taken to fall the same distance through the oil.

01.3	The student removed each piece of modelling clay from the oil before dropping the next piece.
	Suggest ONE reason why. [1 mark]

The student repeated the measurements and calculated mean values.

TABLE 1, on the opposite page, shows the results.



TABLE 1

Shape	Time taken in seconds			
	Drop 1	Drop 2	Drop 3	Mean
Sphere	47	38	41	42
Cube	68	49	57	58
() Cylinder	34	37	34	x
Cone	29	23	26	26

0 1.4	Calculate value X in TABLE 1. [2 marks]	
	X =	s



REPEAT OF TABLE 1

Shape	Time taken in seconds			
	Drop 1	Drop 2	Drop 3	Mean
Sphere	47	38	41	42
Cube	68	49	57	58
() Cylinder	34	37	34	x
Cone	29	23	26	26



0 1 . 5	Each piece of modelling clay had the same mass.		
	Which shape in TABLE 1 had the smallest resistive force acting against it as it fell?		
	Tick (✓) ONE box.		
	Give ONE reason for your answer. [2 marks]		
	Cone		
	Cube		
	Cylinder		
	Sphere		
	Reason		



0 1 . 6	6 How would the time taken to fall change if the modelling clay was dropped through a instead of through oil? [1 mark]		
	Tick (✓) ONE box.		
	Time through air would be less.		
	Time through air would be more.		
	Time through air would be the same.		



The mass of a piece of modelling clay was 0.050 kg.	
gravitational field strength = 9.8 N/kg	
Calculate the weight of the piece of modelling clay.	
Use the equation:	
weight = mass × gravitational field strength [2 marks]	
Weight =	N
	was 0.050 kg. gravitational field strength = 9.8 N/kg Calculate the weight of the piece of modelling clay. Use the equation: weight = mass × gravitational field strength



0 1 . 8	Weight causes the modelling clay to fall through the oil.		
	Weight is a non-contact force.		
	Which of the following are also non-contact forces? [2 marks]		
	Tick (✓) TWO boxes.		
	Air resistance		
	Electrostatic force		
	Friction		
	Magnetic force		
	Tension		
	12		



0 2	Our solar system includes the Sun, planets and moons.
02.1	Complete the sentence.
	Choose the answer from the list below. [1 mark] • Andromeda • Milky Way • Pinwheel • Whirlpool Our solar system is part of the
	galaxy.
02.2	Planets orbit the Sun.
	What force causes planets to orbit the Sun? [1 mark]
[Turn ove	er]



TABLE 2 shows data about five planets.

TABLE 2

Planet	Mean distance from the Sun in millions of kilometres	Mean surface temperature in °C
Earth	150	+22
Mars	228	-48
Jupiter	778	X
Saturn	1430	-178
Uranus	2870	-200

0	2	. 3	How does the mean surface temperature of the planets in TABLE 2 change as the mean distance from the Sun increases? [1 mark]



02.4	Predict the mean surface temperature of Jupiter (X) in TABLE 2. [1 mark]	
	Mean surface temperature of Jupiter =	
		_°C
02.5	Five of the planets in the solar system are given in TABLE 2.	
	How many other planets are there in the solar system? [1 mark]	
	Tick (✓) ONE box.	
	Two	
	Three	
	Four	
	Five	



0 2 . 6	Our Moon is a natural satellite.
	Why is the Moon classified as a satellite? [1 mark]
	Tick (✓) ONE box.
	It has no atmosphere.
	It has no gravitational field.
	It is too small to be a planet.
	It orbits a planet.




02.7	How are planets and moons similar? [2 marks]		
	Tick (✓) TWO boxes.		
	Their mass is about the same.		
	Their orbits are circular.		
	Their surfaces are the same colour.		
	They are similar in diameter.		
	They do not emit visible light.		
02.8	The diameter of the Earth is 13 000 km.		
	The diameter of the Sun is 110 times greate than the diameter of the Earth.	:r	
	Calculate the diameter of the Sun. [2 marks	\$]	
	Diameter of the Sun =	km	

1 7




FIGURE 2



0 3.1 Which arrow represents the wavelength of the waves? [1 mark]

Tick (✓) ONE box.

Р
Q
R





03.2	2 Which arrow represents the amplitude the waves? [1 mark]	
	Tick (✓) ONE box.	
	P	
	Q	
	R	
	S	



0 3 . 3	The waves have a frequency of 0.20 hertz.
	Calculate the period of the waves.
	Use the equation:
	$period = \frac{1}{frequency}$
	[2 marks]
	Pariod -




0 3 . 4	The frequency of the waves is increased. The speed of the waves stays the same.
	What happens to the wavelength of the waves? [1 mark]
	Tick (✓) ONE box.
	The wavelength decreases.
	The wavelength increases.
	The wavelength stays the same.



A student investigated how the speed of water waves is affected by the depth of water in a tray.

FIGURE 3 shows some water in a rectangular tray.

FIGURE 3



The student lifted one end of the tray and then dropped it.

This made a wave which travelled the length of the tray.




03.5	The student measured the length of the tray.		
	What else should the student measure in order to calculate the speed of the wave? [1 mark]		
	Tick (✓) ONE box.		
		Area of the bottom of the tray	
		Depth of water in the tray	
		Temperature of the water in the tray	
		Time taken by the wave to travel the length of the tray	
03.6		as the independent variable in this jation? [1 mark]	
		Depth of water	
		Length of tray	
		Speed of waves	



FIGURE 4 shows the results.

FIGURE 4

Speed of waves in metres per second





03.7	Give one conclusion that can be mad FIGURE 4. [1 mark]	e from
03.8	What was the speed of a wave when to of water was 2.5 cm? [1 mark]	the depth
	Speed of wave =	m/s
[Turn ove	er]	9




04.1	Visible light is used for communications.	
	Which other parts of the electromagnetic spectrum are used for communications? [2 marks]	
	Tick (✓) TWO boxes.	
	Gamma rays	
	Microwaves	
	Radio waves	
	Ultraviolet	
	X-rays	



FIGURE 5 shows a ray of light in an optical fibre.

FIGURE 5



0 4.2 What is the name given to the dotted line on FIGURE 5? [1 mark]

0 4.3 Where the ray of light touches the edge of the optical fibre it is reflected.

Draw the reflected ray on FIGURE 5. [2 marks]



04.4	Optical fibres need to be able to bend around corners without breaking.
	Suggest the property that optical fibres must have to allow them to bend around corners. [1 mark]

0 4 . 5 The appearance of visible light can change when it interacts with different objects.

Complete the sentences on the opposite page.

Choose the answers from the list below.

Each answer may be used once, more than once or not at all. [3 marks]

- absorbed
- reflected
- refracted
- transmitted



	when white light is incident on a	green fiit	er,
	only green light passes through	the filter.	
	This is because green light is		
		by the fi	lter.
	All other colours of light are		
		by the fi	lter.
	When red light shines on a blue	object the	red
	light is		
[Turn ove	er]		
•	•		9



0 5

A student placed a magnet on top of a plastic support in a bowl of water. This magnet was fixed in position and above the surface of the water.

The student put a second magnet into a piece of cork so that the magnet floated on the water. Only the north pole of the floating magnet was above the surface of the water.

FIGURE 6 shows the arrangement of the magnets.

Floating magnet Cork Water Path followed by floating magnet Fixed magnet Plastic support



05.1	The floating magnet was placed near to the north pole of the fixed magnet. The floating magnet then moved along the path shown in FIGURE 6.
	Explain why. [2 marks]
05.2	The student replaced the floating magnet with a piece of iron.
	What happened to the piece of iron? [1 mark]



0 5 . 3 Describe how to use a compass to plot the magnetic field pattern around a bar magnet.

Use FIGURE 7 to help you. [4 marks]

USE FIGURE / to help you. | FIGURE /









FIGURE 8 shows a diagram of an electromagnetic lock used to secure a door.


FIGURE 8





0 5 . 4 FIGURE 9 shows an incomplete sequence of how the door unlocks.

FIGURE 9



Write ONE letter in each box to show the correct sequence. [2 marks]

- A The iron bolt moves.
- A magnetic field is created around the solenoid. മ
- C There is a current in the circuit.



lock contains a spring.	When the door is unlocked the extension of the spring is 0.040 m	٤	Calculate the elastic potential energy of the spring when the door is unlocked.		elastic potential energy = $0.5 \times \text{spring constant} \times (\text{extension})^2$ [2 marks]			
The electromagnetic	When the door is unlock	spring constant = 200 N/m	Calculate the elastic pot is unlocked.	Use the equation:	elastic potential energy		Elastic potential energy =	
0 5.5								





0 6.1 FIGURE 10 shows the position of three types of wave in the electromagnetic spectrum.

FIGURE 10

Gamma rays
Q
၁
Visible light
æ
Micro- waves
4



Which letter represents the position of X-rays in the electromagnetic spectrum? [1 mark]

Tick (✓) ONE box.

4

 $\mathbf{\Omega}$

S



A doctor needs to obtain an image of a bone in a patient's injured arm.

The doctor takes an X-ray of the arm.

0 6 . 2	Give ONE possible harmful consequence of receiving a dose of X-ray radiation. [1 mark]	

TABLE 3 gives information about two methods of bone imaging.

TABLE 3

Method	Radiation dose in millisieverts
X-ray of arm	0.1
CT scan of arm	6.0

0 6.3 Compare the risk of harm to the patient of having an X-ray rather than a CT scan. [2 marks]



06.4		of the following is the same as isieverts? [1 mark]
	Tick (✓) ONE box.
		0.60 sieverts
		0.060 sieverts
		0.0060 sieverts
		0.00060 sieverts



REPEAT OF TABLE 3

Method	Radiation dose in millisieverts
X-ray of arm	0.1
CT scan of arm	6.0

06.5	The patient received a total radiation dose of 2.5 millisieverts during one year.
	Calculate the percentage of this dose that came from one X-ray of the arm.
	Use the data in TABLE 3. [2 marks]

Percentage = _____

7





07.1	An aircraft travels at a constant velocity.
	How is the velocity of the aircraft different to the speed of the aircraft? [1 mark]



07.2	FIGURE 11 shows one of the engines on the
	aircraft.

FIGURE 11

Front of engine

Air pushed backwards

Air is taken into the front of the engine and pushed out of the back of the engine.


Explain the effect this has on the engine.
[2 marks]



0 7.3 FIGURE 12 shows a distance-time graph for the aircraft.

FIGURE 12

Distance in metres





	Determine the speed of the aircraft. [3 marks]
	Speed =m/s
07.4	Write down the equation that links acceleration (a), change in velocity (Δv) and time taken (t). [1 mark]



07.5	At a different stage of the flight, the aircraft was travelling at a velocity of 250 m/s.
	The aircraft then decelerated at 0.14 m/s ² .
	Calculate the time taken for the aircraft to decelerate from 250 m/s to 68 m/s. [4 marks]



	Time =	_ _s
07.6	Write down the equation that links distance (s), force (F) and work done (W) . [1 mark]	



07.7	When the aircraft landed, it travelled 2000 m before stopping.
	The work done to stop the aircraft was 140 000 000 J.
	Calculate the mean force used to stop the aircraft. [3 marks]
	Mean force =N
	15






A student investigated the acceleration of a trolley.

& O

FIGURE 13 shows how the student set up the apparatus.

FIGURE 13





0 8 . 1 Before attaching the mass holder the student placed the trolley at the top of the runway. The trolley rolled down the runway without being pushed. What change to the apparatus in FIGURE 13 could be made to prevent the trolley from starting to roll down the runway? [1 mark]

Tick (✓) ONE box.

Move the wooden block to the left.

Shorten the length of the runway.

Use a taller wooden block.



	ı
.gc	ı
it attached the mass holder to the string.	ı
to t	1
Ī	
qe	
hol	
S	
as	
Ε	
Je	
±	
ed	
ch	
ta	
at	
ent	
de	
ţ	1
S	
he	
7	
〓	
∞	

The string rubbed along the edge of the bench as the mass holder fell to the floor.

Suggest what the student could do to prevent the string from rubbing. [1 mark]





The light gate and data logger were used to determine the acceleration of the trolley.

The student increased the resultant force on the trolley and recorded the acceleration of the trolley.

TABLE 4 shows the results.

TABLE 4

Resultant force in newtons	Acceleration in m/s ²
0.05	0.08
0.10	0.18
0.15	0.25
0.20	0.32
0.25	0.41

FIGURE 14, on the opposite page, is an incomplete graph of the results.

0 8 . 3 Complete FIGURE 14, on the opposite page.


- Choose a suitable scale for the x-axis.
- Plot the results.
- Draw a line of best fit.

[4 marks]



FIGURE 14

Acceleration in m/s²



Resultant force in Newtons



08.4	Describe the relationship between the resultant force on the trolley and the acceleration of the trolley. [1 mark]
08.5	Describe how the investigation could be improved to reduce the effect of random errors. [2 marks]



0 8 . 6	Write down the equation that links acceleration (a), mass (m) and resultant force (F). [1 mark]



08.7	The resultant force on the trolley was 0.375 N.
	The mass of the trolley was 0.60 kg.
	Calculate the acceleration of the trolley.
	Give your answer to 2 significant figures. [4 marks]
	Acceleration (2 significant figures) =
	m/s ²



09.1	Complete the sentences. [2 marks]
	The Sun is a stable star. This is because the
	forces pulling inwards caused by
	are in equilibrium
	with the forces pushing outwards caused
	by the energy released by nuclear
09.2	Write down the equation that links distance travelled (s), speed (v) and time (t). [1 mark]

6 1

09.3	The mean distance between the Sun and the Earth is 1.5×10^{11} m.
	Light travels at a speed of 3.0×10^8 m/s.
	Calculate the time taken for light from the Sun to reach the Earth. [3 marks]
	Timo -





09.4	Some stars are much more massive than the Sun.
	Describe the life cycle of stars much more massive than the Sun, including the formation of new elements. [6 marks]



-		



09.	Stars emit radiation with a range of wavelengths.
	Which property of a star does the range of wavelengths depend on? [1 mark]
	Tick (✓) ONE box.
	Density
	Mass
	Temperature
	Volume
END O	F QUESTIONS



Additional page, if required.
Write the question numbers in the left-hand margin.



Additional page, if required.
Write the question numbers in the left-hand margin.



Additional page, if required. Write the question numbers in the left-hand margin.		



For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
TOTAL		

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2020 AQA and its licensors. All rights reserved.

IB/M/SB/Jun20/8463/2F/E2



