

| Surname | |
|--------------------------------|--|
| Other Names | |
| Centre Number | |
| Candidate Number | |
| Candidate Signature | |
| I declare this is my own work. | |

A-level MATHEMATICS

Paper 3

7357/3

Time allowed: 2 hours

For this paper:

- You must have the AQA Formulae for A-level Mathematics booklet
- You should have a graphical or scientific calculator that meets the requirements of the specification.

At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.



BLANK PAGE



INSTRUCTIONS

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Answer ALL questions.
- You must answer each question in the space provided for that question.
- Do NOT write on blank pages.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.

INFORMATION

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 100.

ADVICE

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.


DO NOT TURN OVER UNTIL TOLD TO DO SO



SECTION A

Answer ALL questions in the spaces provided.

The graph of $y = \arccos x$ is shown. 1



State the coordinates of the end point P.

Circle your answer. [1 mark]

$$(-\pi, 1)$$

$$(-1, \pi)$$

$$\left(-\frac{\pi}{2}, 1\right)$$

$$\left(-\frac{\pi}{2}, 1\right)$$
 $\left(-1, \frac{\pi}{2}\right)$



2 Simplify fully

$$\frac{(x+3)(6-2x)}{(x-3)(3+x)}$$
 for $x \neq \pm 3$

Circle your answer. [1 mark]

$$\frac{(6-2x)}{(x-3)}$$

$$\frac{(2x-6)}{(x-3)}$$

$$3 f(x) = 3x^2$$

Obtain
$$\lim_{h\to 0} \frac{f(x+h)-f(x)}{h}$$

Circle your answer. [1 mark]

$$\frac{3h^2}{h}$$

$$x^3$$

$$\frac{3(x+h)^2-3x^2}{h}$$

BLANK PAGE



| 4 (a) | Show that the first three terms, in descending powers of x , of the expansion of | | | | |
|-------|--|--|--|--|--|
| | $(2x-3)^{10}$ | | | | |
| | are given by | | | | |
| | $1024x^{10} + px^9 + qx^8$ | | | | |
| | where p and q are integers to be found. [3 marks] | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



| 4 (b) | Find the constant term in the expansion of |
|-------|--|
| | |

 $\left(2x-\frac{3}{x}\right)^{10}$

[2 marks]




A gardener is creating flowerbeds in the shape of sectors of circles.

The gardener uses an edging strip around the perimeter of each of the flowerbeds.

The cost of the edging strip is £1.80 per metre and can be purchased for any length.

One of the flowerbeds has a radius of 5 metres and an angle at the centre of 0.7 radians as shown in the diagram below.



| 5 | (a) | (i) | Find the area of this flowerbed. | [2 marks] |
|---|-----|-----|----------------------------------|-----------|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



| 5 (a) (ii) | Find the cost of the edging strip required for this flowerbed. [3 marks] | |
|------------|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



- 5 (b) A flowerbed is to be made with an area of $20 \,\mathrm{m}^2$
- 5 (b) (i) Show that the cost, $\pounds C$, of the edging strip required for this flowerbed is given by

$$C = \frac{18}{5} \left(\frac{20}{r} + r \right)$$

where r is the radius measured in metres. [3 marks]



| · | | |
|---------------------------------------|------|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| · · · · · · · · · · · · · · · · · · · | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



| 5 | (b) (ii) | Hence, show that the minimum cost of the edging strip for this flowerbed occurs when $r \approx 4.5$ | | | | |
|---|----------|--|--|--|--|--|
| | | Fully justify your answer. [5 marks] | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



| | | |
|------|------|-------------|
| | | |
| | | |
| | | |
| | | |
| | | |
| | **** | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



6 Given that x > 0 and $x \neq 25$, fully simplify

$$\frac{10 + 5x - 2x^{\frac{1}{2}} - x^{\frac{3}{2}}}{5 - \sqrt{x}}$$

Fully justify your answer. [4 marks]

| | | |
|------|------|--|



| | | |
|------|--|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



| 7 | A building has a leaking roof and, while it is raining, water drips into a 12 litre bucket. | | | | |
|-------|---|--|--|--|--|
| | When the rain stops, the bucket is one third full. | | | | |
| | Water continues to drip into the bucket from a puddle on the roof. | | | | |
| | In the first minute after the rain stops, 30 millilitres of water drips into the bucket. | | | | |
| | In each subsequent minute, the amount of water that drips into the bucket reduces by 2%. | | | | |
| | During the n th minute after the rain stops, the volume of water that drips into the bucket is W_n millilitres. | | | | |
| 7 (a) | Find W_2 [1 mark] | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



| 7 (b) | Explain why | | | | |
|-------|--|--|--|--|--|
| | $W_n = A \times 0.98^{n-1}$ | | | | |
| | and state the value of A . [2 marks] | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



| 7 (c) | Find the increase in the water in the bucket 15 minutes after the rain stops. | | | | | |
|-------|---|--|--|--|--|--|
| | Give your answer to the nearest millilitre. [2 marks] | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



| 7 (d) | Assuming it does not start to rain again, find the maximum amount of water in the bucket. [3 marks] |
|-------|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| 7 (e) | After several hours the water has stopped dripping. | | | | | |
|-------|--|--|--|--|--|--|
| | Give TWO reasons why the amount of water in the bucket is not as much as the answer found in part (d). [2 marks] | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |



BLANK PAGE



| \sim | ^ : | 41 4 |
|--------|------------|------|
| × | (i Wan | that |
| 8 | Given | unaı |

$$\int_{\frac{\pi}{4}}^{\frac{\pi}{3}} x \cos x \, \mathrm{d}x = a\pi + b$$

find the exact value of a and the exact value of b.

Fully justify your answer. [6 marks]

| | | | |
|------|------|------------------|--|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



| 1 | |
|---|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| | | | |
|---|------|------|------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| , | | | |
| | | | |
| | | | |



| | ····· | |
|-----------------|--------------|------|
| | | |
| | | |
| | | |
| | ····· | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



| 9 | A function | f is | defined | for | all real | values | of x | as |
|---|------------|------|----------|-------|----------|--------|--------------|----|
| • | , | | 40111104 | . • . | an roar | 14145 | U : " | u. |

$$f(x) = x^4 + 5x^3$$

The function has exactly two stationary points when x = 0 and $x = -\frac{15}{4}$

9 (a) (i) Find f''(x) [2 marks]

| | |
|------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| 9 | (a) (ii) | e stationary points. | |
|---|----------|----------------------------|-----------|
| | | Fully justify your answer. | [4 marks] |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |



| | |
|------|--------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| 9 (b) | State the range of values of x for which | | | | |
|-------|--|--|--|--|--|
| | $f(x) = x^4 + 5x^3$ | | | | |
| | is an increasing function. [1 mark] | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



| Э | (C) | | of x as |
|---|-----|------|--|
| | | | $g(x) = x^4 - 5x^3$ |
| 9 | (c) | (i) | State the single transformation which maps f onto g. [1 mark] |
| | | | |
| | | | |
| | | | |
| | | | |
| 9 | (c) | (ii) | State the range of values of x for which g is an increasing function. [1 mark] |
| | | | |
| | | | |
| | | | |
| | | | |



BLANK PAGE



| C | C1 | ГΙ | \cap | N | D |
|---|-----|----|--------|----|---|
| | اما | | IJ | IV | П |

| Answer ALL o | questions | in the | spaces | provided. |
|--------------|-----------|--------|--------|-----------|
|--------------|-----------|--------|--------|-----------|

| 10 | Anke has collected data from 30 similar-sized cars to investigate any correlation between the age of the car and the current market value. |
|----|--|
| | She calculates the correlation coefficient. |
| | Which of the following statements best describes her answer of -1.2? |
| | Tick (✓) ONE box. [1 mark] |
| | Definitely incorrect |
| | Probably incorrect |
| | Probably correct |
| | Definitely correct |



11 The random variable X is such that $X \sim \mathbf{B}(n, p)$

The mean value of X is 225

The variance of X is 144

Find p.

Circle your answer. [1 mark]

0.36

0.6

0.64

8.0



| 12 | An electoral register contains 8000 names. |
|----|--|
| | A researcher decides to select a systematic sample of 100 names from the register. |
| | Explain how the researcher should select such a sample. [3 marks] |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



BLANK PAGE



The table below is an extract from the Large Data Set.

| PROPULSION TYPE | REGION | ENGINE SIZE | MASS | CO ₂ | PARTICULATE EMISSIONS |
|--------------------|------------|----------------|------|-----------------|--------------------------|
| 2 | London | 1896 | 1533 | 154 | 0.04 |
| 2 | North West | 1896 | 1423 | 146 | 0.029 |
| 2 | North West | 1896 | 1353 | 138 | 0.025 |
| 2 | South West | 1998 | 1547 | 159 | 0.026 |
| 2 | London | 1896 | 1388 | 138 | 0.025 |
| 2 | South West | 1896 | 1214 | 130 | 0.011 |
| 2 | South West | 1896 | 1480 | 146 | 0.029 |
| 2 | South West | 1896 | 1413 | 146 | 0.024 |
| 2 | South West | 2496 | 1695 | 192 | 0.034 |
| 2 | South West | 1422 | 1251 | 122 | 0.025 |
| 2 | South West | 1995 | 2075 | 175 | 0.034 |
| 2 | London | 1896 | 1285 | 140 | 0.036 |
| 2 | North West | 1896 | 0 | 146 | |



13

| (i) Calculate the mean and standard deviation of CO_2 emissions in the | [2 marks] |
|--|-----------|
| Calcul | table. |
| Ξ | |
| 13 (a) | |



| 2 standard deviations from the mean can be | |
|--|-------------------------|
| 2 standard deviatior | |
| Any value more than 2 | identified as an outlie |
| 3 (a) (ii) | |

Determine, using this definition of an outlier, if there are any outliers in this sample of ${\rm CO}_2$ emissions.

Fully justify your answer. [2 marks]



| Maria claims that the last line in the table must contain two errors. Use your knowledge of the Large Data Set to comment on Maria's claim. [2 marks] |
|--|
| 13 (b) |

[Turn over]



| 14 | \boldsymbol{A} and \boldsymbol{B} are two events such that |
|----|--|
| | $P(A \cap B) = 0.1$ |

$$\mathsf{P}(A'\cap B')=0.2$$

$$\mathsf{P}(B) = 2\,\mathsf{P}(A)$$

| 14 | (a) | Find $P(A)$ | [4 marks] |
|----|-----|-------------|-----------|
|----|-----|-------------|-----------|



| 14 (b) | Find P(B A) [2 marks] |
|--------|-----------------------|
| | |
| | |
| | |
| | |



| 14 (c) | Determine if A and B are independent events. [1 mark] |
|--------|---|
| | |
| | |
| | |
| | |



| 15 | A team game involves solving puzzles to escape from a room. |
|----|--|
| | Using data from the past, the mean time to solve the puzzles and escape from one of these rooms is 65 minutes with a standard deviation of 11.3 minutes. |
| | After recent changes to the puzzles in the room, it is claimed that the mean time to solve the puzzles and escape has changed. |
| | To test this claim, a random sample of 100 teams is selected. |
| | The total time to solve the puzzles and escape for the 100 teams is 6780 minutes. |
| | Assuming that the times are normally distributed, test at the 2% level the claim that the mean time has changed. [7 marks] |
| | |
| | |
| | |
| | |



| | | | |
|---|------|------|------|
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| | | | |
| , | | | |
| | | | |
| | | | |



| | | | |
|------|------|------|------|
| | | | |
| | | | |
| | | | |
| | | | |



16 The discrete random variable X has the probability function

$$P(X = x) = \begin{cases} c(7-2x) & x = 0, 1, 2, 3 \\ k & x = 4 \\ 0 & \text{otherwise} \end{cases}$$

where c and k are constants.

| 16 (a) | Show that | 16c + k = 1 | [2 marks] |
|--------|-----------|-------------|-----------|
|--------|-----------|-------------|-----------|

| | | |
|------|-------------|--|
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



| 16 (b) | Given that $P(X \ge 3) = \frac{5}{8}$ | |
|--------|--|-----------|
| | find the value of c and the value of k . | [2 marks] |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |



| 17 | James is playing a mathematical game on his computer. |
|--------|---|
| | The probability that he wins is 0.6 |
| | As part of an online tournament, James plays the game 10 times. |
| | Let Y be the number of games that James wins. |
| 17 (a) | State two assumptions, in context, for Y to be modelled as $B(10, 0.6)$ [2 marks] |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| 17 (b) | Find $P(Y = 4)$ [1 mark] |
|--------|-----------------------------|
| | |
| | , |
| | |
| | |
| | |
| 17 (c) | Find $P(Y \ge 4)$ [2 marks] |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| 17 (d) | After practising the game, James claims that he has increased his probability of winning the game. | | | | |
|--------|--|--|--|--|--|
| | In a random sample of 15 subsequent games, he wins 12 of them. | | | | |
| | Test a 5% significance level whether James's claim is correct. [6 marks] | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |



| | |
|------|--|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| 18 | | A factory produces jars of jam and jars of marmalade. |
|--------|-----|---|
| 18 (a) | | The weight, X grams, of jam in a jar can be modelled as a normal variable with mean 372 and a standard deviation of 3.5 |
| 18 (a) | (i) | Find the probability that the weight of jam in a jar is equal to 372 grams. [1 mark] |
| | | |
| | | |
| | | |
| | | |



| 18 (a) (ii) | Find the probability that the weight of jam in a jar is greater than 368 grams. [2 marks] |
|-------------|---|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| 18 (b) | | The weight, Y grams, of marmalade in a jar can be modelled as a normal variable with mean μ and standard deviation σ | | |
|--------|-----|---|--|--|
| 18 (b) | (i) | Given that $P(Y < 346) = 0.975$, show that | | |
| | | $346 - \mu = 1.96 \sigma$ | | |
| | | Fully justify your answer. [3 marks] | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |



| | |
|------|------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



| 18 (b) (ii) | Given further that |
|-------------|-----------------------------------|
| | P(Y < 336) = 0.14 |
| | find μ and σ [4 marks] |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| | |



END OF QUESTIONS



BLANK PAGE

| For Examiner's Use | | |
|--------------------|------|--|
| Question | Mark | |
| 1 | | |
| 3 | | |
| 3 | | |
| 4 | | |
| 5 | | |
| 6 | | |
| 7 | | |
| 8 | | |
| 9 | | |
| 10 | | |
| 11 | | |
| 12 | | |
| 13 | | |
| 14 | | |
| 15 | | |
| 16 | | |
| 17 | | |
| 18 | | |
| TOTAL | | |
| | | |

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2021 AQA and its licensors. All rights reserved.

GB/VW/Jun21/7357/3/E1



