



**Surname** \_\_\_\_\_

**Other Names** \_\_\_\_\_

**Centre Number** \_\_\_\_\_

**Candidate Number** \_\_\_\_\_

**Candidate Signature** \_\_\_\_\_

**I declare this is my own work.**

**GCSE**

**COMBINED SCIENCE: TRILOGY**

**Higher Tier**

**Physics Paper 2H**

**8464/P/2H**

**H**

**Time allowed: 1 hour 15 minutes**

**At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.**

**[Turn over]**



**For this paper you must have:**

- **a protractor**
- **a ruler**
- **a scientific calculator**
- **the Physics Equations Sheet (enclosed).**

## **INSTRUCTIONS**

- **Use black ink or black ball-point pen.**
- **Pencil should only be used for drawing.**
- **Answer ALL questions in the spaces provided.**
- **If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).**
- **Do all rough work in this book. Cross through any work you do not want to be marked.**



- **In all calculations, show clearly how you work out your answer.**

## **INFORMATION**

- **The maximum mark for this paper is 70.**
- **The marks for questions are shown in brackets.**
- **You are expected to use a calculator where appropriate.**
- **You are reminded of the need for good English and clear presentation in your answers.**

**DO NOT TURN OVER UNTIL TOLD TO DO SO**




|   |   |
|---|---|
| 0 | 1 |
|---|---|

**FIGURE 1** shows a stretched spring.

The spring is elastically deformed.

**FIGURE 1**



|   |   |   |   |
|---|---|---|---|
| 0 | 1 | . | 1 |
|---|---|---|---|

**What is meant by ‘elastically deformed’?**  
**[1 mark]**

**Tick (✓) ONE box.**

**As the force on the spring increases the length of the spring increases.**

**Only a very small force is needed to stretch the spring.**

**The force on the spring causes it to change shape.**

**The spring will return to its original length when the force is removed.**

**[Turn over]**



|   |   |   |   |
|---|---|---|---|
| 0 | 1 | . | 2 |
|---|---|---|---|

**Describe a method to determine the extension of the spring. [2 marks]**

---

---

---

---

---

---

---

---



|   |   |   |   |
|---|---|---|---|
| 0 | 1 | . | 3 |
|---|---|---|---|

The extension of the spring is 80 mm.

spring constant = 40 N/m

Calculate the elastic potential energy of the spring.

Use the Physics Equations Sheet.  
[3 marks]

---

---

---

---

---

---

---

---

---

---

Elastic potential energy = \_\_\_\_\_ J

[Turn over]



|   |   |   |   |
|---|---|---|---|
| 0 | 1 | . | 4 |
|---|---|---|---|

**Write down the equation which links extension ( $e$ ), force ( $F$ ) and spring constant ( $k$ ). [1 mark]**

---

---

|   |   |   |   |
|---|---|---|---|
| 0 | 1 | . | 5 |
|---|---|---|---|

**A force of 300 N acts on a different spring.**

**The force causes the spring to extend by 0.40 m.**

**Calculate the spring constant of the spring. [3 marks]**

---

---

---

---





---

---

---


---

---

**Spring constant = \_\_\_\_\_ N/m**

|           |
|-----------|
|           |
| <b>10</b> |

**[Turn over]**



|   |   |
|---|---|
| 0 | 2 |
|---|---|

**Professional rugby players wear a tracking device that measures their velocity and acceleration.**

**FIGURE 2 shows a player wearing a tracking device.**

**The player is tackling another player who is running with the ball.**

**FIGURE 2**

**Tracking device** —



|   |   |   |   |
|---|---|---|---|
| 0 | 2 | . | 1 |
|---|---|---|---|

**Velocity and acceleration are both vector quantities.**

**What is a vector quantity? [1 mark]**

**Tick (✓) ONE box.**

**A quantity with both magnitude and direction**

**A quantity with direction only**

**A quantity with magnitude only**

**[Turn over]**



**0 2 . 2**

**Which of the following is a vector quantity? [1 mark]**

**Tick (✓) ONE box.**

**Displacement**

**Distance**

**Time**

**Work done**



**BLANK PAGE**


**[Turn over]**



**FIGURE 3** shows a velocity–time graph for the player running with the ball.

### **FIGURE 3**

**Velocity in  
metres per  
second**



0 2 . 3

**Determine the acceleration of the player between 0 and 1.6 s. [2 marks]**

---

---

---

---

**Acceleration = \_\_\_\_\_ m/s<sup>2</sup>**

0 2 . 4

**Describe the motion of the player between 3.4 s and 3.6 s. [1 mark]**

---

---

---

**[Turn over]**



**The force exerted on the player when she is tackled causes her to accelerate.**

**0 2 . 5**

**Write down the equation which links acceleration ( $a$ ), mass ( $m$ ) and resultant force ( $F$ ). [1 mark]**

---

---





|   |   |   |   |
|---|---|---|---|
| 0 | 2 | . | 6 |
|---|---|---|---|

The player accelerates at  $25 \text{ m/s}^2$  when a resultant force of  $1800 \text{ N}$  acts on her.

Calculate the mass of the player.  
[3 marks]

---

---

---

---

---

---

---

---

---

---

Mass = \_\_\_\_\_ kg

[Turn over]



0 2 . 7

**The tracking device sends data to a computer during the game.**

**Suggest ONE advantage of the data being sent during the game. [1 mark]**

---

---

---

|    |
|----|
|    |
| 10 |

**BLANK PAGE**

**[Turn over]**





---

---

---

---

---

---

---

**[Turn over]**



The student recorded values for the frequency and the wavelength of waves in the ripple tank.

TABLE 1 and TABLE 2 show the results.

TABLE 1

| Reading            | 1   | 2   | 3   |
|--------------------|-----|-----|-----|
| Frequency in hertz | 9.8 | 9.4 | 9.3 |

TABLE 2

| Reading          | 1   | 2   | 3   |
|------------------|-----|-----|-----|
| Wavelength in cm | 1.7 | 2.2 | 2.1 |





|   |   |   |   |
|---|---|---|---|
| 0 | 3 | . | 3 |
|---|---|---|---|

**What is the advantage of taking repeat readings and then calculating a mean?  
[1 mark]**

---

---

---





03.4

**The speed of the wave is affected by the depth of the water in the ripple tank.**

**The deeper the water the faster the wave.**

**Explain how the depth of the water affects the wavelength of the wave if the frequency is constant. [2 marks]**

---

---

---

---

---

---

---

---

**[Turn over]**


11



|   |   |
|---|---|
| 0 | 4 |
|---|---|

**FIGURE 4 shows the magnetic field pattern around a permanent magnet.**

**FIGURE 4**



|   |   |   |   |
|---|---|---|---|
| 0 | 4 | . | 1 |
|---|---|---|---|

**Where is the magnetic field of the magnet the strongest? [1 mark]**

---

---

---

|   |   |   |   |
|---|---|---|---|
| 0 | 4 | . | 2 |
|---|---|---|---|

**How does FIGURE 4 show that the strength of the magnetic field is not the same at all places? [1 mark]**

---

---


---

**[Turn over]**



**FIGURE 5** shows an electromagnet being used to separate iron and steel from non-magnetic metals.

**FIGURE 5**



0 4 . 3

**Explain ONE reason why an electromagnet is used instead of a permanent magnet. [2 marks]**

---

---

---

---

---

---

---

---



|   |   |   |   |
|---|---|---|---|
| 0 | 4 | . | 4 |
|---|---|---|---|

**Pieces of iron and steel are attracted to the electromagnet.**

**Name TWO other metals that would be attracted to the electromagnet. [2 marks]**

1 \_\_\_\_\_

2 \_\_\_\_\_

**[Turn over]**



0 4 . 5

The design of the electromagnet **CANNOT** be changed.

Give **TWO** ways the force exerted by the electromagnet on a piece of iron or steel could be increased. [2 marks]

1 \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

2 \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



**BLANK PAGE**



**[Turn over]**



The conveyor belt that moves the pieces of metal is driven by an electric motor.

FIGURE 6 shows a simple electric motor.

FIGURE 6





|   |   |   |   |
|---|---|---|---|
| 0 | 4 | . | 6 |
|---|---|---|---|

The length of the wire AB in the magnetic field is 120 mm.

There is a current of 4.0 A in the wire. The length of wire AB experiences a force of 0.36 N.

Calculate the magnetic flux density between the magnets.

Give the unit. [5 marks]

---

---

---

---

---

---

---

---

[Turn over]



---

---

---

---

---

**Magnetic flux density =** \_\_\_\_\_

**Unit** \_\_\_\_\_

**BLANK PAGE**

**[Turn over]**




04.7


**Fleming's left-hand rule can be used to determine the direction of the force on wire AB.**

**Complete the labels on FIGURE 7, on the opposite page, to show Fleming's left-hand rule. [2 marks]**

**36**



# FIGURE 7




**Direction of** \_\_\_\_\_

**Direction of** \_\_\_\_\_

**Direction of** \_\_\_\_\_

**[Turn over]**




05

Different parts of the electromagnetic spectrum are used in medical imaging.

FIGURE 8 shows an image of a person's hand taken with an infrared camera.

FIGURE 8





**05.2**

**Infrared has a range of wavelengths from 700 nm to 1 mm.**

**Which part of the electromagnetic spectrum would have waves with a wavelength of  $6.5 \times 10^{-7}$  m? [1 mark]**

**Tick (✓) ONE box.**

**Infrared**

**Microwaves**

**Radio waves**

**Visible light**





**BLANK PAGE**

**[Turn over]**



**0 5 . 3**

**FIGURE 9 shows X-rays and gamma rays being used for medical imaging.**

## **FIGURE 9**

### **X-rays**



## Gamma rays



**To use X-rays for medical imaging, a machine produces a very brief burst of X-rays.**

**To use gamma rays for medical imaging, a radioactive isotope is injected into the patient's blood. The isotope is circulated around the body in the blood. The isotope emits gamma rays.**

**[Turn over]**





**BLANK PAGE**

**[Turn over]**



**X-rays are produced by colliding high-energy electrons into a metal target.**

**The electrons have high energy because they are accelerated to high speeds.**

**Only a small proportion of the kinetic energy of an electron is converted into an X-ray when it collides with the metal target.**



|   |   |   |   |
|---|---|---|---|
| 0 | 5 | . | 4 |
|---|---|---|---|

**An electron is accelerated through a distance of 15 mm.**

**The work done on the electron is  $1.2 \times 10^{-13}$  J.**

**Calculate the force on the electron.  
[3 marks]**

---

---

---

---

---

---

---

---

---

---

**Force = \_\_\_\_\_ N**

**[Turn over]**







**BLANK PAGE**

**[Turn over]**



06

**Scientists are developing a hypersonic aeroplane that will travel much faster than normal aeroplanes.**

06.1

**An aeroplane accelerates from a low speed to a high speed with the engines at maximum power.**

**Explain why the acceleration is NOT constant. [5 marks]**

---

---

---

---

---

---

---

---





**06.2**

**The hypersonic aeroplane will have jet engines and a rocket engine.**

**The speed of aeroplanes can be measured on a uniform scale called the Mach scale.**

**Mach 1 = 330 m/s**

**The jet engines will accelerate the aeroplane to Mach 5.5.**

**The rocket engine will accelerate the aeroplane from Mach 5.5 to Mach 25.5 in 300 s.**

**The average resultant force on the aeroplane when the rocket engine is used will be 630 000 N.**





---

---

---

---

---

---

---

---

**Mass (2 significant figures) = \_\_\_\_\_ kg**

**END OF QUESTIONS**

|           |
|-----------|
|           |
| <b>11</b> |











# BLANK PAGE

| For Examiner's Use |      |
|--------------------|------|
| Question           | Mark |
| 1                  |      |
| 2                  |      |
| 3                  |      |
| 4                  |      |
| 5                  |      |
| 6                  |      |
| <b>TOTAL</b>       |      |

## Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from [www.aqa.org.uk](http://www.aqa.org.uk).

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2021 AQA and its licensors. All rights reserved.

## IB/M/CH/Jun21/8464P/2H/E2



5 8



2 1 6 G 8 4 6 4 / P / 2 H