



Surname \_\_\_\_\_

Other Names \_\_\_\_\_

Centre Number \_\_\_\_\_

Candidate Number \_\_\_\_\_

Candidate Signature \_\_\_\_\_

I declare this is my own work.

**GCSE**  
**COMBINED SCIENCE: SYNERGY**  
**8465/3H**

**H**

Higher Tier

Paper 3 Physical Sciences

Time allowed: 1 hour 45 minutes

**MATERIALS**

For this paper you must have:

- a ruler
- a protractor
- a scientific calculator
- the periodic table (enclosed)
- the Physics Equations Sheet (enclosed).

At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.

[Turn over]



J U N 2 1 8 4 6 5 3 H 0 1

**BLANK PAGE**



## INSTRUCTIONS

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Answer ALL questions in the spaces provided. Do not write on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

## INFORMATION

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

**DO NOT TURN OVER UNTIL TOLD TO DO SO**




0 1

This question is about structure and bonding.

0 1 . 1

FIGURE 1 represents the electronic structure of an atom of an element.

FIGURE 1



Name the element in FIGURE 1.

Give ONE reason for your answer.

Use the periodic table. [2 marks]

Element \_\_\_\_\_

Reason \_\_\_\_\_



Sodium reacts with fluorine to produce sodium fluoride.


Sodium fluoride is an ionic compound.

0 1 . 2

An atom of sodium and an atom of fluorine react to form a sodium ion and a fluoride ion.

Complete the dot and cross diagram for the sodium ion and the fluoride ion.

Show the charges on the ions. [2 marks]



[Turn over]





0 1 . 4

What is a property of sodium fluoride? [1 mark]

Tick (✓) ONE box.

Conducts electricity when solid

High melting point

Low boiling point

8

[Turn over]




0 2

A student investigated how the resistance of a piece of wire varied with the length of the wire.

FIGURE 3 shows an ammeter the student could have used in the investigation.

FIGURE 3



0 2 . 1

What is the resolution of the ammeter? [1 mark]

Resolution = \_\_\_\_\_ A





**0 2 . 2**

Which quantity must stay the same so the wire behaves as an ohmic conductor? [1 mark]

Tick (✓) ONE box.

Air pressure

Density of the wire

Temperature of the wire

**0 2 . 3**

Write down the equation which links current ( $I$ ), potential difference ( $V$ ) and resistance ( $R$ ). [1 mark]

---

---

[Turn over]



**0 2 . 4**

For one length of wire the potential difference across the wire was 1.68 V.

The current in the wire was 0.70 A.

Calculate the resistance of this length of wire. [3 marks]

---

---

---

---

---

---

---

---

---

---

---

Resistance = \_\_\_\_\_  $\Omega$



**BLANK PAGE**


**[Turn over]**



0 2 . 5

FIGURE 4 shows the circuit used in the investigation.

FIGURE 4



The student plotted a graph of resistance against length of the wire.

Describe a method the student could use to obtain the data needed to plot the graph. [6 marks]

---



---



---



---





**0 3**

This question is about groups in the periodic table.

Neon and argon are Group 0 elements.

**0 3 . 1**

What name is given to Group 0? [1 mark]

---

---

**0 3 . 2**

Give ONE similarity of the electronic structure of neon and the electronic structure of argon. [1 mark]

---

---

---

**0 3 . 3**

Give ONE difference between the electronic structure of neon and the electronic structure of argon. [1 mark]

---

---

---




**BLANK PAGE**

**[Turn over]**



FIGURE 5





03 . 4

TABLE 1 shows information about elements in Group 1.

TABLE 1

Element	Relative atomic mass	Melting point in °C
Lithium	7	181
Sodium	23	98
Potassium	39	64
Rubidium	85	39
Caesium	133	29

Complete FIGURE 5, on page 16.

You should:

- label both axes
- plot the data from TABLE 1.

[3 marks]

[Turn over]



03 . 5

Give ONE conclusion from the data in FIGURE 5 on page 16. [1 mark]

---

---

---

7



**0 4**

Magnesium and hydrochloric acid react to produce magnesium chloride and hydrogen.

**0 4 . 1**

Give the test for hydrogen gas.

Give the result of the test if hydrogen gas is present.  
[2 marks]

Test \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Result \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

[Turn over]



**04 . 2**

During the reaction between magnesium and hydrochloric acid, hydrogen ions form hydrogen molecules.

The half equation for this process is:



What type of reaction does this half equation show?

Give the reason for your answer. [2 marks]

Type of reaction \_\_\_\_\_

Reason \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



0 4 . 3

0.72 g of magnesium reacted completely with dilute hydrochloric acid.

The equation for the reaction is:



Calculate the mass of magnesium chloride produced.

Relative atomic masses ( $A_r$ ): Mg = 24 Cl = 35.5

[4 marks]

---

---

---

---

---

---

---

---

---

---

Mass = \_\_\_\_\_ g

8

[Turn over]



0 5

This question is about the extraction of metals.

Traditional mining methods extract copper from high-grade copper ores.

Phytomining is a method used to extract copper from low-grade copper ores.

0 5 . 1

Explain ONE advantage of using phytomining compared with using traditional mining methods to extract copper.

Do NOT refer to cost in your answer. [2 marks]

---

---

---

---

---

---

---

---






Electrolysis is one method of obtaining copper from solutions of copper compounds.

FIGURE 6 shows the apparatus used.

FIGURE 6



0 5 . 3

Graphite is a good conductor of electricity.

Give ONE other reason why graphite is used for the electrodes. [1 mark]

---

---

---





**0 5 . 4**

A gas is produced at the positive electrode.

- The gas is tested with damp litmus paper.
- The gas bleaches the damp litmus paper.

Identify the copper compound in solution.

Give ONE reason for your answer. [2 marks]

Copper compound \_\_\_\_\_

Reason \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**0 5 . 5**

Scrap iron is used in a reaction to obtain copper from solutions of copper compounds.

Name this type of reaction. [1 mark]

\_\_\_\_\_

\_\_\_\_\_

[Turn over]



**Aluminium is extracted by the electrolysis of a molten mixture of aluminium oxide and cryolite.**

**0 5 . 6**

**Explain why a mixture rather than pure aluminium oxide is electrolysed. [2 marks]**

---

---

---

---

---

---

---




0	6
---	---

FIGURE 7 shows a boat pulling a person parasailing.

FIGURE 7 is not drawn to scale.

FIGURE 7



0	6	.	1
---	---	---	---

Write down the equation which links gravitational field strength ( $g$ ), mass ( $m$ ) and weight ( $W$ ). [1 mark]

---

---





06 . 3

The person is moving at a constant velocity.

What is the resultant force acting on the person?  
[1 mark]

---

---


06 . 4

The magnitude of the force of the rope on the person is 5000 N.

Draw a vector diagram on FIGURE 8 to determine the vertical component and the horizontal component of the force on the rope. [3 marks]



**FIGURE 8**



**Vertical component = \_\_\_\_\_ N**

**Horizontal component = \_\_\_\_\_ N**

**[Turn over]**







0	7
---	---

This question is about carbon and carbon compounds.

0	7	.	1
---	---	---	---

Carbon forms compounds called alkanes.

Which formula represents an alkane molecule with 8 carbon atoms? [1 mark]

Tick (✓) ONE box.



[Turn over]



Alkanes can be cracked.

07 . 2

Name ONE method of cracking alkanes. [1 mark]

---

---

07 . 3

Explain how cracking alkanes helps to meet the demand for fuels. [2 marks]

---

---

---

---

---

---

---



0	7	.	4
---	---	---	---

Ethene can be produced when alkanes are cracked.

The formula of ethene is  $C_2H_4$

Calculate the simplest whole number ratio **BY MASS** of carbon to hydrogen in ethene.

Relative atomic masses ( $A_r$ ): C = 12 H = 1

[2 marks]

---

---

---

---

---

---

---

Ratio by mass of carbon : hydrogen =

---

 : 

---

[Turn over]



07 . 5

Carbon exists in different forms.

Which form has each carbon atom bonding with four other carbon atoms? [1 mark]

Tick (✓) ONE box.

Diamond

Graphene

Graphite

07 . 6

Fullerene molecules are made of carbon atoms.

Give TWO other features of the structure of fullerene molecules. [2 marks]

1 \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

2 \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_



07 . 7

A carbon nanotube has:

- a diameter of 14 nm
- a length to diameter ratio of 6 900 000 : 1

Calculate the length of the carbon nanotube in nm.  
[2 marks]

---

---

---

---

Length = \_\_\_\_\_ nm

07 . 8

Explain why carbon nanotubes are good conductors of electricity. [2 marks]

---

---

---

---

---

---

---

[Turn over]



0	8
---	---

FIGURE 9 shows a plan view of the route a car travelled from town P to town Q.

FIGURE 9

North



Scale

— 1 cm represents 10 km



**08 . 1**

The distance the car travelled is a scalar quantity.

The displacement of the car is a vector quantity.

Describe what is meant by a scalar quantity and a vector quantity. [2 marks]

Scalar quantity \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Vector quantity \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**08 . 2**

Determine the displacement of the car when the car has travelled from town P to town Q. [2 marks]

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

Displacement = \_\_\_\_\_ km

Direction from north = \_\_\_\_\_ °

[Turn over]




08.3

At town Q, the car collided with a stationary van.


FIGURE 10 shows the two vehicles before and after the collision.

FIGURE 10

BEFORE COLLISION



AFTER COLLISION



Total momentum was conserved in the collision.

mass of car = 1250 kg

mass of van = 3000 kg







0	9
---	---

A thermistor is used in an oven as part of a temperature sensor.

0	9	.	1
---	---	---	---

Draw the circuit symbol for a thermistor. [1 mark]



**BLANK PAGE**


**[Turn over]**



FIGURE 11 shows how the resistance of the thermistor varies with temperature.

FIGURE 11

Resistance  
in ohms



**09 . 2**

**Identify the temperature range when the thermistor is most sensitive to temperature change. [1 mark]**

**Tick (✓) ONE box.**

- Between 50 and 100 °C**
- Between 100 and 150 °C**
- Between 150 and 200 °C**
- Between 200 and 250 °C**

**[Turn over]**











**BLANK PAGE**

**[Turn over]**



**10 . 2**

Hydrogen reacts with oxygen to produce water.

The equation for the reaction is:



The energy released in forming new bonds is 486 kJ/mol greater than the energy needed to break the existing bonds.

TABLE 2 shows some bond energy values.

Bond	Bond energy in kJ/mol
H–H	Y
O=O	498
O–H	464

Y is the bond energy of a H–H bond.

Calculate Y. [5 marks]

---

---

---

---

---

---













**BLANK PAGE**

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
<b>TOTAL</b>	

**Copyright information**

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from [www.aqa.org.uk](http://www.aqa.org.uk).

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2021 AQA and its licensors. All rights reserved.

**G/KL/Jun21/8465/3H/E1**



5 6



2 1 6 G 8 4 6 5 / 3 H