AQA

Surname
Other Names
Centre Number
Candidate Number
Candidate Signature
I declare this is my own work.
A-level
BIOLOGY
Paper 2
7402/2
Time allowed: 2 hours

At the top of the page, write your

surname and other names, your centre number, your candidate number and add your signature.

 $\begin{bmatrix} Turn over \end{bmatrix}$

For this paper you must have:

- a ruler with millimetre measurements
- a scientific calculator.

INSTRUCTIONS

- Use black ink or black ball-point pen.
- Answer ALL questions.
- You must answer the questions in the spaces provided. Do not write on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).

Show all your working.

 Do all rough work in this book. Cross through any work you do not want to be marked.



INFORMATION

- The marks for the questions are shown in brackets.
- The maximum mark for this paper is 91.

DO NOT TURN OVER UNTIL TOLD TO DO SO



Answer ALL questions in the spaces provided.

0 1 . 1

In the following passage the numbered spaces can be filled with biological terms.

During photosynthesis, plants produce compounds which (1) contain carbon, such as carbohydrates, lipids and proteins. Most of the sugars synthesised by plants are used by the plant in . The rest are (2) used to make other groups of biological

molecules. These biological

molecules form the biomass of the

plants. Biomass can be measured in



terms of mass of (3) per given area per given time. The chemical energy store in dry biomass can be estimated using (4) .

Write the correct biological term beside each number below, that matches the space in the passage. [2 marks]





Describe the LIGHT-INDEPENDENT reaction of photosynthesis. [6 marks]

6



7







02.1

Put a tick (\checkmark) in the box next to the equation that shows how the net production of consumers, *N*, can be calculated where

I represents the chemical energy store in ingested food

F represents the chemical energy lost to the environment in faeces and urine

R represents the respiratory losses to the environment.

[1 mark]

$$N = (I - F) + R$$

$$N = I - (F + R)$$









ling herd has d	airy cows and	d beef cows.
ata on dairy co ng herd in Dece	ws and beef or mber 2013 an	cows in the nd December
Total number	Percentage d	of total
in female	female breec	ding herd
breeding herd / millions	Dairy cows	Beef cows
3.35	54	46
3.45	55	45
	ling herd has dalata on dairy co lata on dairy co ng herd in Dece ng herd in Dece in female breeding herd / millions 3.35 3.45	ling herd has dairy cows and lata on dairy cows and beef ata on dairy cows and beef ng herd in December 2013 a Percentage in female in female female breec breeding herd breeding herd breeding herd breeding sows / millions 3.45 55



This female t

TABLE 1 sho UK female b 2017. **TABLE 1**



In December 2017, the female breeding herd was 48% of all female cattle in the UK.

cattle that were beef cows in the UK in December 2017. [1 mark] Use TABLE 1 to calculate the percentage of all female



0 2 .

[Turn over] Answer

%

~
Щ
A
F

	Total number in female	Percentage c female breed	of total ling herd
	ureeuing neru / millions	Dairy cows	Beef cows
2013	3.35	54	46
2017	3.45	55	45





Use TABLE 1 to calculate the increase in the number of in the UK female breeding herd between December 2013 and December 2017. dairy cows Show your

working. [2 marks]



Increase in [Turn over]



Farming cattle for humans to eat is less efficient than farming crops because of energy transfer. Explain why. [2 marks]





BLANK PAGE



had the same volume. He grew each culture in a different nitrogenase in this bacterium. He prepared several liquid on of ammonium chloride on the activity of nvestigated the effect of an increase in the medium cultures of the bacterium. Each liquid culture on of ammonium chloride.

concentratic



ed the nitrogenase activity in arbitrary units

concentration of ammonium chloride remaining in each ed the bacteria and then recorded the dium.

n page 18, shows the scientist's results.

In each culture: he record he remove liquid me TABLE 2, o



	Nitrogenase activity /	Concentration of ammonium chloride
g cm ⁻³	arbitrary units	remaining in iiquid medium / µg cm ⁻³
	45	0
	30	0
	۲۲	0
	7	0
	0	9
	0	14
	0	20

















ШO







A student concluded that this investigation showed that ammonia inhibits nitrogenase activity in nitrogen-fixing bacteria. Use all the information to evaluate the student's conclusion. [3 marks]







03.3

Nitrogenase catalyses the reduction of nitrogen during nitrogen fixation. The reaction requires 16 molecules of ATP for each molecule of nitrogen that is reduced. When ammonia inhibits nitrogenase activity, nitrogen-fixing bacteria may benefit.

Explain how. [2 marks]



[Turn over]





Put a tick (✓) in the box next to the process that occurs in anaerobic respiration but does NOT occur in aerobic respiration. [1 mark]







Reduction of pyruvate



Substrate-level phosphorylation



BLANK PAGE



A student used the apparatus shown in FIGURE 1 to measure the rate of aerobic respiration of seeds for 48 hours.

FIGURE 1







During the 48 hours, the coloured liquid moved to the left.

Explain why. [3 marks]





Apart from time, give TWO measurements the student would have to make to determine the rate of aerobic respiration of these seeds in cm³ hour ⁻¹ [2 marks]

1

2



BLANK PAGE



04.4

The student used the same apparatus to determine the volume of carbon dioxide the seeds produced during 48 hours.

Give the change the student would need to make to the contents of the apparatus AND describe how he could calculate the volume of carbon dioxide produced. [3 marks]





The student calculated that during the 48 hours, 6.2×10^{-4} cm³ of oxygen was absorbed by 40 g of seeds.

Calculate the oxygen uptake in cm³ g⁻¹ hour ⁻¹ [1 mark]

Answer

$cm^3 g^{-1} hour^{-1}$





0 5

Lemurs are small mammals. Lemurs live in trees and feed on leaves and fruit. Scientists used a computer program to predict the expected distribution of two species of lemur, 'Eulemur rufus' and 'Eulemur rufifrons', on the island of Madagascar. These predictions were based on the environmental needs of each species.

Then, the scientists determined the actual distribution of these two species of lemur on the island of Madagascar.

FIGURE 2, on pages 36 and 37, shows the scientists' results.



BLANK PAGE



FIGURE 2



\sim


KEY

- O 'E. rufus' actual distribution
- ▲ 'E. rufifrons' actual distribution
- 'E. rufus' expected distribution
- 'E. rufifrons' expected distribution

0 5.1

Using FIGURE 2, give THREE conclusions you can make about the distribution of these lemur species. [3 marks]

1



0 5.2

Using all the information, suggest how speciation happened to produce two species of lemur. [5 marks]



39



The scientists used the mark-releaserecapture method to determine the number of lemurs in one area of forest. They captured, marked and released a first sample of 30 lemurs. A week later, they captured a second sample of 25 lemurs from the same area of forest. The scientists calculated that there were 250 lemurs in that area of forest.



Suggest ONE precaution needed when marking the lemurs to make sure the estimate of the number of lemurs is valid. [1 mark]





Using the information provided, calculate how many lemurs in the second sample were marked. [1 mark]



[Turn over]

10



06

In humans, the ABO blood groups and Rhesus blood groups are under genetic control. The inheritance of the ABO blood groups is controlled by three alleles of a single gene, I^A, I^B and I^O. The alleles I^A and I^B are codominant, and the allele I^O is recessive to I^A and recessive to I^B.

There are four ABO phenotypes, A, B, AB and O.

The gene for the Rhesus blood groups has two alleles. The allele for Rhesus positive, R, is dominant to the allele for Rhesus negative, r.

The genes for the ABO and Rhesus blood groups are NOT sex-linked and are NOT on the same chromosome.



BLANK PAGE



FIGURE 3, below and on page 45, shows the phenotypes in a family tree for the ABO and Rhesus blood groups.





KEY

- Rhesus positive male
- **Rhesus negative male**
- Rhesus positive female
-) Rhesus negative female

06.1

Give the genotypes of the ABO blood groups for individuals 1 and 2.

Do NOT include the genotypes for the Rhesus blood groups in your answer. [1 mark]

2



46

REPEAT OF FIGURE 3



KEY

Rhesus positive male



Rhesus positive female

Rhesus negative female



0 6 . 2

Explain ONE piece of evidence from FIGURE 3 that the allele for Rhesus positive is dominant. [2 marks]





Calculate the probability of individuals 1 and 2 producing a Rhesus positive son with blood group A (individual 3). You can assume that individual 1 is heterozygous for the Rhesus blood group.

Show your working. [2 marks]

Probability



Scientists determined the frequencies of the ABO alleles and ABO phenotypes in a large population. They then used a statistical test to determine if the frequencies of the four phenotypes differed significantly from the frequencies expected according to the Hardy–Weinberg equation.



The frequencies of the I^A and I^O alleles were 0.15 and 0.65. What is the frequency of the I^B allele? [1 mark]

Frequency of I^B allele



06.5

Name the statistical test you should use to determine if the observed frequencies of the four phenotypes differed significantly from the frequencies expected according to the Hardy–Weinberg equation.

State how many degrees of freedom should apply. [2 marks]

Statistical test

Number of degrees of freedom





The scientists concluded that the observed frequencies of the four phenotypes differed significantly from the expected frequencies. Use your knowledge of the Hardy–Weinberg principle to suggest TWO reasons why. [2 marks]

1

2







Give TWO reasons why transmission across a cholinergic synapse is unidirectional. [2 marks]

1

2



BLANK PAGE



FIGURE 4, on the opposite page, shows the changes in membrane potential in a postsynaptic neurone after repeated stimulation from a single presynaptic neurone.



Name and explain the type of summation shown in FIGURE 4. [2 marks]

Type of summation

Explanation



FIGURE 4

Membrane potential in postsynaptic neurone / mV





Myasthenia gravis (MG) is an autoimmune disease caused when antibodies bind to the sarcolemma (postsynaptic membrane) of neuromuscular junctions. This can weaken contraction of muscles.

Mestinon is a drug that inhibits the enzyme acetylcholinesterase. Mestinon can help in the treatment of MG.

07.3

Suggest and explain how MG can weaken contraction of muscles.

Do NOT include details of myofibril or muscle contraction in your answer. [2 marks]







Mestinon can help in the treatment of MG. Explain how. [3 marks]





BLANK PAGE



0 8

Scientists investigated the production of laboratory rats with the characteristics of type II diabetes. The scientists used the following method.

- They divided the rats into two groups, A and B, and fed them different diets for 2 weeks.
- They fed the rats in group A the normal diet containing 12% fat.
- They fed the rats in group B a high-fat diet containing 56% fat.
- After 2 weeks, they injected both groups of rats with 35 mg kg⁻¹ of the drug streptozotocin (STZ) to induce diabetes.

1 week later, the scientists determined the mean body mass and mean blood glucose concentration for each group.

TABLE 3, on page 62, shows the results.



BLANK PAGE



TABLE 3

A value of ±2 × SD from the mean includes over 95% of the data.

GROUP	Mean body mass / g (±2 × SD)	Mean blood glucose concentration / mg dm ⁻³ (±2 × SD)
Α	221.07 (± 3.28)	129.41 (± 8.34)
B	233.34 (± 5.73)	385.02 (± 7.75)

08.1

Calculate how many grams of STZ should be injected into a rat with a mass of 230.45 g. Show your working.

Give your answer in standard form. [2 marks]





g

08.2

Suggest and explain why STZ was injected per unit of body mass. [1 mark]





The scientists concluded that group B rats could be used for studying type II diabetes in humans.

Use all the information and your knowledge of type II diabetes to evaluate this conclusion. [5 marks]



65		







The scientists repeated the investigation using much higher doses of STZ. This led to destruction of pancreatic cells. The scientists concluded that these rats would NOT be suitable for studying type II diabetes.

Give TWO reasons why the scientists made this conclusion. [2 marks]

1





BLANK PAGE



0|9|.|1|

Name the part of the body which releases antidiuretic hormone (ADH) into the blood. [1 mark]



Alcohol decreases the release of ADH into the blood.

Suggest TWO signs or symptoms which may result from a decrease in ADH. [2 marks]

1

2





Describe the effect of ADH on the collecting ducts in kidneys. [3 marks]





10

Read the following passage.

BRCA1 and BRCA2 are human genesthat code for tumour suppressorproteins. Mutations in BRCA1 andBRCA2 can cause cancer. Specificinherited mutations in these genes5increase the risk of female breastcancers and ovarian cancers andhave been associated with increasedrisks of several other types of cancer.Genetic testing, using DNA from10saliva, can screen for all knownharmful mutations in both genes.

ER-positive breast cancers have receptors for the hormone oestrogen. These cancers develop as a result of 15 increased oestrogen concentrations in the blood. Effective treatment of ER-positive breast cancers often



involves the use of drugs which have a similar structure to oestrogen. 20

Blood tests can be used to test for cancers. Men with prostate cancer have a high concentration of prostate-specific antigen (PSA) in their blood. Urinary infections and a 25 naturally enlarged prostate can also increase concentrations of PSA.

Recent research has indicated that several cancers result from epigenetic abnormalities. Treatment 30 with drugs might be able to reverse the epigenetic changes that cause cancers.

Use the information in the passage and

your own knowledge to answer the following questions.



1 0 . 1

BRCA1 and BRCA2 are human genes that code for tumour suppressor proteins. Mutations in BRCA1 and BRCA2 can cause cancer (lines 1–4). Explain how. [3 marks]


[Turn over]





Genetic testing, using DNA from saliva, can screen for all known harmful mutations in both genes (lines 10–12). Describe how this DNA could be screened for all known harmful mutations in both genes. [4 marks]





[Turn over]





Effective treatment of ER-positive breast cancers often involves the use of drugs which have a similar structure to oestrogen (lines 17–20).

Suggest and explain how these drugs are an effective treatment of ER-positive breast cancers. [3 marks]



[Turn over]



10.4

Blood tests can be used to test for cancers (lines 21–22). However, the results of blood tests may NOT be conclusive when testing for prostate cancer. Explain why. [2 marks]





Treatment with drugs might be able to reverse the epigenetic changes that cause cancers (lines 30–33). Suggest and explain how. [3 marks]

END OF QUESTIONS





Additional page, if required. Write the question numbers in the left-hand margin.



Additional page, if required. Write the question numbers in the left-hand margin.



BLANK PAGE

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
10		
TOTAL		

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2022 AQA and its licensors. All rights reserved.

IB/M/CD/Jun22/7402/2/E2



