AQA

- Surname **Other Names Centre Number** Candidate Number **Candidate Signature** I declare this is my own work. **A-level BIOLOGY** Paper 3 7402/3 Time allowed: 2 hours
- At the top of the page, write your

surname and other names, your centre number, your candidate number and add your signature.



For this paper you must have:

- a ruler with millimetre measurements
- a scientific calculator.

INSTRUCTIONS

- Use black ink or black ball-point pen.
- Answer ALL questions in SECTION A.
- Answer ONE question from SECTION B.
- You must answer the questions in the spaces provided. Do not write on blank pages.
- If you need extra space for your answer(s), use the lined pages at the and of this book. Write the question

end of this book. Write the question number against your answer(s).

• Show all your working.



 Do all rough work in this book. Cross through any work you do not want to be marked.

INFORMATION

- The marks for the questions are shown in brackets.
- The maximum mark for this paper is 78.

DO NOT TURN OVER UNTIL TOLD TO DO SO





Answer ALL questions in this section.

You are advised to spend no more than 1 hour and 15 minutes on this section.



Amino acids are used to make proteins. TABLE 1, on the opposite page, shows the R groups of six different amino acids.









Amino acid	R group	Amino acid	R gr
Alanine	CH ₃	Glutamic acid	CH ₂
Asparagine	CH ₂ CONH ₂	Glycine	н
Aspartic acid	CH ₂ COOH	Serine	CH ₂

[Turn over]




СЛ



Use TABLE 1, on page 5, to identify the THREE different amino acids used to make the polypeptide shown in FIGURE 1. [2 marks]

FIGURE 1







Middle amino acid

Right amino acid






TABLE 2 , on the opposite page, shows three statements and names of four biological molecules.

Put a tick (\checkmark) in each box where the statement is true for the biological molecule. [3 marks]





Statement	DNA	ATP	Reverse transcriptase	Pho
Contains peptide bonds				
Is formed using a condensation reaction				
Is a polymer				


[Turn over]

ospholipid



FIGURE 2 represents the structure of adult human haemoglobin.

FIGURE 2





01.3

The number of amino acids in the beta chains in FIGURE 2, on the opposite page, is 3.546% greater than in the alpha chains. Each alpha chain contains 141 amino acids.

Calculate how many amino acids there are in total in the haemoglobin molecule shown in FIGURE 2. Give your answer to the nearest whole number. [2 marks]

Answer

amino acids



When a substance called BPG binds to haemoglobin, it reduces the affinity of haemoglobin for oxygen.

01.4


FIGURE 3, on the opposite page, shows an oxyhaemoglobin dissociation curve for haemoglobin in normal conditions.

Sketch a curve on FIGURE 3 to show the oxyhaemoglobin dissociation curve for haemoglobin when BPG binds to it. [1 mark]




FIGURE 3


Percentage saturation of haemoglobin with oxygen







Suggest and explain when it would be an advantage to a human for BPG to bind to haemoglobin. [2 marks]






BLANK PAGE



02

FIGURE 4 shows a diagram of a Pacinian corpuscle.

FIGURE 4







Name the structures labelled P, Q and R shown in FIGURE 4, on the opposite page. [2 marks]


Ρ	
Q	
R	



Two students (A and B) investigated reaction time in response to touch.

- Student A sat with her eyes shut and her forearm resting on a worktop so that her hand was over the edge.
- Student B held a ruler vertically between student A's thumb and first finger, with the ruler at 0 mm lightly touching student A's first finger.
- Student B released the ruler.
- As soon as student A felt the ruler fall, she closed her thumb and first finger to catch the ruler as shown in FIGURE 5, on the opposite page.
- Student B measured the distance the ruler had fallen to the nearest mm





The test was repeated three more times using the same hand to catch the ruler.

TABLE 3, on page 20, shows student A's





20

TABLE 3

Trial	Distance the ruler	
	has fallen / mm	
1	79	
2	97	
3	10	
4	94	

The student was able to convert these distances into reaction times using TABLE 4, on the opposite page.



21

TABLE 4

Distance the	Reaction time
ruler fell / mm	/ ms
10	45
20	64
30	78
40	90
50	101
60	111
70	120
80	128
90	136



BLANK PAGE





Calculate the percentage uncertainty in the measurement of TRIAL 1 in TABLE 3, on page 20.

Put a tick (\checkmark) in the correct box below. [1 mark]







In this investigation, it is not possible for a student to react in less than 45 ms

Suggest ONE explanation for the value recorded in TRIAL 3 in TABLE 3, on page 20. [1 mark]



02.4

Student A estimated that the length of the nerve pathway involved was 175 cm

Use TABLE 3 and TABLE 4, on pages 20 and 21, to calculate the mean speed of nerve impulse transmission.

Do NOT use the value for TRIAL 3 in your calculation. [2 marks]

Answer





02.5


In response to touch, nerve impulses can be transmitted at speeds of 76.2 m s⁻¹

Suggest THREE reasons why, in this investigation, the estimated speed of student A's impulse transmission was less than 76.2 m s⁻¹ [3 marks]

1









03

A student prepared a stained squash of cells from the root tips of garlic to calculate a mitotic index. He:

- 1. cut the end 5 mm from 10 garlic roots
- placed the root tips into a Petri dish containing 5 cm³ of hydrochloric acid for 12 minutes
- 3. rinsed the root tips in distilled water
- 4. placed one of the root tips on a microscope slide and added toluidine blue stain
- 5. placed a coverslip onto the microscope slide, and gently pressed the coverslip downwards on the root tip


6. observed the root tip using an optical microscope.





Suggest why the student soaked the root tips in hydrochloric acid in step 2. [2 marks]





Pressing the coverslip downwards enabled the student to observe the stages of mitosis clearly.

Explain why. [2 marks]




BLANK PAGE



FIGURE 6 shows the student's drawing of one field of view.

FIGURE 6







Name the stage of mitosis shown in cell G. Explain the appearance of this cell. [2 marks]


Stage of mitosis

Explanation _____



34

REPEAT OF FIGURE 6







Use FIGURE 6 to calculate a mitotic index for the cells in this field of view. [1 mark]

Mitotic index






Other students in the class followed the same method, but calculated different mitotic indices.

Apart from student errors, suggest TWO explanations why. [2 marks]

1

2





BLANK PAGE





Complete the following definitions. [2 marks]

The genome is _____

The proteome is _



Recombinant DNA technology can involve the transfer of fragments of human DNA into bacteria. The bacteria are then used to produce human proteins.



Give TWO reasons why bacteria are able to use human DNA to produce human proteins. [2 marks]

1



0 4 . 3

Suggest and explain ONE reason why bacteria might NOT be able to produce every human protein. [1 mark]



BLANK PAGE






Some people have a deficiency of antithrombin in their blood, so they need to inject the protein.

Genetically modified goats are used to produce this protein. The human antithrombin gene is transferred into goat embryos. The adult goats then make human antithrombin protein.

FIGURE 7, on the opposite page, shows an example of a **DNA fragment that can be transferred into the cells of** goats.





The enhancer stimulates region M.

Name regions M and N shown in FIGURE 7.	[2 n
Region M	
Region N	


[Turn over]

Region N



marks]





4|.|5 U

Explain the purpose of the marker gene. [1 mark]

[Turn over]

Region Ν






The enhancer only stimulates region M in the milk-producing glands of a goat.

Suggest TWO explanations for the importance of the enhancer being included in the DNA fragment transferred. [2 marks]



1







0 5

Scientists investigated the effect of full sun and shade on the rate of photosynthesis in a species of shade-tolerant tree.

To estimate the rate of photosynthesis, the scientists measured uptake of carbon dioxide by trees in a forest. They measured uptake of carbon dioxide during two parts of the day:

- 08.30 09.40 hours
- 11.40 13.15 hours.

FIGURE 8, on page 50, shows the scientists' results.



BLANK PAGE



FIGURE 8

FIGURE 8 is not reproduced here due to third-party copyright restrictions





Calculate the total uptake of carbon dioxide between 11.40 and 13.15 hours in trees exposed to full sun in a forest that is 12 000 m² in area.

Give your answer in standard form. Show your working. [3 marks]

Answer

µmol





FIGURE 8, on page 50, shows there is a small difference in the mean uptake of carbon dioxide between 08.30 and 09.40 hours by trees in full sun and by trees in the shade. When the scientists performed a statistical test on these data, they calculated P > 0.5

State what this P value tells you about this difference.

Explain your answer using the words PROBABILITY and CHANCE. [2 marks]






0 5.3

In this species of tree, very high light intensities can inhibit the release of electrons from chlorophyll.

Suggest how this could explain the results shown in FIGURE 8, on page 50, for 11.40 to 13.15 hours. [4 marks]







Tomato plants grow best in high light intensities. To increase the yield of tomato plants, a farmer uses LED lightbulbs to provide additional light.

The increase in dry mass (D) produced when using additional light can be calculated using this equation.


$$\mathsf{D} = \frac{\mathsf{L}}{0.4\mathsf{F}}$$

Where

- L = light used in photosynthesis
- F = GPP to NPP conversion factor for tomato plants

TABLE 5 shows some of these values for LED lightbulbs.

TABLE 5







Use the equation and TABLE 5, on the opposite page, to calculate the increase in dry mass produced when using LED lightbulbs.

Give your answer in standard form AND give the units. [2 marks]

Answer







Mature leaves from slow-growing, shade-tolerant plants produce poisonous chemicals that are a defence against being eaten by herbivores.

Suggest how this benefits slow-growing, shade-tolerant plants. [2 marks]





Scientists measured the concentration of poisonous chemicals produced by shade-tolerant plant species in six taxa. They compared this with the mean concentration of poisonous chemicals produced by all plants and the phylogenetic relationships between the six taxa.


FIGURE 9, on the opposite page, shows the scientists' results.

- KEY
- 1 = Ferns
- 2 = Monocots
- 3 = Magnoliids
- 4 = Basal angiosperms
- 5 = Rosids
- 6 = Asterids



FIGURE 9

Concentration of poisonous chemicals produced compared with mean / arbitrary units





BLANK PAGE






A journalist published the following summary of these results.

'The more recently a shade-tolerant plant species evolved, the greater the concentration of poisonous chemicals it produces.'

Do the data in FIGURE 9, on page 61, support this summary? Justify your answer. [2 marks]







BLANK PAGE



SECTION B

Answer ONE question.

You are advised to spend no more than 45 minutes on this section.



Write an essay on ONE of the topics below.

EITHER


06.1

The uses and importance of ATP in

organisms. [25 marks]



OR



The importance of cycles in biology. [25 marks]





68



69





70



71



72



73





74



75





76



77

[Turn over]



78



79





80



81





82



83





84



85





86	



87





88



89





90



91	





92



93





94



95





96



END OF QUESTIONS

97	
	25



Additional page, if required. Write the question numbers in the left-hand margin.



Additional page, if required. Write the question numbers in the left-hand margin.



BLANK PAGE

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
TOTAL		

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2022 AQA and its licensors. All rights reserved.

IB/M/CD/Jun22/7402/3/E2



