

A

AQA 

AS

COMPUTER SCIENCE

Paper 1

7516/1

INSERT

FIGURE 1 for use in answering Question 1

**INFORMATION and FIGURE 2 for use in
answering Question 2**

FIGURE 3 for use in answering Question 3

**FIGURE 4 for use in answering
Question 11.4**

[Turn over]

FIGURE 1

```

SUBROUTINE A(S, X, Y)
  P ← -1
  WHILE P = -1 AND X ≤ Y
    Z ← (X + Y) DIV 2
    IF List[Z] = S THEN
      P ← Z
    ELSE
      IF List[Z] < S THEN
        X ← Z + 1
      ELSE
        Y ← Z - 1
      ENDIF
    ENDIF
  ENDWHILE
  RETURN P
ENDSUBROUTINE

```

The DIV operator calculates the whole number part resulting from an integer division, for example, $10 \text{ DIV } 3 = 3$

BLANK PAGE

[Turn over]

The following information is for use in answering Question 2.

A parking meter has an Add hours button (+), an Accept button, a coin slot, a payment card reader, a Cancel button and a number keypad.

The system operates in a specific sequence:

- the system is initially in Idle Mode**
- when the user presses the + button the system goes into Select Hours Mode with the parking time set to 1 hour and the payment owed set to £1.00**
- each time the user presses the + button again, the number of hours' parking time increases by 1 and the payment owed increases by £0.50**
- when the user presses the Accept button the system goes into Payment Due Mode and the user is able to**

5

make payments using cash or a payment card


- **the user can cancel the operation by pressing the Cancel button**
- **using cash:**
 - **each time the user inserts a coin (except the final coin), the value of it is deducted from the payment owed**
 - **when the final coin that completes the payment is inserted, the system goes into Paid Mode**
- **using a payment card:**
 - **when the user inserts a payment card into the card reader, the meter goes into a mode that allows the user to enter their PIN**

[Turn over]

- **the user then enters their PIN on the keypad**
- **if the PIN is correct, the system goes into Paid Mode; otherwise the system goes into Idle Mode**
- **the system remains in Paid Mode until the time paid for has elapsed.**

FIGURE 2, on the opposite page, shows a partially completed state transition diagram that represents the operation of the parking meter. Four of the states are labelled (W) to (Z) and events are labelled (A) to (I).

FIGURE 2



[Turn over]

FIGURE 3


```
C ← 0
D ← 0
S ← 0
T ← 0
WHILE C < 3 AND D < 3
  T ← T + 1
  N1 ← generate random integer between 1 and 6 inclusive
  N2 ← generate random integer between 1 and 6 inclusive
  OUTPUT N1, N2
  S ← S + N1 + N2
  IF N1 = 6 OR N2 = 6 THEN
    C ← C + 1
  ENDIF
  IF N1 = N2 THEN
    D ← D + 1
```



```
    ENDIF  
  ENDWHILE  
  A ← S DIV (T * 2)  
  OUTPUT C, D, A
```

[Turn over]

FIGURE 4



END OF SOURCES

BLANK PAGE

BLANK PAGE

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2022 AQA and its licensors. All rights reserved.

IB/M/CD/Jun22/7516/1/E2

