

Surname	
Other Names	
Centre Number	
Candidate Number	
Candidate Signature	
I declare this is my own work.	

# GCSE MATHEMATICS



Higher Tier Paper 3 Calculator

8300/3H


Time allowed: 1 hour 30 minutes

At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.



# For this paper you must have:

- a calculator
- mathematical instruments
- the Formulae Sheet (enclosed).



#### **INSTRUCTIONS**

- Use black ink or black ball-point pen.
   Draw diagrams in pencil.
- Answer ALL questions.
- You must answer the questions in the spaces provided. Do not write on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.



#### **INFORMATION**

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 80.
- You may ask for more answer paper, graph paper and tracing paper. These must be tagged securely to this answer book.

#### **ADVICE**

In all calculations, show clearly how you work out your answer.

DO NOT TURN OVER UNTIL TOLD TO DO SO



**Answer ALL questions in the spaces** provided.

1 Circle the smallest number. [1 mark]

4.31

4.3

4.301 4.33

Work out  $\begin{pmatrix} -4 \\ 8 \end{pmatrix} - \begin{pmatrix} 3 \\ -2 \end{pmatrix}$ 2

Circle your answer. [1 mark]


$$\begin{pmatrix} -7\\10 \end{pmatrix} \qquad \begin{pmatrix} -7\\6 \end{pmatrix} \qquad \begin{pmatrix} -1\\10 \end{pmatrix} \qquad \begin{pmatrix} -1\\6 \end{pmatrix}$$



## **BLANK PAGE**



3 Here are four scatter graphs.



3 (a) For which graph is a straight line of best fit appropriate?

Circle your answer. [1 mark]

Α

B

C

D




3 (b) Which graph has ONE outlier?Circle your answer. [1 mark]A B C D

[Turn over]  $\frac{}{4}$ 



4 Use trigonometry to work out the size of angle *x*.

The diagram is not drawn accurately.



[3 marks]			



<i>x</i> =		0




### 5 Laura works in a shop.

The table shows the number of hours she works on two weekends.

	Saturday	Sunday
Weekend 1	3	2
Weekend 2	5 <del>1</del> 2	3 1/2

Work out the percentage increase in her TOTAL hours from Weekend 1 to Weekend 2 [3 marks]






	Answer	%	)
	_		$\neg$
[Turn o	verj	6	-



6 Here is a sketch of the curve  $y = x^2 - 4x - 5$ 



6 (a) Write down the TWO roots of  $x^2 - 4x - 5 = 0$  [1 mark]

Answer and and



6	(b)	Work out the turning point [2 marks]		of <i>T</i> , the
		<b>A</b> (		
		Answer (	,	)




7	A is an ARITHMETIC progression.					
	Here a	re the f	irst four	terms.		
	13	16	19	22		
	G is a	GEOME	TRIC p	rogression.		
	Here a	re the f	irst four	terms.		
	2	4	8	16		
	nth to	erm of A	\ = 8th to	erm of G		
	Work	out the	value of	f <i>n</i> . [4 marks]		



n =			




8 Information about two fridge-freezers, A and B, is shown.



**TOTAL** capacity is 330 litres

fridge capacity : freezer capacity = 3 : 2





FRIDGE capacity is 294 litres

fridge capacity : freezer capacity = 7 : 3



Grace buys one of these fridge-freezers.
She buys the one with the greater FREEZER capacity.
Which one does she buy?
You MUST show your working. [4 marks]



	Answer		
[Turn o	ver]		



9	Tom and Adil are the two runners in a 200-metre race.
	Tom completes the race in 24 seconds.
	Adil completes the race at an average speed of 28.8 kilometres per hour.
	Who wins the race?
	You MUST show your working. [3 marks]



<b>A</b> 10 0 14 0 15			
Answer _			



The mass of a baby is 3.6 kilograms to 1 decimal place.

What is the error interval for the mass in kilograms?

Tick ONE box. [1 mark]

3.5 <b>≤</b> mass <b>≤</b> 3	3.6

3.55 ≤ mass ≤ 3.65

3.5 ≤ mass < 3.6

3.55 **≼** mass **<** 3.65



11 A quadrilateral has angles 70°, 110°, 130° and 50°

Circle the possible type of quadrilateral. [1 mark]

kite parallelogram

rhombus trapezium

[Turn over]

5




12 (a) B is

6 km due South of *A* and

6 km due West of C.

The diagram is not drawn accurately.






Work out the bearing [2 marks]	of A from C.
Answer	•



### 12 (b) Here is a scale drawing.



A ship is going to sail from *D* to *E*.

Mia works out that the ship needs to sail on a bearing of 068°

Why must Mia be wrong? [1 mark]



13 Simplify 
$$\sqrt{5}a + \sqrt{5}a$$

Circle your answer. [1 mark]

 $5a 5a^2 2\sqrt{5}a \sqrt{10}a$ 


[Turn over]

4



14 Students in two classes, A and B, raised money for charity.

The box plot for class A is shown on the grid.



For class B,

- the lowest amount was £3 and the highest amount was £26
- the lower quartile was £11



- the median was £2 greater than the class A median
- the interquartile range was  $1\frac{1}{2}$ times greater than the class A interquartile range.

the grid on the opposite page. [4 marks]			11	
L <del>-+</del> IIIair	<b></b>			



Α	town	nas
Α	town	na

a population density of 278 people per km<sup>2</sup>

and

a population of 158 460

population density = population

The population increases to 168 720

Work out the population density after the increase. [3 marks]




Answer	
	people per km <sup>2</sup>
over]	7



[Turn


16 Here is a scale drawing of a reservoir.

SCALE: 1 cm represents 500 m



Virat wants to estimate the volume of water in the reservoir.

He draws on the scale drawing a circle with radius 3 cm





- 16 (a) Virat estimates the volume of the reservoir by assuming that
  - the reservoir is a cylinder whose cross section is the circle
  - the depth of the reservoir is 17 metres.

Work out Virat's est metres. [3 marks]	imate in cubic
Answer	m <sup>3</sup>



16	(b)	In	fa	ct,
----	-----	----	----	-----

- the depth of the reservoir is 13.8 metres
- the reservoir is not a cylinder (see diagram).

Tick ONE box.

Which statement about the actual volume of the reservoir is correct?

It is less than Virat's estimate

It is greater than Virat's estimate

It could be less than or greater than Virat's estimate



	Give a re	for you	r answe	r.
Turn	over]			<u></u>



17	In a video game, players make their own character.
	They choose one of each from
	8 faces
	4 bodies
	5 hairstyles.
17 (a)	How many different characters can be made? [2 marks]
	Answer




17 (b)	Two characters are made at random.
	What is the probability that they are exactly the same? [1 mark]
	Answer



18 A, B and C are points on a circle, centre O.

DC is a tangent to the circle.

The diagram is not drawn accurately



Show that angle ABO: angle

ACO = 3:1

[5 marks]



-		
-		






19 Here is the plan of the floor of an L-shaped room.

All lengths are in metres.

The diagram is not drawn accurately.



19 (a) The area of the floor is  $75 \text{ m}^2$ 

Show that  $x^2 + x - 90 = 0$  [3 marks]





19 (b)	By factorising	$x^2 + x - 90$
	work out the va	alue of $x$ .

You MUST show your working. [2 marks]

x =		

20 £2448 is invested in an account at a rate of compound interest.

One year after the investment there is £2496.96 in the account.


How much is in the account four years after the investment? [3 marks]



Answer £	 	 
verl		



# The diagram is not drawn accurately.



Use the sine rule to work out the size of angle x. [3 marks]





x =

22 f(x) = 3x and  $g(x) = x^2$ 

Circle the expression for fg(x) [1 mark]

 $3x^2$   $9x^2$   $3x^3$   $9x^4$ 



Here are two simultaneous equations.


$$y = x^2 + 7x - c$$

and

$$y = 3x + d$$

There is a solution when x = 5

Work out the value of c + d [3 marks]






	Answer_		
[Turn o	ver]		<del>-</del>



Here is a sketch of the graphs of  $y = k^x$  and  $y = x^2 + c$ 

k and c are positive constants.



Work out the value of r. [4 marks]



r =			




A company makes tubes of toothpaste.

The masses of 80 tubes are checked.

A histogram is drawn, on the opposite page, to represent the data.



### Frequency density





### **BLANK PAGE**



	The company makes 28 000 tube each day.	S
	Estimate how many tubes each day have a mass LESS THAN 122 grams. [4 marks]	
	Answer	
[Turn o	ver]	_ 8

26 Q and R are two numbers.

As a product of prime factors,

$$Q = 2^3 \times 3 \times a^3$$

$$R = 2^4 \times 3^2 \times a^2$$

26 (a) The highest common factor (HCF) of Q and R is 4056

	_	_

Work out the value of a. [2 marks]

*a* = \_\_\_\_\_



Work out the lowest common multiple (LCM) of $Q$ and $R$ . [2 marks]
Answer



27	Expand and simplify fully $(x-3)(x-4)(x+8)$ [3 marks]



	Answer	
END O	F QUESTIONS	<u></u>



Additional page, if required.  Write the question numbers in the left-hand margin.



Additional page, if required.  Write the question numbers in the left-hand margin.



#### **BLANK PAGE**

For Examiner's Use		
Pages	Mark	
4–7		
8–11		
12–15		
16–19		
20–23		
24–27		
28–31		
32–35		
36–39		
40–43		
44–47		
48–53		
54–57		
TOTAL		

#### **Copyright information**

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2022 AQA and its licensors. All rights reserved.

#### IB/M/CH/Jun22/8300/3H/E2



