

Surname
Otlo an Name and
Other Names
Centre Number
Candidate Number
Candidate Signature
I declare this is my own work.

Foundation Tier Paper 1F

8461/1F

GCSE

BIOLOGY

Time allowed: 1 hour 45 minutes

At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.



BLANK PAGE



For this paper you must have:

- a ruler
- a scientific calculator.

INSTRUCTIONS

- Use black ink or black ball-point pen.
- Pencil should only be used for drawing.
- Answer ALL questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

INFORMATION

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

DO NOT TURN OVER UNTIL TOLD TO DO SO



Answer ALL questions in the spaces provided.
0 1
HIV (Human Immunodeficiency Virus) is a pathogen.
01.1
How is HIV spread from one person to another person? [1 mark]
Tick (✓) ONE box.
Coughing
Sexual intercourse
Touching door handles



TABLE 1 shows information about new cases of HIV diagnosed in the UK.

TABLE 1

YEAR	Number of new HIV cases
2010	2642
2014	2767
2018	1530

0	1		2
---	---	--	---

HIV from 2010 to 2018. [2 marks]			

Describe what happened to the number of new cases of



0 1.	3
	sould cause a DECREASE in the number of new ses in the future? [1 mark]
Tick (✓	ONE box.
	A higher population of people in the UK
	A lower number of trained HIV nurses
	Better education on how to prevent the spread of HIV



0	1		4
_	_	- 1	

Scientists have been working to produce a vaccine for HIV for many years.

How could a vaccine work to prevent a person being infected with HIV?

Write the stages A, B, C, D and E in the correct order. [3 marks]

The first stage has been completed for you.

- A Antibodies attach to the inactive virus.
- **B** Antibodies destroy the inactive virus.
- C An inactive form of the virus is injected into the body.
- D If the active virus enters the body, antibodies are produced quickly.
- E White blood cells produce antibodies to the inactive virus.

$$\mathtt{c} \! \to \! ___ \to \! ___ \to \! ___$$



0 1 . 5
When scientists produce a vaccine for a disease the vaccine is tested on live animals.
What is the next stage in testing the vaccine? [1 mark]
Tick (✓) ONE box.
Testing on cells in a laboratory
Testing on healthy volunteers
Testing on the whole human population



01.6
A vaccine for HIV is important because it is difficult to develop safe drugs to destroy viruses.
Why is it difficult to develop safe drugs to destroy viruses? [1 mark]
Tick (✓) ONE box.
Drugs that destroy viruses also damage body tissues.
There are too many viruses for the drugs to destroy.
Viruses are too big for the drugs to destroy.
[Turn over]



0	1		7
	-	- 1	-

Some drugs originated from plants.

Draw ONE line from each drug to the plant the drug originated from. [2 marks]

DRUG Plant the drug originated from

Foxglove

Aspirin

Rose

Digitalis

Tobacco

Willow

11



BLANK PAGE




0 2

FIGURE 1 shows animal cells.

Some of the cells are dividing by mitosis for growth and repair.

FIGURE 1





02.1
What fraction of the cells in FIGURE 1 is dividing by mitosis? [1 mark]
Tick (✓) ONE box.



02.	2
	lls which are NOT dividing in FIGURE 1 each 10 chromosomes.
One of new ce	these cells divides by mitosis to produce two ells.
	any chromosomes will each new cell contain itosis? [1 mark]
Tick (✓	ONE box.
	5
	10
	15
	20




02.3
Cells divide in a series of stages called the cell cycle.
Complete the sentences.
Choose answers from the list. [3 marks]
• contracts
• divides
• grows
• reacts
• relaxes
• replicates
Before mitosis occurs, the cell
The genetic material in the cell doubles when the DNA
·
After the chromosomes have been pulled to each end of
the cell, the cytoplasm



FIGURE 2 shows the time taken to complete different stages of the cell cycle.

FIGURE 2






02.4
Which stage of the cell cycle takes the most time? [1 mark]
Tick (✓) ONE box.
A
В
С
[Turn over]



REPEAT OF FIGURE 2





02.5
What percentage of time in the cell cycle is stage A? [1 mark]
Tick (✓) ONE box.
5%
10%
15%
25%
[Turn over]



Ctoill Coile divide by illiteries	Stem	cells	divide	by	mito	sis.
-----------------------------------	------	-------	--------	----	------	------

Scientists can use stem cells from an embryo to create heart cells in a laboratory.

02.	6
Which	organ system contains heart cells? [1 mark]
Tick (✓	ONE box.
	Circulatory system
	Digestive system
	Nervous system

Respiratory system



0 2 . 7 Name ONE medical condition that could be treated using heart cells created from an embryo. [1 mark]		
0 2 . 8 Give ONE reason why a patient may treated with heart cells created from [1 mark]		
[Turn over]	10	



0 3

A scientist investigated the rate of photosynthesis of one type of tomato plant.

The tomato plants were grown in a greenhouse.

TABLE 2 shows the results.

TABLE 2

Percentage (%) concentration of carbon dioxide in the air	Rate of photosynthesis in arbitrary units
0.00	0
0.02	5
0.04	16
0.06	19
0.08	20
0.10	20
0.12	20



03.1
Give TWO control variables the scientist should have used in the investigation. [2 marks]
1
2
03.2
Which range of carbon dioxide concentrations caused the rate of photosynthesis to change the most? [1 mark]
Tick (✓) ONE box.
From 0.00% to 0.02%
From 0.02% to 0.04%
From 0.04% to 0.06%
From 0.06% to 0.08%
[Turn over]



03.	3
	ould the scientist have improved the validity of ults? [1 mark]
Tick (✓	ONE box.
	Repeat each reading three times and calculate a mean.
	Use concentrations of carbon dioxide above 0.12%.
	Use different tomato plants for each concentration.



03.4
Explain the change in the rate of photosynthesis when the concentration of carbon dioxide increased between 0.00% to 0.08%. [2 marks]



REPEAT OF TABLE 2

Percentage (%) concentration of carbon dioxide in the air	Rate of photosynthesis in arbitrary units
0.00	0
0.02	5
0.04	16
0.06	19
0.08	20
0.10	20
0.12	20

A farmer decided NOT to use a concentration of carbon dioxide higher than 0.08% to grow tomato plants.

Suggest TWO reasons for the farmer's decision.

Use information from TABLE 2 and your own knowledge. [2 marks]

1 _			




2	
[Turn over]	



0 4

FIGURE 3 shows a microscope.

FIGURE 3





04.1	
Draw ONE line from ea function of the part. [3	ch part of the microscope to the marks]
Part of the microscope	FUNCTION
	To adjust the focus of the microscope
Α	To direct light into the viewer's eye
В	To hold a slide in place
С	To magnify the image of a specimen
	To support the microscope



A student prepared some onion cells.

The student viewed the onion cells using a microscope.

This is the method used.

- 1. Cut an onion into pieces using a sharp knife.
- 2. Peel off a thin layer of cells from one piece.
- 3. Place the layer of cells onto a microscope slide.
- 4. Add three drops of iodine solution to the layer of cells.
- 5. Cover with a cover slip.
- 6. Place the slide on the stage of the microscope.

04.2

Why was iodine solution added to the layer of onion cells? [1 mark]

Tick (✓) ONE box.

To dry the cells
To separate the cells
To stain the cells



0 4 . 3
Why was a THIN layer of onion cells used? [1 mark]
Tick (✓) ONE box.
To allow light to pass through the cells
To allow oxygen to pass through the cells
To allow water to pass through the cells
[Turn over]



0 4 . 4	0	4		4
---------	---	---	--	---

The student was worried about using a sharp knife to cut the onion.

The student wrote a risk assessment for using a knife.

Draw ONE line from each part of the risk assessment to the description of the part. [2 marks]

Part of risk assessment

DESCRIPTION

Call a first aider

Hazard

Cut the onion on a chopping board

Plan to minimise risk

The onion is cut into pieces

The knife is sharp




BLANK PAGE



FIGURE 4 shows what the student saw using the microscope at a magnification of ×400.

FIGURE 4



0 4 . 5

Line A-B in FIGURE 4 shows the length of cell Z.

Calculate the real length of cell Z.

Complete the following steps. [4 marks]

Measure the length of line A-B in millimetres (mm).

Length of line A–B = mm



Give your measurement	of the	length	of line	A-B	in
micrometres (µm).					

1 mm = 1 000 μm	
Length of line A–B =	μm
	•
Calculate the real length of o	cell Z.
Use the equation:	
real length of cell Z (in μm) =	length of line A–B (in µm) magnification
Real length of cell Z =	μm



04.6
How would onion cells look different if they were seen using an electron microscope? [2 marks]
Tick (✓) TWO boxes.
The cells would be coloured.
The cells would have no nuclei.
The cells would look larger.
The cells would look more blurred.
The cells would show more internal structures.







FIGURE 4 is repeated below.

FIGURE 4





FIGURE 5 shows the student's drawing of FIGURE 4.

FIGURE 5

ONION CELLS





What TWO improvements could the student make to the drawing in FIGURE 5? [2 marks]

Tick (✓) TWO boxes.	
	Add colour to the cells.	
	Complete the cell walls.	
	Draw each cell on a separate piece of paper.	
	Include the magnification.	
	Use a ruler to draw the cells.	
[Turn c	over]	15



0	5		1
_	_	- 1	_

Plants take up water from the soil through their roots.

Some of the water is used for photosynthesis.

Complete the word equation for photosynthesis.

Choose answers from the list. [2 marks]

- fat
- glucose
- nitrogen
- oxygen
- protein



05.2
Water and dissolved substances are transported through a plant.
Complete the sentences.
Choose answers from the list. [3 marks]
• epidermis
• guard cells
• palisade cells
• phloem
• stomata
• xylem
Water moves from the roots to the leaves in the
Water is lost from leaves through pores called
Dissolved sugars are transported in the

4 1

TABLE 3 shows the rate of transpiration in four different plant species.

TABLE 3

PLANT SPECIES	Rate of transpiration in arbitrary units
Α	310
В	254
С	87
D	192

0 5.3

Calculate how many times greater the rate of transpiration of species A is than the rate of transpiration of species B.

Give your answer to 2 significant figures. [3 marks]					



Numbe	r of times greater (2 significant figures) =
0 5 . 4	<u>1</u>]
	factor could cause species A to have a higher transpiration than species B? [1 mark]
Tick (✓) ONE box.
	Each flower of species A has more petals.
	Each leaf of species A has more stomata.
	Each plant of species A has shorter roots.
[Turn o	ver]



|--|

Which environmental change would cause an increase in the rate of transpiration? [1 mark]

Tick (✓) ONE box.

Decreased light intensity
Decreased wind speed
Increased humidity
Increased temperature

REPEAT OF TABLE 3

PLANT SPECIES	Rate of transpiration in arbitrary units
Α	310
В	254
С	87
D	192



05.6
Which plant species in TABLE 3 is most likely to live in a dry desert? [1 mark]
Tick (✓) ONE box.
A
В
C
D D
[Turn over]







Some plants have adaptations that help them survive.

FIGURE 6 shows part of a gorse plant.

FIGURE 6



How will the sharp spines help the gorse plant survive? [1 mark]










Animals also have adaptations to help them survive.

FIGURE 7 shows two insects.

FIGURE 7



Hornets are insects that sting other animals and cause pain.

Hornet moths do NOT sting other animals.

Explain why animals avoid eating the HORNET MOTH. [2 marks]



[Turn over]		14





TABLE 4 shows information about four jellyfish.

The jellyfish are listed in order of increasing size.

TABLE 4

JELLYFISH	Size of jellyfish	Surface area in mm ²	Volume in mm ³	Surface area to volume ratio
Α	Smallest	3 600	1 200	X:1
В		50 000	25 000	2:1
С]	1 800 000	6 000 000	0.3:1
D	Largest	7 500 000	125 000 000	0.06:1



06.1 Calculate value X in TABLE 4. [2 marks]

X = __



5 2	REPEAT OF TABLE 4				
	JELLYFISH	Size of jellyfish	Surface area in mm ²	Volume in mm ³	Surface area to volume ratio
	Α	Smallest	3 600	1 200	X:1
	В		50 000	25 000	2:1
	С]	1 800 000	6 000 000	0.3:1
	D	Largest	7 500 000	125 000 000	0.06:1



06.2

Describe the relationship between the size of a jellyfish and its surface area to volume ratio.

Use TABLE 4. [1 mark]

The jellyfish in TABLE 4 take oxygen into their cells by diffusion.

0 6 . 3

Name ONE other substance that enters cells by diffusion.

Do NOT refer to oxygen in your answer. [1 mark]

06.4
Suggest TWO factors that affect the rate of diffusion of oxygen into a jellyfish. [2 marks]
1
2
06.5
Some organisms take in oxygen using a respiratory system.
In humans, gas exchange takes place in the lungs.
Name the organs where gas exchange takes place in FISH. [1 mark]






06.6

FIGURE 8 shows parts of the human breathing system.

FIGURE 8





Explain how the human breathing system is adapted to maximise the rate of gas exchange. [6 marks]					







0	7
U	

This question is about cells and transport.

Complete TABLE 5. [3 marks]

TABLE 5

NAME OF CELL PART	FUNCTION OF CELL PART
	Contains genetic information
Mitochondria	
	Controls the movement of substances into and out of the cell

Cells in potatoes are plant cells.

Cells in potatoes do NOT contain chloroplasts.



0 7.2 What is the function of chloroplasts? [1 mark]					
07.3					
Name ONE type of cell in a potato plant that does NOT contain chloroplasts. [1 mark]					
[Turn over]					



A student investigated the effect of salt concentration on pieces of potato.

This is the method used.

- 1. Cut three pieces of potato of the same size.
- 2. Record the mass of each potato piece.
- 3. Add 150 cm³ of 0.4 mol/dm³ salt solution to a beaker.
- 4. Place each potato piece into the beaker.
- 5. After 30 minutes, remove each potato piece and dry the surface with a paper towel.
- 6. Record the mass of each potato piece.
- 7. Repeat steps 1 to 6 using different concentrations of salt solution.



07.4					
What is the independent variable in the investigation? [1 mark]					
Tick (✓) ONE box.					
Concentration of salt solution					
Mass of potato piece					
Time potato is left in salt solution					
Volume of salt solution					
07.5					
Why did the student dry the surface of each potato piece with a paper towel in step 5? [1 mark]					



The student calculated the	percentage	change	in mass
of each potato piece.	_		

0 7		6
-----	--	---

For one potato piece:

- the starting mass was 2.5 g
- the end mass was 2.7 g.

Calculate the percentage increase in mass of the potato piece. [2 marks]

increase in mass

Use the equation:

narcantaga increases in mass -		× 100	
percentage increase in mass =	starting mass	. ~ 100	

Percentage increase in mass = %





The student used the results from each potato piece to calculate the mean percentage change in mass at each concentration.

TABLE 6 shows the results.

TABLE 6

Concentration of salt solution in mol/dm ³	Mean percentage (%) change in mass
0.0	9.8
0.1	9.5
0.2	7.0
0.3	0.4
0.4	-1.4

07.7

Complete FIGURE 9, on page 68.

You should:

- label the x-axis
- use a suitable scale for the x-axis
- plot the data from TABLE 6
- draw a line of best fit.


[4 marks]





FIGURE 9

Mean percentage (%) change in mass






07.8		
What concentration of salt solution was equal to the concentration of the solution inside the potato pieces?		
Use FIGURE 9. [1 mark]		
Concentration =	mol/dm ³	
07.9		
Explain why the potato pieces in the 0.4 mo solution decreased in mass. [3 marks]	l/dm ³ salt	
	_	
[Turn over]		

0 8

Plant cells and fungal cells are similar in structure.

FIGURE 10 shows a fungal cell.

FIGURE 10



08.1

Name ONE structure in FIGURE 10 which is present in both plant cells and fungal cells but NOT in animal cells. [1 mark]



08.2	
Which o	disease is caused by a fungus? [1 mark]
Tick (✓)	ONE box.
	Gonorrhoea
	Malaria
	Measles
	Rose black spot
[Turn o	ver]



08.3	
A fungal cell divides once every 90 minutes.	
How many times would this fungal cell divide in 24 hours? [2 marks]	
Number of times call divides in 24 hours =	



high-protein food.		
The high-protein food can be used to make meat-free burgers.		
08.4		
Where is protein digested in the human digestive system? [1 mark]		
Tick (✓) ONE box.		
Large intestine		
Liver		
Salivary glands		
Stomach		
[Turn over]		



08.5
Which chemical could be used to test if the burgers contain protein? [1 mark]
Tick (✓) ONE box.
Benedict's reagent
Biuret reagent
Ethanol
lodine solution





08.6

TABLE 7 shows some information about burgers made from meat and meat-free burgers.

TABLE 7

	Mass per 100 g of burger	
	Burgers made from meat	Meat-free burgers
Protein in g	14.0	9.0
Fibre in g	0.9	5.5
Fat in g	16.0	5.2
Carbohydrate in g	15.5	15.1
Cholesterol in mg	120.0	0.0

Evaluate the use of burgers made from meat compared with meat-free burgers in providing humans with a healthy, balanced diet.

Use information from TABLE 7 and your own knowledge. [6 marks]





END OF QUESTIONS	12



Additional page, if required. Write the question numbers in the left-hand management	
,	



Additional page, if required. Write the question numbers in the left-hand margin	
write the question numbers in the left hand margin.	



Additional page, if required. Write the question numbers in the left-hand		



For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
TOTAL		

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2022 AQA and its licensors. All rights reserved.

IB/M/CD/Jun22/8461/1F/E4



