

Surname	_
Other Names	
Centre Number	
Candidate Number	
Candidate Signature	
I declare this is my own work.	

GCSE COMBINED SCIENCE: TRILOGY

Higher Tier
Chemistry Paper 1H
8464/C/1H



Time allowed: 1 hour 15 minutes

At the top of the page, write your surname and other names, your centre number, your candidate number and add your signature.



For this paper you must have:

- a ruler
- a scientific calculator
- the periodic table (enclosed).

INSTRUCTIONS

- Use black ink or black ball-point pen.
- Pencil should only be used for drawing.
- Answer ALL questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.



INFORMATION

- The maximum mark for this paper is 70.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

DO NOT TURN OVER UNTIL TOLD TO DO SO



0	1

This question is about salts.

Green copper carbonate and sulfuric acid can be used to produce blue copper sulfate crystals.

• • • •

EXCESS copper carbonate is added to sulfuric acid.

Give THREE observations you would make. [3 marks]

1	 	 	 	
2				



0 1.2	
How can the excess copper carbonate be emoved? [1 mark]	9



0	1	3
		•

The pH of the solution changes during the reaction.

What is the pH of the solution at the end of the reaction? [1 mark]

Copper carbonate and sulfuric acid react to produce copper sulfate.

What type of reaction is this? [1 mark]



0 1.5


Ammonium nitrate is a salt.

FIGURE 1, on page 8, shows the maximum mass of ammonium nitrate that can dissolve in 100 cm³ of water at different temperatures.



FIGURE 1

Maximum mass of ammonium nitrate that can dissolve in grams per 100 cm³ of water





BLANK PAGE



A student adds ammonium nitrate to water at 80 °C until no more dissolves.

The student cools 100 cm³ of this solution of ammonium nitrate from 80 °C to 20 °C to produce crystals of ammonium nitrate.

Determine the mass of ammonium nitrate that crystallises on cooling 100 cm³ of this solution from 80 °C to 20 °C [3 marks]



Mass =	g
[Turn over]	9




0 2

This question is about electrolysis.

FIGURE 2, on the opposite page, shows the apparatus used to investigate the electrolysis of potassium sulfate solution.



FIGURE 2





BLANK PAGE



$\mathbf{\cap}$	•	4
U		

Potassium sulfate contains K^+ and SO_4^{2-} ions.

What is the formula of potassium sulfate? [1 mark]


Tick (✓) ONE box.

KSO

K ₂ SO	4
K ₂ SO	2



REPEAT OF FIGURE 2





02.2

What are the volumes of gases collected in the electrolysis experiment?

Use FIGURE 2. [1 mark]

Volume of hydrogen = ____ cm³

Volume of oxygen = ____ cm³



02.3

A student made the following hypothesis:

'The volumes of gases collected in this electrolysis experiment are in the same ratio as hydrogen atoms to oxygen atoms in a water molecule.'

Explain how the volumes of gases collected in the experiment in FIGURE 2, on page 16 support the student's hypothesis.

Use your answer to Question 02.2.

[2 marks]





02.4

The experiment is repeated 4 times.

The volumes of oxygen collected in the 4 experiments are:

 6 cm^3 9 cm^3 10 cm^3 11 cm^3

The mean volume of oxygen collected in the 4 experiments is 9 cm³

The measure of uncertainty is the range of a set of measurements about the mean.



What is the measure of uncertainty in the 4 experiments? [1 mark]

Tick (✓) ONE box.

9 ± 1 cm³

9 ± 2 cm³

9 ± 3 cm³



0	2	5

The potassium sulfate solution has 0.86 g of potassium sulfate dissolved in 25 cm³ of water.

Calculation needed [3 marks]	to make	-	fate



Mass =	g
[Turn over]	8



0	3

Plan an investigation to find the order of reactivity of three metals.

You should use the temperature change when each metal reacts with hydrochloric acid. [6 marks]	
	_







BLANK PAGE



0	4
---	---

This question is about Group 7 elements.

What are the Group 7 elements known as? [1 mark]

0	4	•	2
---	---	---	---


Why do Group 7 elements react in similar ways? [1 mark]





FIGURE 3 shows the structure of a molecule of chlorine oxide.

FIGURE 3



What is the molecular formula of the chlorine oxide molecule in FIGURE 3? [1 mark]



FIGURE 4, on the opposite page, shows the melting points of some Group 7 elements.

The melting point of fluorine is -220 °C

Complete FIGURE 4, on the opposite page.


You should:

- complete the scale on the y-axis
- draw the bar for the melting point of fluorine.

[2 marks]



FIGURE 4
Melting point
in °C



Group 7 element



BLANK PAGE



0	4		5
	_	_	

Explain the trend in the melting points of the Group 7 elements.

Use FIG	URE 4,	on pa	age 31	. [3 m	arks]	



0 4 . 6

What is the state symbol for bromine at -50 °C?

Use FIGURE 4, on page 31. [1 mark]

Tick (✓) ONE box.

(aq)		(aq)
------	--	------

	(g)
	101

	/1\
	(I)
	\ /
	\



0 4 .	7
-----------	---


Evaporation and boiling occur at the surface of bromine at its boiling point.

Name ONE more process that happens at the surface of bromine at its boiling point. [1 mark]

[Turn over]

10






This question is about structure and bonding.



FIGURE 5 represents part of a carbon molecule.

FIGURE 5





Name the ty	ype of carbon molecule in
FIGURE 5.	[1 mark]

0 5.2

Suggest ONE property that makes the carbon molecule in FIGURE 5 useful in nanotechnology. [1 mark]



An alloy of aluminium contains small amounts of other metals.

Explain why other metals are added to aluminium. [4 marks]				




BLANK PAGE






FIGURE 6 represents part of the structure of a polymer.

FIGURE 6



Compare the bonding within the chains with the forces between the chains in this polymer. [3 marks]







0 6

This question is about hydrogen chloride and hydrochloric acid.

06.1


Complete the dot and cross diagram to represent the bonding in hydrogen chloride on FIGURE 7, on the opposite page.

Use dots (o) and crosses (x) to represent electrons.

You should show only the electrons in the outer shells. [2 marks]



FIGURE 7





Hydrogen chloride dissolves in water to produce hydrochloric acid.

Hydrochloric acid is a strong acid.

What is meant by the term strong acid? [1 mark]

0	6	•	3
---	---	---	---

Describe how magnesium can be used to distinguish between a strong acid and a weak acid of the same concentration.

[2 marks]



06.4
The concentration of hydrochloric acid is increased by a factor of 100
What is the change in pH? [2 marks]



Ethene and hydrogen chloride react to produce chloroethane.

The displayed formulae equation for the reaction is:

The reaction is exothermic.

In the reaction the energy released forming new bonds is 56 kJ/mol greater than the energy needed to break existing bonds.





TABLE 1 shows some bond energies.

TABLE 1

Bond	H-C	C=C	H-Cl	C-C	C-Cl
Bond energy in kJ/mol	413	X	431	346	339

BLANK PAGE



Calculate the bond energy X. [4 marks]

X = kJ/mol

[Turn over]

11

0 7

This question is about elements and compounds.



BLANK PAGE



07.1

FIGURE 8 shows a reactivity series.

FIGURE 8

Most reactive

Potassium

Magnesium

Metal Y

CARBON

Iron

HYDROGEN

Copper

Least reactive



Give the method and conditions used to extract metal Y from a compound of metal Y. [2 marks]					O



Sodium reacts with titanium chloride (TiCl₄) to produce titanium.

Complete the equation.

You should balance the equation. [2 marks]

Na	+	TiCl ₄	\longrightarrow
	+ _		





The reaction between sodium and titanium chloride is a redox reaction.

Write a half-equation to show that sodium is oxidised in this reaction. [2 marks]



108 g of aluminum reacts with 1.21 kg of copper chloride to produce copper.

The equation for the reaction is:

$$2Al + 3CuCl_2 \longrightarrow 3Cu + 2AlCl_3$$

Calculate the maximum mass of copper produced in grams (g).

You should determine the limiting reactant.

Relative atomic masses (A_r) :

$$Al = 27$$
 $Cu = 63.5$

Relative formula masses (M_r) :

$$CuCl_2 = 134.5$$
 $AlCl_3 = 133.5$

[6 marks]





Limiting reactant is	
Mass of copper =	g



Sodium metal and sodium chloride are both able to conduct electricity.

07.5	
Describe how sodium metal conducts electricity. [2 marks]	



Explain how sodium chloride can conduct electricity. [3 marks]

END OF QUESTIONS

17



Additional page, if required. Write the question numbers in the left-hand margin.		



Additional page, if required. Write the question numbers in the left-hand margin.		



Additional page, if required. Write the question numbers in the left-hand margin.		



BLANK PAGE

For Examiner's Use			
Question	Mark		
1			
2			
3			
4			
5			
6			
7			
TOTAL			

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2022 AQA and its licensors. All rights reserved.

IB/M/CD/Jun22/8464/C/1H/E3



