



Surname _____

Forename(s) _____

Centre Number _____

Candidate Number _____

Candidate Signature _____

I declare this is my own work.

A-level

BIOLOGY

Paper 2

7402/2

Friday 16 June 2023

Morning

Time allowed: 2 hours

[Turn over]



At the front of this book, write your surname and forename(s), your centre number, your candidate number and add your signature.

MATERIALS

For this paper you must have:

- **a ruler with millimetre measurements**
- **a scientific calculator.**

INSTRUCTIONS

- **Use black ink or black ball-point pen.**
- **Answer ALL questions.**
- **You must answer the questions in the spaces provided. Do not write on blank pages.**



- **If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).**
- **Show all your working.**
- **Do all rough work in this book. Cross through any work you do not want to be marked.**

INFORMATION

- **The marks for the questions are shown in brackets.**
- **The maximum mark for this paper is 91.**

DO NOT TURN OVER UNTIL TOLD TO DO SO



Answer ALL questions in the spaces provided.

01.1

A student used chromatography to separate the different photosynthetic pigments in a chlorophyll solution. She had the following materials.

Chromatography paper

A ruler and pencil

Suitable glassware

A solvent (solvent A)

2 cm³ of the chlorophyll solution

Describe how she could use these materials to separate the photosynthetic pigments by chromatography. [4 marks]



0	1	.	2
---	---	---	---

Using solvent A, the student separated five pigments. She then repeated her method using a different solvent, B. Using solvent B, she separated six pigments.

Explain the difference between these results. [2 marks]

<hr/>
6



BLANK PAGE

[Turn over]



02.1

Glutamate is a neurotransmitter involved in the transmission of nerve impulses from pain receptors to the brain.

Ziconotide is a drug that can reduce severe, constant pain. Ziconotide blocks the calcium ion channels at some of the synapses which use glutamate.

The transmission of glutamate at synapses is similar to that of acetylcholine.

Explain how ziconotide reduces severe, constant pain. [5 marks]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[Turn over]



Ziconotide is a polypeptide and acts on synapses in the spinal cord. Scientists investigated the effectiveness of ziconotide in reducing severe, constant pain.

Ziconotide was injected into each patient's cerebrospinal fluid that bathes the brain and spinal cord. Patients recorded the intensity of their pain using a statistically valid scale.

0 2 . 2

Suggest TWO reasons why the patients had ziconotide injected into their cerebrospinal fluid rather than taking a pill containing the drug. [2 marks]

1 _____



2

[Turn over]



0	2	.	3
---	---	---	---

Ziconotide was injected at $3 \text{ ng kg}^{-1} \text{ h}^{-1}$ for 8 days into each patient.

$$1 \text{ ng} = 1 \times 10^{-9} \text{ g}$$

Calculate the total mass in grams of ziconotide injected after 8 days into a patient with a body mass of 82 kg

Show your working. [2 marks]

Answer _____ **g**



0	2	.	4
---	---	---	---

When the patients recorded the intensity of pain, suggest TWO reasons why it was important to use a statistically valid scale. [2 marks]

1 _____

2 _____

[Turn over]


<hr/>
11





FIGURE 1 shows part of a phosphorus cycle, including the mass of phosphorus in two stores.

FIGURE 1



One teragram (Tg) is 1×10^{12} grams.

The supply of phosphorus to the soil is shown as a percentage of the total phosphorus mass of each store.



03.1

Calculate in teragrams the difference in the supply of phosphorus to the soil from the two stores shown in FIGURE 1.

Show your working. [2 marks]

15

Answer _____ Tg

[Turn over]

Water shortage can inhibit crop production. Scientists investigated the effect of the mycorrhizal species ‘Glomus intraradices’ on the growth of tomato plants under conditions of water shortage and NO water shortage.

- The scientists planted tomato seeds into a large number of pots containing sterilised soil.**
- They added a culture of ‘G. intraradices’ to 50% of the pots and 50% were left untreated.**
- After the seeds had developed into seedlings (young plants), the seedlings from the untreated and treated pots were planted into four separate large greenhouses (glasshouses).**
- A very limited supply of water (water shortage) was provided to two of the greenhouses. A sufficient supply of water (NO water shortage) was**



provided to the other two greenhouses.

- **After 60 days, the scientists determined the mean mass of tomatoes (kg m^{-2}) from each greenhouse.**

**Greenhouse P –
untreated seedlings with water shortage**

**Greenhouse Q –
treated seedlings with water shortage**

**Greenhouse R –
untreated seedlings with NO water shortage**

**Greenhouse S –
treated seedlings with NO water shortage**

[Turn over]




Treated seedlings are plants grown with ‘G. intraradices’.

FIGURE 2, on the opposite page, shows the scientists’ results.

The error bars represent ± 2 standard deviations from the mean, which includes over 95% of the data.

FIGURE 2

**Mean
mass of
tomatoes
/ kg m⁻²**



[Turn over]



BLANK PAGE



0	3	.	2
---	---	---	---

Using all the information, evaluate the effectiveness of using mycorrhizae to increase crop production under conditions of water shortage and NO water shortage. [5 marks]

[Turn over]



This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[Turn over]



0	3	.	3
---	---	---	---

The tomato seeds were planted into sterilised soil.

Suggest TWO reasons why the soil was sterilised. [2 marks]

1 _____

2 _____



0	3	.	4
---	---	---	---

The soil used in this investigation had the recommended concentration of fertiliser.

Suggest TWO reasons why the soil contained the recommended concentration of fertiliser. [2 marks]

1 _____

2 _____

[Turn over]

11



0	4
---	---

In cats, males are XY and females are XX. A gene on the X chromosome controls fur colour in cats. The allele G codes for ginger fur and the allele B codes for black fur. These alleles are codominant. Heterozygous females have ginger and black patches of fur and their phenotype is described as tortoiseshell female.

The two alleles, F and f of a different gene, which is NOT sex-linked, interact with the gene controlling fur colour. The allele F is dominant and stops the formation of pigment in the fur, resulting in white fur. The allele f is recessive and has no effect on fur colour.



0	4	.	1
---	---	---	---

Name the type of interaction between the two genes affecting fur colour. [1 mark]

0	4	.	2
---	---	---	---

What phenotype would a cat with the following genotype have? [1 mark]

$x^G x^B ff$

[Turn over]



0	4	.	3
---	---	---	---

Complete the genetic diagram to show all the possible genotypes and the ratio of phenotypes expected in the offspring of this cross. [3 marks]

Phenotypes of parents $X^G X^G Ff$ x $X^B Yff$

Genotypes of offspring _____

Phenotypes of offspring _____

Ratio of offspring phenotypes



0	4	.	4
---	---	---	---

In a population, 36% of cats had the F allele and had white fur.

Use the Hardy–Weinberg equation to calculate the frequency of the f allele in this population.

Show your working. [2 marks]

Answer _____

[Turn over]

7



0	5	.	1
---	---	---	---

FIGURE 3, on page 32, shows the wavelengths of light absorbed by three types of photoreceptor found in the human retina.



BLANK PAGE


[Turn over]





FIGURE 3

Blue-sensitive photoreceptor
Green-sensitive photoreceptor
Red-sensitive photoreceptor
Light absorption / percentage of maximum





Use FIGURE 3 and your knowledge of colour vision to explain how an orange colour is seen at 600 nm [3 marks]

[Turn over]

0	5	.	2
---	---	---	---

Which of the following statements is associated with high sensitivity to light in the retina? [1 mark]

Tick (✓) ONE box.

☐

A single photoreceptor connecting to one neurone and spatial summation

☐

A single photoreceptor connecting to one neurone and temporal summation

☐

Several photoreceptors connecting to one neurone and spatial summation

☐

Several photoreceptors connecting to one neurone and temporal summation



BLANK PAGE

[Turn over]



0	5	.	3
---	---	---	---

Variation in flower colour is considered one of the factors involved in the evolution of the following two species of monkeyflower.

- **‘Erythranthe lewisii’ (Great Purple Monkeyflower), which has pink flowers, is mostly found at higher altitudes (1600 to 3000 metres) and attracts bumblebees.**
- **‘Erythranthe cardinalis’ (Scarlet Monkeyflower), which has red flowers, is mostly found at lower altitudes (up to 2000 metres) and attracts hummingbirds.**

Bumblebees and hummingbirds are important in the pollination of flowers. Pollination involves the transfer of male gametes to female gametes.



Explain the different processes that may have been involved in the evolution of these two species of monkeyflower. Use the information provided to justify your answer. [5 marks]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[Turn over]



This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

0	6	.	1
---	---	---	---

Describe and explain how THREE features of the cells in the proximal convoluted tubule allow the rapid reabsorption of glucose into the blood.
[3 marks]

1 _____

2 _____

3 _____

[Turn over]



0	6	.	2
---	---	---	---

Antidiuretic hormone (ADH) binds to V receptors found in cell-surface membranes in two parts of a nephron.

Name the TWO parts of a nephron where V receptors are found. [1 mark]



0	6	.	3
---	---	---	---

V receptors only bind with ADH.

Suggest and explain why. [2 marks]

[Turn over]



0	6	.	4
---	---	---	---

A decrease in blood pressure stimulates the release of ADH.

Give the location of the receptors that detect a decrease in blood pressure and explain how the release of ADH will affect blood pressure. [3 marks]

Location _____

Explanation _____



BLANK PAGE

[Turn over]



0	7	.	1
---	---	---	---

In the following passage, the numbered spaces can be filled with biological terms.

An ecosystem supports a certain size of population of a species, called the _____ (1) _____ capacity. There are often numerous habitats within an ecosystem. Within a habitat, a species occupies a _____ (2) _____ governed by an adaption to both _____ (3) _____ and biotic conditions. Populations of different species form a _____ (4) _____ .



Write the correct biological term beside each number below that matches the space in the passage. [2 marks]

1

2

3

4

[Turn over]

07.2

Suggest TWO reasons for conserving rainforests. [2 marks]

1 _____

2 _____

0	7	.	3
---	---	---	---

Give THREE reasons for the low efficiency of energy transfer from secondary consumers to tertiary consumers in an ecosystem. [3 marks]

1 _____

2 _____

3 _____

[Turn over]

<hr/>
7



0	8	.	1
---	---	---	---

The *KRAS* gene codes for a protein called K-Ras. The protein relays signals from outside a cell to a cell's nucleus, stimulating cell division. An alteration in the *KRAS* gene produces an oncogene which can cause a tumour to develop.

Suggest and explain how an alteration in the *KRAS* gene can cause a tumour to develop. [3 marks]



[Turn over]

08.2

Alterations in the *KRAS* gene can cause colorectal cancer (CRC). Scientists investigated the survival time of the following three groups of CRC patients who had type II diabetes.

Group A – received no drug to treat type II diabetes

Group B – received the drug metformin to treat type II diabetes

Group C – received a combination of drugs (including metformin) to treat type II diabetes

The scientists used a statistical test to compare the survival time of these patients with CRC patients with no history of type II diabetes.



TABLE 1 shows some of the results obtained by the scientists.

TABLE 1

Group	Mean survival time of CRC patients / months	Probability value (P)
No history of type II diabetes	32.2	—
A	21.3	0.007
B	49.7	0.022
C	38.3	0.636

[Turn over]



BLANK PAGE



Using the information provided on pages 50 and 51, what can you conclude about the effects of type II diabetes and the different drug treatments on the survival time of CRC patients? [5 marks]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[Turn over]



8



BLANK PAGE

[Turn over]



0	9
---	---

Short tandem repeats (STRs) are short sequences of DNA, usually 2 to 7 base pairs. STRs are repeated a number of times, one after another. For example, the STR D5S818 is made up of AGAT repeated 7 to 16 times.

STRs are found throughout the whole genome.

The repeated sequences in STRs are common to all humans. Due to variation in the number of repeats, STRs can be used in genetic fingerprinting.



0	9	.	1
---	---	---	---

Describe how STRs could be removed from a sample of DNA. [2 marks]

[Turn over]



0	9	.	2
---	---	---	---

Genetic fingerprinting using STRs requires amplification of the STRs using the polymerase chain reaction (PCR). The short base sequences either side of a specific STR are known.

Explain the importance of knowing these base sequences in PCR. [2 marks]



0	9	.	3
---	---	---	---

A single STR molecule consisting of a 12 BASE PAIR sequence of AGAT was amplified 50 times using PCR.

Calculate the total number of base pairs in all the STR molecules after 50 cycles of PCR.

Show your working. [2 marks]

Answer _____

[Turn over]



0	9	.	4
---	---	---	---

During genetic fingerprinting, the different STRs are separated by gel electrophoresis.

Give TWO features of STRs which enable them to be separated by gel electrophoresis. [2 marks]

1 _____

2 _____

8



BLANK PAGE

[Turn over]



1	0
---	---

Read the following passage.

ATP is essential for muscle contraction. The concentration of ATP in skeletal muscle is approximately $5 \times 10^{-3} \text{ mmol g}^{-1}$. During maximum exercise, ATP in skeletal muscle is used at a rate of approximately $3.7 \text{ mmol kg}^{-1} \text{ s}^{-1}$. If ATP was not resynthesised, maximum exercise would last a short time.

5
10

Some studies have suggested that taking creatine supplements can improve muscle performance during intense short-term exercise. Eating more carbohydrate, known as ‘carbohydrate loading’, for a few days

15



before exercise can improve muscle performance when exercising for a long time.

During aerobic exercise, calcium ions 20 in muscle cells have several roles.

They activate the inclusion of glucose transport proteins, GLUT4, in the cell-surface membrane and the

inclusion of fatty acid transport 25 proteins, CD36, in mitochondrial membranes. An increase in muscle

activity increases the concentration of carbon dioxide in the blood. This causes an increase in heart rate. 30

[Turn over]



Use the information in the passage, on pages 62–63, and your own knowledge to answer the following questions.

10.1

ATP is essential for muscle contraction (lines 1–2).

Describe the roles of ATP in muscle contraction. [2 marks]

1	0	.	2
---	---	---	---

Calculate how long maximum exercise would last if ATP was not resynthesised (lines 7–10). [1 mark]

Answer _____ **s**

[Turn over]



1	0	.	3
---	---	---	---

Describe and explain how taking creatine supplements (lines 11–14) and ‘carbohydrate loading’ (lines 14–19) can improve performance of different types of muscle fibres during different types of exercise. [5 marks]

[illegible]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

[Turn over]



1 0 . 4

Suggest and explain how GLUT4 and CD36 transport proteins (lines 22–26) are beneficial during exercise. [3 marks]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

1	0	.	5
---	---	---	---

An increase in muscle activity causes an increase in heart rate (lines 27–30).

Describe and explain how. [4 marks]

[illegible]

[Turn over]



END OF QUESTIONS

15



Additional page, if required.

Write the question numbers in the left-hand margin.



Additional page, if required.

Write the question numbers in the left-hand margin.



Additional page, if required.

Write the question numbers in the left-hand margin.



BLANK PAGE

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
TOTAL	

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2023 AQA and its licensors. All rights reserved.

WP/M/CD/Jun23/7402/2/E4

