



Surname _____

Forename(s) _____

Centre Number _____

Candidate Number _____

Candidate Signature _____

I declare this is my own work.

AS

CHEMISTRY

Paper 2 Organic and Physical Chemistry

7404/2

Tuesday 23 May 2023

Morning

Time allowed: 1 hour 30 minutes

At the top of the page, write your surname and forename(s), your centre number, your candidate number and add your signature.

[Turn over]



MATERIALS

For this paper you must have:

- **the Periodic Table/Data Sheet, provided as an insert (enclosed)**
- **a ruler with millimetre measurements**
- **a scientific calculator, which you are expected to use where appropriate.**

INSTRUCTIONS

- **Use black ink or black ball-point pen.**
- **Answer ALL questions.**
- **You must answer the questions in the spaces provided. Do NOT write on blank pages.**
- **If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).**
- **All working must be shown.**
- **Do all rough work in this book. Cross through any work you do not want to be marked.**



INFORMATION

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 80.

ADVICE

You are advised to spend about 65 minutes on SECTION A and 25 minutes on SECTION B.

DO NOT TURN OVER UNTIL TOLD TO DO SO



SECTION A

Answer ALL questions in this section.

0	1
----------	----------

This question is about the analysis of organic compounds.

For each pair of compounds in Questions 01.1 and 01.2, give a reagent (or combination of reagents) that could be added separately to each compound in a single reaction to distinguish between them.

State what is observed in each case.



0	1	.	1
---	---	---	---

CH₃CH₂CH₂CHO and CH₃CH₂CH(OH)CH₃

[3 marks]

Reagent(s) _____

Observation with CH₃CH₂CH₂CHO

Observation with CH₃CH₂CH(OH)CH₃

[Turn over]



BLANK PAGE



0	1	.	2
---	---	---	---

Cyclohexane and cyclohexene

[3 marks]

Reagent(s) _____

Observation with cyclohexane

Observation with cyclohexene

[Turn over]



01.3

TABLE 1 gives the precise relative molecular masses (M_r) of some organic compounds measured using high resolution mass spectrometry.

TABLE 1

MOLECULAR FORMULA	C₅H₁₂	C₅H₁₀	C₆H₆
M_r	72.1416	70.1260	to be calculated

Use these data to find the relative atomic masses (A_r) of hydrogen and carbon.

Give your answers to 4 decimal places.

Use these calculated A_r values to find the relative molecular mass (M_r) of C₆H₆

Give your answer to 4 decimal places. [3 marks]



A_r of hydrogen _____

A_r of carbon _____

M_r of C_6H_6 _____

[Turn over]

9



0	2
---	---

This question is about fuels.

0	2	.	1
---	---	---	---

Crude oil is separated into fractions by fractional distillation.

**State the meaning of the term ‘fraction’ in this context.
[1 mark]**

0	2	.	2
---	---	---	---

Petrol for cars contains branched and cyclic alkanes produced by catalytic cracking.

Identify the catalyst used in this process. [1 mark]



0	2	.	3
---	---	---	---

3-Ethyl-4-methylhexane is a branched alkane in petrol.

Draw the skeletal formula of this alkane. [1 mark]

[Turn over]



0	2	.	4
---	---	---	---

Give the equation for the complete combustion of 3-ethyl-4-methylhexane.

Use the molecular formula for 3-ethyl-4-methylhexane in your equation. [2 marks]

0	2	.	5
---	---	---	---

Carbon dioxide is a product from the combustion of petrol in cars. Carbon dioxide acts as a greenhouse gas when it absorbs infrared radiation.

Give ONE reason why carbon dioxide absorbs infrared radiation. [1 mark]



0	2	.	6
---	---	---	---

Nitrogen monoxide (NO) is formed when petrol is burned in cars.

State ONE environmental problem that NO causes.

State what is used to remove NO from the exhaust gases formed in petrol-fuelled cars. [2 marks]

Environmental problem _____

Removal of NO _____

[Turn over]



0	2	.	7
---	---	---	---

**Petrol sold in the UK contains 10% bioethanol.
Bioethanol is ethanol made from crops by fermentation
and is considered to be carbon-neutral.**

**State what is meant by the term 'carbon-neutral'.
[1 mark]**

9



BLANK PAGE

[Turn over]



0	3
---	---

This question is about reactions of halogenoalkanes with hydroxide ions.

0	3	.	1
---	---	---	---

**Outline the mechanism for the nucleophilic substitution reaction of 1-bromobutane with sodium hydroxide.
[2 marks]**



A student investigated the rate of nucleophilic substitution of halogenoalkanes with hydroxide ions.

Identical concentrations of 1-bromobutane and 1-iodobutane were reacted separately with sodium hydroxide solution under the same conditions.

The concentration of halide ions was monitored during each experiment.


FIGURE 1, on page 18, shows the student's results.

[Turn over]



FIGURE 1

Concentration
of halide ions
/ mol dm⁻³

**KEY**

- Reaction with 1-iodobutane
- - - Reaction with 1-bromobutane



0	3	.	2
---	---	---	---

State how FIGURE 1 shows that the rate of reaction of 1-iodobutane is faster than the rate of reaction of 1-bromobutane.

State why the rates are different. [2 marks]

[Turn over]

—
4




04


1-Methylcyclohexene and limonene are cyclic alkenes with a citrus smell.

1-Methylcyclohexene is manufactured and used in the chemical industry.

Limonene is found naturally in orange peel.



1-methylcyclohexene



limonene



0	4	.	1
---	---	---	---

1-Methylcyclohexene reacts with HBr to form two structural isomers.

The major product is 1-bromo-1-methylcyclohexane.

Name and outline the mechanism for the formation of this major product. [5 marks]

Name of mechanism

Outline of mechanism

[Turn over]



0	4	.	2
---	---	---	---

Draw the skeletal formula of the minor product formed in the reaction in Question 04.1, on page 21.

Explain why the products are formed in different amounts. [4 marks]

Skeletal formula

Explanation _____



0	4	.	3
---	---	---	---

Draw the structure of the major product when an excess of HBr reacts with limonene. [1 mark]

[Turn over]

10




0	5
---	---

A student is provided with a 0.0300 mol sample of an alcohol.

The student decides to identify the alcohol using an experiment to determine its enthalpy of combustion.

FIGURE 2 shows the apparatus used.

FIGURE 2



0	5	.	1
---	---	---	---

The student finds that when all the alcohol is burned, the temperature of the water increases from 18.9 °C to 78.1 °C

Calculate the enthalpy of combustion, in kJ mol^{-1} , for the alcohol.



The specific heat capacity of water, $c = 4.18 \text{ J g}^{-1} \text{ K}^{-1}$
[3 marks]

Enthalpy of combustion

_____ kJ mol^{-1}

[Turn over]



05.2

TABLE 2 shows the enthalpies of combustion of some alcohols.

TABLE 2

ALCOHOL	Enthalpy of combustion / kJ mol^{-1}
Ethanol	-1367
Propan-1-ol	-2021
Butan-1-ol	-2676

Explain how your answer to Question 05.1, on pages 24 and 25, suggests that the alcohol is butan-1-ol.

(If you have been unable to obtain an answer for Question 05.1, assume that the answer is $-2120 \text{ kJ mol}^{-1}$) [2 marks]



[Turn over]



05.3

The equation for the complete combustion of gaseous pentan-1-ol is shown.




TABLE 3 shows some bond enthalpy data.

TABLE 3

	C–H	C–O	O–H	C=O	O=O
Bond enthalpy / kJ mol ⁻¹	412	360	463	805	496



Use data from TABLE 3, on the opposite page, to calculate a value for the mean C–C bond enthalpy in pentan-1-ol. [3 marks]

C–C bond enthalpy _____ kJ mol⁻¹

[Turn over]



0	5	.	4
---	---	---	---

The energy stored in fuels can be compared using energy density values measured in kJ dm^{-3}

Calculate the energy density of butan-1-ol.

enthalpy of combustion of butan-1-ol = $-2676 \text{ kJ mol}^{-1}$

density of butan-1-ol = 0.810 kg dm^{-3}

relative molecular mass (M_r) of butan-1-ol = 74.0

[2 marks]

Energy density _____ kJ dm^{-3}



10

BLANK PAGE

[Turn over]





0	6
---	---

This question is about intermolecular forces in some organic compounds.

TABLE 4 gives some information about three organic compounds.

TABLE 4

COMPOUND	dichloromethane	tetrachloromethane	propan-1-ol
BOILING POINT / °C	40	77	97
POLARITY OF MOLECULES	polar	non-polar	polar



06.1

State why the C–Cl bonds in dichloromethane and tetrachloromethane are polar. [1 mark]

06.2

Suggest why tetrachloromethane molecules are non-polar. [1 mark]

[Turn over]



3 4

0 6 . 3

**Explain why tetrachloromethane has a higher boiling point than dichloromethane.
[2 marks]**



06.4

Propan-1-ol has a higher boiling point than the other two compounds because of hydrogen bonding.

Describe the hydrogen bonding in propan-1-ol. [2 marks]

35


[Turn over]

6



07

This question is about the preparation of 2,3,3-trimethylbut-1-ene.



2,3,3-trimethylbutan-1-ol

2,3,3-trimethylbut-1-ene

36

The preparation is done by heating the alcohol with concentrated phosphoric acid, that acts as a catalyst.

FIGURE 3, on page 38, shows the apparatus used.


BLANK PAGE

[Turn over]





FIGURE 3



The distillate is collected in the range 77–82 °C



07.1

Explain why the water should enter the condenser at the bottom and not at the top. [2 marks]


[Turn over]



07.2

Name and complete the mechanism for this reaction. [4 marks]

Name of mechanism _____





4 1

0 7 . 3

In a similar experiment, 12.0 cm³ of 2,3,3-trimethylbutan-1-ol ($M_r = 116.0$) produces 6.12 g of 2,3,3-trimethylbut-1-ene.

Calculate the percentage yield.

density of 2,3,3-trimethylbutan-1-ol = 0.818 g cm⁻³
[5 marks]

Percentage yield _____

[Turn over]

11

0	8
---	---

Draw the Maxwell–Boltzmann distribution curves for a fixed mass of a gas at two different temperatures. This gas decomposes when heated.

By reference to these distribution curves, explain why the rate of decomposition of this gas increases at higher temperatures. [6 marks]



BLANK PAGE

[Turn over]




SECTION B

Answer ALL questions in this section.




Only ONE answer per question is allowed.

For each question completely fill in the circle alongside the appropriate answer.


CORRECT METHOD




WRONG METHODS



If you want to change your answer you must cross out your original answer as shown.



If you wish to return to an answer previously crossed out, ring the answer you now wish to select as shown.




You may do your working in the blank space around each question but this will not be marked.
Do NOT use additional sheets for this working.



09

Which monomer forms this polymer? [1 mark]



A but-1-ene

B *E*-but-2-ene

C *Z*-but-2-ene




D methylpropene

[Turn over]



10

Which equation represents a propagation step in the chlorination of methane? [1 mark]



BLANK PAGE

[Turn over]






5 2

1 1

Which is the overall equation for the reaction of $\text{CCl}_3\text{CH}_2\text{CCl}_3$ with an excess of chlorine in ultraviolet radiation? [1 mark]





1 2

Most scientists believe that ozone in the upper atmosphere should not be allowed to become depleted.



Which is a valid reason for this belief? [1 mark]

- A Ozone absorbs ultraviolet radiation.**
- B Ozone helps to prevent global warming.**
- C Ozone helps to remove pollutants such as chloroalkanes.**
- D Ozone is an efficient disinfectant.**



[Turn over]

13


Which is NOT a possible product of the reaction of this compound with potassium hydroxide? [1 mark]







A



B




**C****D****[Turn over]**

14

The infrared spectrum of an organic compound is shown.

Percentage
transmittance



Which compound could produce this spectrum? [1 mark]

A but-1-ene

B but-2-en-1-ol

C butanoic acid

D butan-2-ol



1	5
---	---

Which reaction results in an overall change in shape around a carbon atom? [1 mark]

A oxidation of propanal with acidified potassium dichromate(VI)

B polymerisation of tetrafluoroethene

C reaction of bromoethane with an excess of concentrated ammonia

D reaction of methane with an excess of chlorine in ultraviolet radiation

[Turn over]



16

Which statement about the industrial production of ethanol from ethene at 300 °C is correct?



[1 mark]

- A An increase in pressure decreases the equilibrium yield of ethanol.
- B An increase in pressure increases the value of K_c
- C An increase in temperature increases the equilibrium yield of ethanol.
- D An increase in temperature decreases the value of K_c



1	7
---	---

What is the minimum volume, in dm^3 , of air needed for the complete combustion of 1 dm^3 of methane?

Assume that air contains 20% of oxygen by volume.

Assume that all volumes are measured at the same temperature and pressure. [1 mark]

A 1

B 2

C 5


D 10

[Turn over]



18

Which is the IUPAC name for this compound?



[1 mark]

- A *E*-3-fluorohex-3-ene
- B *E*-4-fluorohex-3-ene
- C *Z*-3-fluorohex-3-ene
- D *Z*-4-fluorohex-3-ene



BLANK PAGE

[Turn over]



1	9
---	---

Magnesium reacts with an acid to form hydrogen gas.

Line X on the graph, on the opposite page, shows how the volume of hydrogen gas varies with time when 50 cm³ of 0.50 mol dm⁻³ acid reacts with an excess of magnesium.

The reaction is repeated under the same conditions but using 25 cm³ of 1.50 mol dm⁻³ acid. The magnesium is in excess.

Which line represents this second reaction? [1 mark]

A line A


B line B

C line C

D line D



Volume
of H_2











[Turn over]



20

Which compound has the greatest M_r ? [1 mark]

**A****B****C****D**

2	1
---	---

Which compound has the empirical formula C_2H_4O ?
[1 mark]

A butanal

B ethanoic acid

C ethanol

D methylpropanoic acid

[Turn over]



2	2
---	---

The alcohol $\text{CH}_3\text{CH}_2\text{CH}_2\text{OH}$ can be oxidised.

Which compound **CANNOT** be produced by oxidation of this alcohol? [1 mark]

A CO_2

B CH_3COCH_3


C $\text{CH}_3\text{CH}_2\text{CHO}$

D $\text{CH}_3\text{CH}_2\text{COOH}$



2	3
---	---

What is the atom economy for the formation of ethylamine in this reaction?



[1 mark]

A 31.5%

B 35.7%

C 36.1%

D 41.3%

END OF QUESTIONS

15



Additional page, if required.

Write the question numbers in the left-hand margin.

BLANK PAGE

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
Section B	
TOTAL	

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2023 AQA and its licensors. All rights reserved.

WP/M/NC/Jun23/7404/2/E3