

Please write clearly in	block capitals.	
Centre number	Candidate number	
Surname		•
Forename(s)		
Candidate signature	I declare this is my own work.	/

# GCSE BIOLOGY

F

Foundation Tier Paper 2F

Friday 9 June 2023

Afternoon

Time allowed: 1 hour 45 minutes

#### **Materials**

For this paper you must have:

- a ruler
- a scientific calculator.

#### Instructions


- Use black ink or black ball-point pen.
- · Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer all questions in the spaces provided.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.
- In all calculations, show clearly how you work out your answer.

#### Information

- The maximum mark for this paper is 100.
- The marks for questions are shown in brackets.
- You are expected to use a calculator where appropriate.
- You are reminded of the need for good English and clear presentation in your answers.

For Examiner's Use		
Question	Mark	
1		
2		
3		
4		
5		
6		
7		
8		
9		
TOTAL		








	Answer all questions in the spaces provided.	
0 1	Hormones are important for controlling many processes in the human body.  Hormones are produced by glands.	
0 1.1	Which organ system has glands that produce hormones?  Tick (✓) one box.	[1 mark]
	The circulatory system	
	The endocrine system	
	The nervous system	
0 1.2	How are hormones transported around the body? Tick (✓) <b>one</b> box.	[1 mark]
	By the blood	
	By the muscles	
	By the nerves	
	Question 1 continues on the next page	



Figure 1 shows glands in a woman's body.

Figure 1



0 1.3 Draw **one** line from each gland to the name of that gland.

[3 marks]

GI	an	d
----	----	---

Α

В

С

#### Name

Adrenal

Pituitary

Testes

Thyroid



0 1.4	Which gland in <b>Figure 1</b> produces insulin?	[4 a.ul.]
	Tick (✓) <b>one</b> box.	[1 mark]
	A B C D	
0 1.5	Which organ does insulin mainly affect?  Tick (✓) one box.	[1 mark]
	The brain  The liver	
	The ovary	
0 1.6	Give <b>one</b> effect of insulin.	[1 mark]
	Question 1 continues on the next page	



	Some hormones control a woman's menstrual cycle.
0 1.7	Which hormone causes an egg to mature in the ovary?  [1 mark]  Tick (✓) one box.
	Adrenaline
	Follicle stimulating hormone (FSH)
	Testosterone
0 1.8	Which <b>two</b> are hormones that help to maintain the lining of the uterus during pregnancy?
	Tick (✓) two boxes. [2 marks]
	Amylase
	Oestrogen
	Progesterone
	Protease
	Thyroxine



0 1.9	Contraception prevents pregnancy.		outside th
	Give <b>two</b> methods of contraception that use hormones.	[2 marks]	
	1		
	2		13

Turn over for the next question



0 2


Students estimated the population of buttercup plants growing on a lawn.

The lawn is a rectangle measuring 15 m  $\times$  10 m.

Figure 2 shows the lawn.

Figure 2

15 m



#### Key

Buttercup plant

This is the method used.

- 1. Measure the length and width of the lawn.
- 2. Choose five locations to sample.
- 3. Place a 1 m  $\times$  1 m square frame at each location.
- 4. Record the number of buttercup plants in each square frame.



0 2 . 1	Complete the sentence	es.		
	Choose answers from the box.		[2 marks]	
	1	5 cm ruler	30 m tape measure	
	balance	e quadrat	transe	ct
	using a	of the lawn should be me	·	
0 2.2	How should the stude Tick (✓) <b>one</b> box.	nts choose the five locati	ions to sample?	[1 mark]
	Choose locations at ra	andom.		
	Choose locations at th	ne corners of the lawn.		
	Choose locations with	lots of buttercup plants.		
	Choose locations with	no buttercup plants.		
	Questi	on 2 continues on the I	next page	



Table 1 shows the results.

Table 1

Sample number	Number of buttercup plants
1	2
2	7
3	0
4	0
5	1

The students used their results to calculate the population of buttercup plants.

0 2.3 Complete the sentences.

Choose answers from the box.

mean

area

[2 marks]

volume

Multiply the length of the lawn by the width of the lawn to give the
lawn's
Add up the total number of buttercup plants and divide by 5 to give
the

median

perimeter



0 2.4		
	How did the students use the results in <b>Table 1</b> to calculate the population? [1 mark]	
0 2 . 5	How could the students improve the accuracy of the estimate?  [1 mark]	
	Tick (✓) <b>one</b> box.	
	Count and record more samples.	
	Select locations in the middle of the lawn.	
	Use a square frame measuring 0.5 m $\times$ 0.5 m.	
0 2 . 6	One <b>abiotic</b> factor that affects the number of buttercup plants on the lawn is soil pH.	
	Give <b>one</b> other <b>abiotic</b> factor that could affect the number of buttercup plants on the lawn.	
	Do <b>not</b> refer to soil pH in your answer.  [1 mark]	
	Turn over for the next question	




0 3

Different species in a habitat may depend on each other for food.

Figure 3 shows a food chain.

Figure 3



0 3. 1 The grass needs energy to grow.

What is the source of energy for the grass?

[1 mark]



0 3.2 Table 2 lists different types of feeding relationship.

#### Table 2

Feeding relationship	Organism
Secondary consumer	Lynx
Primary consumer	
Producer	
Herbivore	
Carnivore	
Prey	
Predator	

Write the name of **one** organism from **Figure 3** in each box in **Table 2**.


[3 marks]

Each organism may be written in one box or in more than one box.

The first box has been completed for you.

Question 3 continues on the next page







0 3.3

**Figure 4** shows the appearance of the snowshoe hare in the summer and in the winter.

## Figure 4

#### Snowshoe hare in summer

#### Snowshoe hare in winter





The snowshoe hare has a different fur colour in the summer than in the winter.

Explain how the different fur colour increases the chance of survival of the snowshoe hare.

[3 marks]

Question 3 continues on the next page



**Figure 5** shows how the number of snowshoe hares and the number of lynx varied in one area between 1900 and 1935.



0	3 . 4	<b>Figure 5</b> shows that the number of snowshoe hares and the number of lyr and decrease several times.	nx increase
		Suggest <b>two</b> reasons why the number of <b>snowshoe hares</b> increases.	[2 marks]
		1	

2 \_\_\_\_\_

0 3.5	The number of snowshoe hares increased and decreased four times between 1900 and 1935.	outside bo
	What effect does an <b>increase</b> in the number of snowshoe hares have on the number of lynx?	
	[1 mark]	
0 3 . 6	Suggest <b>one</b> reason why the number of lynx decreased from 1915 to 1919.	
	Use information from <b>Figure 5</b> . [1 mark]	
0 3.7	When the snowshoe hare eats grass, about 90% of the biomass of the grass is lost.	
	Give <b>two</b> ways the biomass is lost. [2 marks]	
	1	
	'	
	2	
		13
	Turn over for the next question	



0 4


Some farmers keep cows indoors in large sheds.

Other farmers keep cows outdoors in fields of grass.

Figure 6 shows cows being kept indoors and outdoors.

## Figure 6

## Cows kept indoors







**Table 3** shows the energy inputs and energy outputs for keeping cows.

Table 3

	Energy in kJ/m²/year		
	Indoors	Outdoors	
Input as food	10 000	5 950	
Input as fossil fuel	6 000	50	
Output as meat and milk	40	2	

0 4 . 1	Calculate the total energy input for	or keeping cows outdoors.	
	Use data from <b>Table 3</b> .		[1 mark]
		Total energy input =	kJ/m²/vear



0 4 . 2	The total energy input for keeping cows <b>indoors</b> is 16 000 kJ/m²/year.
	Calculate the percentage efficiency of keeping cows <b>indoors</b> .
	Use the equation:
	percentage efficiency = $\frac{\text{energy output}}{\text{total energy input}} \times 100$ [2 marks]
	Percentage efficiency =%
0 4 . 3	The percentage efficiency of keeping cows outdoors is 0.03%.
	Why is it more energy efficient to keep cows indoors than to keep cows outdoors?  [2 marks]  Tick (✓) two boxes.
	Cows are more stressed indoors.
	Cows move less indoors.
	It is noisier indoors.
	It is warmer indoors.
	There is less light indoors.
	Diseases in cows can cause problems for farmers.
0 4 . 4	Suggest why diseases spread more quickly when the cows are kept indoors.  [1 mark]



One species of bacterium causes a disease in cows.

Scientists investigated the effect of eight different antibiotics on the growth of this species of bacterium.

The scientists put discs containing the different antibiotics onto a Petri dish containing the bacteria.

Figure 7

Antibiotics **A** to **H** were used in the investigation.

Figure 7 shows what the Petri dish looked like after 2 days.

Discs containing antibiotic

H

Area where bacteria are growing

Petri dish

G

F

D

Area where bacteria are killed

This species of bacterium is resistant to some of the antibiotics.
 Give the letter of one antibiotic the bacterium is resistant to.

[1 mark]



0 4 . 6	Complete the	sentence.				
	Choose the an	swer from the box.				[1 mark]
		carbohydra	te DN	NA .	lipid	
		tance in a single bacte		sed by a	change in the	,
0 4 . 7	Complete the s	sentence. swer from the box.				[4 month]
		excretion	feeding	rep	roduction	[1 mark]
	the antibiotic.	ne bacterium can caus e bacteria have a high				
0 4 . 8	Suggest why to	ne production of millio	ns of antibio	tic-resis	tant bacteria is	s a problem [2 marks]
		Turn over for the	e next ques	tion		




0 5	Bacteria are one type of organism that cause decay.	
0 5.1	Which other type of organism causes decay?  Tick (✓) one box.	[1 mark]
	Fungi	
	Plants	
	Viruses	

Students investigated the effect of temperature on the decay of milk.

The decay was caused by bacteria in the milk.

Figure 8 shows the apparatus used.

Figure 8



This is the method used.

- 1. Set up the apparatus as shown in **Figure 8** with the milk at 20 °C.
- 2. Record the pH each day for 7 days.
- 3. Repeat with more samples of milk at 5 °C and at 30 °C.




Do not write outside the box

		Do not write outside the
0 5 . 2	What was the dependent variable in the investigation?  [1 mark]	box
	Tick (✓) <b>one</b> box.	
	The pH of the milk	
	The type of milk	
	The volume of the milk	
0 5.3	How could the students keep the milk at 30 °C for 7 days?	
	Tick (✓) one box. [1 mark]	
	Put a lid on the beaker.	
	Put the beaker in a water bath.	
	Stir the milk continuously.	
	Wrap cloth around the beaker.	
0 5.4	As the milk decays, the bacteria digest fats in the milk.	
	What type of acid is produced by digestion of fats in the milk?  [1 mark]	
	Tick (✓) <b>one</b> box.	
	Amino acid	
	Fatty acid	
	Hydrochloric acid	
	Question 5 continues on the next page	



Figure 9 shows the results.





0 5.5 Why did the pH **not** fall below pH 4.5 at 20 °C?

[1 mark]

Tick (✓) one box.

All the fat had been digested.

The reaction was too fast.

The temperature was too low.




	Turn over for the next question	
	Rate at 30 °C is times faster	10
		-
	Use your answer to Question <b>05.7</b> .	_
	How many times faster is the rate of digestion at 30°C than the rate of digestion at 5°C from day 2 to day 3?  [2 marks]	
0 5.8	The rate of digestion at 5°C from day 2 to day 3 is 0.1 pH units/day.	
	Therefore the fall in pH at 30 °C from day 2 to day 3 = pH units/day	
	At 30 °C, the pH at day 3 =	
	At 30 °C, the pH at day 2 =	
	Use data from Figure 9. [2 marks]	
	Complete the following calculation.	
0 5.7	Calculate the rate of digestion at 30 °C from day 2 to day 3.	
		-
0 5.6	Give <b>one</b> reason why the rate of digestion was faster at 30 °C than at 5 °C. [1 mark]	I
	The digestion of fat was fastest at 30 °C and slowest at 5 °C.	outsic b



**0 6** The kidneys filter the blood.

Figure 10 shows filtration in the kidney.

Figure 10



0 6 . 1 Glucose molecules are found in the blood plasma and in the filtrate.

Protein molecules are only found in the blood plasma.

Draw **one** line from each substance to the reason for where the substance is found. [2 marks]

Substance Reason

The molecules are too large to pass through the filter

Glucose

The molecules are small enough to pass through the filter

Protein

The molecules are too small to pass through the filter



0 6.2 The kidneys control the volume of water in the body.

Table 4 shows information about a person on one day.

Table 4

	Volume in dm <sup>3</sup>
Water filtered from blood	160.0
Water lost in urine	1.9

Calculate the volume of water reabsorbed into the blood.	[1 mark]
Volume =	dm <sup>3</sup>

Question 6 continues on the next page



0 6 . 3

A person with kidney disease may be treated by dialysis or by having a kidney transplant.

Figure 11 gives information about dialysis and kidney transplants.

#### Figure 11

#### **Dialysis**

- A person needs 3 dialysis sessions a week, with each session lasting about 8 hours.
- Most patients have dialysis in hospital.
- Protein and salt levels in food must be kept low.
- Dialysis costs £35 000 per year for each patient.

#### Kidney transplant

- In a surgical operation the use of a general anaesthetic can occasionally cause damage to other organs.
- After a transplant the patient must take drugs for the rest of their life to suppress the immune system.
- A transplant costs £17 000 in the first year and then £5 000 in each of the following years for drugs.
- The transplanted kidney will work well for about 10 years.



tes:	
'It is better to treat a person with kidney disease by using a kidney transplant rather than by dialysis.'	
e doctor's statement.	
tion from <b>Figure 11</b> .	[6 marks]
Question 6 continues on the next page	
,	'It is better to treat a person with kidney disease by using a kidney transplant rather than by dialysis.'  doctor's statement.  tion from Figure 11.



		Do not write
0 6.4	A kidney transplant costs £17 000 in the first year and then £5 000 in each of the following years for drugs.	outside the box
	Calculate the total cost of treatment by kidney transplant over the first 5 years.  [3 marks]	
		12
	Total cost = £	



0 7	Many different species can live together in the same habitat.	Do not write outside the box
0 7.1	What name is given to all of the organisms living in the same habitat?  Tick (✓) one box.  [1 mark]	
	A community	
	A food chain	
	A population	
	An ecosystem	
	Question 7 continues on the next page	

Figure 12 shows four species of bird from the same habitat in the UK.

Figure 12



Brambling (Fringilla montifringilla)



Bullfinch (Pyrrhula pyrrhula)



Chaffinch (Fringilla coelebs)




Goldfinch (Carduelis carduelis)



0 7.2	Which species of bird in <b>Figure 12</b> do scientists think are most closely related Tick $(\checkmark)$ one box.	ქ? <b>[1 mark]</b>	Do not write outside the box
	Brambling and chaffinch		
	Brambling and goldfinch		
	Bullfinch and chaffinch		
	Bullfinch and goldfinch		
0 7.3	Scientists think the brambling and the bullfinch belong to different species.		
	What evidence is used by scientists to classify the brambling and the bullfinch different species?		
	Tick (✓) one box.	[1 mark]	
	The brambling and the bullfinch are different sizes.		
	The brambling and the bullfinch cannot breed together to give fertile offspring.		
	The brambling and the bullfinch live in different parts of the habitat.		
	The brambling eats mainly seeds and the bullfinch eats mainly insects.		
	Question 7 continues on the next page		

Four other species of bird (A, B, C and D) live in a habitat in the UK.

Figure 13 shows how the numbers of each species of bird varied during one year.



Use information from Figure 13 to answer Questions 07.4 to 07.6

0 7.4	Describe what happens to the number of birds of species <b>A</b> during the year.	[3 marks]



		Do no
0 7.5	In June and July, a disease affected the populations of some of the species.	outsid bo
	Which species had the <b>lowest</b> resistance to the disease?  Tick (✓) <b>one</b> box.  B  C  D	
0 7.6	One species migrates between the UK and other countries.  Which species migrates between the UK and other countries?  Give a reason for your answer.	
	SpeciesReason	-
		8
	Turn over for the next question	

-



0 8	A person's eyes can focus on objects at different distances.	
	A person looks at a distant object.	
	The person then looks at a near object.	
	The person's eyes make adjustments so that the near object forms a clear image.	
0 8.1	Which term describes the adjustment of focus from the distant object to the near object?	
	Tick (✓) one box. [1 mark]	
	Accommodation	
	Adaptation	
	Hyperopia	
	Myopia	
	Figure 14 shows the eye.	
	Figure 14	
	E B	
	D	
	Lens	
	Iris	
	$h_{m_m}$	



0 8.2	Which structure in <b>Figure 14</b> is where the image is focused?	[1 mark]
	Tick (✓) one box.	[1 mark]
	A	E
0 8.3	Which structure in <b>Figure 14</b> is a muscle that contracts when focusing on a near object?  Tick (✓) <b>one</b> box.  A B C D	[1 mark]
0 8.4	What happens to the shape of the lens when focusing on a near object?	[1 mark]
0 8.5	The eyes can function in dimly-lit areas and in brightly-lit areas.  The iris contains muscles.  Describe how muscles in the iris help the person to see clearly when moving dimly-lit area to a brightly-lit area.	ı from a
	· · · · · · · · · · · · · · · · · · ·	[2 marks]
	Question 8 continues on the next page	


Turn over ▶

Do not write outside the box



		Do not w	rite
0 8 . 6	It is important to be able to react quickly.	outside t box	he
	Many people think that drinking coffee decreases reaction time.		
	Plan an investigation to test the effect of drinking coffee on reaction time.		
	You should include:		
	• the test for reaction time that you would use		
	• how to make the investigation valid.		
	[4 m	arks]	
		_	٦





Turn over ▶



0 9	Reproduction can produce offspring which are:  • genetically different	
	or	
	genetically identical.	
	Farmers grow tomato plants in greenhouses.	
	The tomatoes are sold in supermarkets.	
0 9.1	Suggest <b>one</b> advantage of growing tomato plants that are genetically differen	it. <b>[1 mark]</b>
0 9.2	Suggest <b>one</b> advantage of growing tomato plants that are genetically identically	al. [1 mark]
0 9.3	Scientists can grow genetically identical tomato plants using tissue culture.  What is tissue culture?	[1 mark]
0 9 . 4	Genetically identical tomato plants growing in the same garden do <b>not</b> all grosame height.  Give <b>one</b> reason why.	w to the



Do not write outside the box

The sex of dogs is determin humans.	nined by <b>X</b> a	and <b>Y</b> chrom	nosomes in t	the same way as	3
Complete the Punnett squin dogs.	uare diagrar	m in <b>Figure</b>	<b>15</b> to show	the inheritance o	of sex
Use the symbols <b>X</b> and <b>Y</b>	, -				[2 manka]
		Figure 15			[3 marks]
		Fem	ale		
Mala					
iviale					
A female dog gave birth t	o six offspri	ng.			
Why would you expect the	ere to be th	ree male off	spring and t	hree female offs	spring?
Use your answer to Question <b>09.5</b> .					
					[1 mark]
Question 9 continues on the next page					
	Male  Male  A female dog gave birth t  Why would you expect th  Use your answer to Ques	Complete the Punnett square diagratin dogs.  Use the symbols <b>X</b> and <b>Y</b> .  Male  A female dog gave birth to six offspri Why would you expect there to be th Use your answer to Question <b>09.5</b> .	Complete the Punnett square diagram in Figure in dogs.  Use the symbols X and Y.  Figure 15  Fem  Male  A female dog gave birth to six offspring.  Why would you expect there to be three male off Use your answer to Question 09.5.	Complete the Punnett square diagram in Figure 15 to show in dogs.  Use the symbols X and Y.  Figure 15  Female  Male  A female dog gave birth to six offspring.  Why would you expect there to be three male offspring and to Use your answer to Question 09.5.	Complete the Punnett square diagram in Figure 15 to show the inheritance of in dogs.  Use the symbols X and Y.  Figure 15  Female  Male  A female dog gave birth to six offspring.  Why would you expect there to be three male offspring and three female offs.  Use your answer to Question 09.5.



Farmers keep chickens for:

- meat production
- egg production.


Some varieties of chicken grow more quickly and are more suitable for meat production.

Other varieties of chicken produce more eggs.

A farmer keeps two varieties of chicken, **A** and **B**.

The farmer investigated the growth rates and egg-production rates of both varieties.

Figure 16 shows the results.




0 9.7	Suggest <b>two</b> control variables the farmer should have used in this investigation.  [2 marks]
	1
	2



		Do not write outside the
0 9 . 8	Figure 16 shows mean values from 500 chickens of each variety.	box
	Give the reason the farmer used a large number of chickens.  [1 mark]	
0 9.9	The farmer wants to produce a new variety of chicken that is good for <b>both</b> meat production <b>and</b> egg production.	
	Describe how selective breeding of chicken varieties <b>A</b> and <b>B</b> can produce the new variety of chicken.	
	[4 marks]	
		15
	END OF QUESTIONS	







Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Question number	Additional page, if required. Write the question numbers in the left-hand margin.



Do not write outside the There are no questions printed on this page DO NOT WRITE ON THIS PAGE ANSWER IN THE SPACES PROVIDED

## Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2023 AQA and its licensors. All rights reserved.





IB/M/Jun23/8461/2F