



---

# A-LEVEL MATHEMATICS

Mechanics MM05  
Report on the Examination

---

6360  
June 2015

---

Version: 1.0

---

---

Further copies of this Report are available from [aqa.org.uk](http://aqa.org.uk)

Copyright © 2015 AQA and its licensors. All rights reserved.

AQA retains the copyright on all its publications. However, registered schools/colleges for AQA are permitted to copy material from this booklet for their own internal use, with the following important exception: AQA cannot give permission to schools/colleges to photocopy any material that is acknowledged to a third party even for internal use within the centre.

## General Comments

Candidates generally found the paper quite accessible with the exception of the final question, where candidates found difficulty in both setting up and solving the differential equation.

### Question 1

This was done very well by the vast majority of candidates with very many correct solutions. The main error seen in part (a) was for candidates to state that  $0.8 = 0.4\omega$  instead of  $0.8 = 0.2\omega$ .

The main error seen in part (b) was due to a confusion over the distances involved.

In part (c), quite a number of different but equivalent expressions were seen.

Those who had worked through the earlier parts correctly had little difficulty in obtaining the correct time in part (d).

### Question 2

This question was done well by a very large proportion of candidates. A few candidates used half of the period instead of a quarter of the period when finding the times for each part of the motion.

### Question 3

There were a lot of good responses to this question which demonstrated a good understanding of the topic. In part (a), the most common issue was not to introduce  $t$  and only to produce expressions in terms of  $\theta$ . However candidates who did this were able to recover in part (b) and the fact that they worked with  $\theta$  did not prevent them from gaining full marks on part (b).

### Question 4

There were very many good responses to this question. Part (a) was often done well. Candidates set out good solutions showing the EPEs and GPEs clearly. Occasionally incorrect extensions were seen in the EPE expressions.

Candidates who had experienced difficulties with part (a) were able to use the printed answer and proceed well with parts (b) and (c). A few candidates gave their answer to part (b) in degrees rather than radians.

### Question 5

In part (a), most candidates found the extension correctly, but did not always give the required distance.

Setting up the equation in part (b)(i) caused a few difficulties for some candidates, usually linked to the application of Hooke's Law in this context. However, almost all candidates were able to make a good attempt at (b)(ii). The main issues were related to the manipulation required to find the constants. A few candidates solved the auxiliary equation incorrectly and worked with incorrect exponential functions.

The final part was often answered well, although the answer "critical damping" was seen several times.

### Question 6

Most candidates found this question to be difficult.

In part (a), the very common and very significant issue was not to include the tension in the string in any way. When dealing with connected bodies in questions like this candidates need to appreciate that each body needs to be considered separately. In part (b) while many candidates realised that they needed to split the expression into two parts to integrate it, very few realised that one of these parts would be a constant term. Those who did this usually completed the integration to find the velocity without difficulty, but those who didn't made very little progress.

In part (c) many candidates were able to find the time that they needed to use, even though many did not have a suitable expression for the velocity into which to substitute this value.

## Mark Ranges and Award of Grades

Grade boundaries and cumulative percentage grades are available on the [Results Statistics](#) page of the AQA Website.

## Converting Marks into UMS marks

Convert raw marks into Uniform Mark Scale (UMS) marks by using the link below.

[UMS conversion calculator](#)