



Please write clearly in block capitals.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

Surname

Forename(s)

Candidate signature

I declare this is my own work.

AS FURTHER MATHEMATICS

Paper 2 Statistics

Time allowed: 1 hour 30 minutes

Materials

- You must have the AQA Formulae and statistical tables booklet for A-level Mathematics and A-level Further Mathematics.
- You should have a scientific calculator that meets the requirements of the specification. (You may use a graphical calculator.)
- You must ensure you have the other optional Question Paper/Answer Book for which you are entered (**either** Discrete **or** Mechanics). You will have 1 hour 30 minutes to complete **both** papers.

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer each question in the space provided for that question. If you require extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do **not** write outside the box around each page or on blank pages.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 40.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
TOTAL	



J U N 2 1 7 3 6 6 2 S 0 1

PB/Jun21/E5

7366/2S

Answer **all** questions in the spaces provided.

1 The discrete random variable X has $\text{Var}(X) = 6.5$

Find $\text{Var}(4X - 2)$

Circle your answer.

[1 mark]

24

26

102

104

2 The random variable A has a Poisson distribution with mean 2

The random variable B has a Poisson distribution with standard deviation 4

The random variables A and B are independent.

State the distribution of $A + B$

Circle your answer.

[1 mark]

Po(4)

Po(6)

Po(8)

Po(18)



3 The random variable X has a discrete uniform distribution and takes values $1, 2, 3, \dots, n$

The mean of X is 8

3 (a) Show that $n = 15$

[2 marks]

3 (b) Find $P(X > 4)$

[1 mark]

3 (c) Find the variance of X , giving your answer in exact form.

[2 marks]

Turn over ►



4 The distance a particular football player runs in a match is modelled by a normal distribution with standard deviation 0.3 kilometres.

A random sample of n matches is taken.

The distance the player runs in this sample of matches has mean 10.8 kilometres.

The sample is used to construct a 93% confidence interval for the mean, of width 0.0543 kilometres, correct to four decimal places.

4 (a) Find the value of n **[3 marks]**

4 (b) Find the 93% confidence interval for the mean, giving the limits to three decimal places. **[1 mark]**



4 (c) Alison claims that the population mean distance the player runs is 10.7 kilometres.
She carries out a hypothesis test at the 7% level of significance using the random sample and the hypotheses

$$H_0: \mu = 10.7$$

$$H_1: \mu \neq 10.7$$

4 (c) (i) State, with a reason, whether the null hypothesis will be accepted or rejected. **[1 mark]**

4 (c) (ii) Describe, in the context of the hypothesis test in part **(c)(i)**, what is meant by a Type II error. **[1 mark]**

Turn over for the next question

Turn over ►



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



5 In a game it is known that:

- 25% of players score 0
- 30% of players score 5
- 35% of players score 10
- 10% of players score 20

Players receive prize money, in pounds, equal to 100 times their score.

5 (a) State the modal score.

[1 mark]

5 (b) Find the median score.

[2 marks]

5 (c) Find the mean prize money received by a player.

[2 marks]

Turn over ►



6 The continuous random variable X has probability density function

$$f(x) = \begin{cases} \frac{1}{114}(4x + 7) & 0 \leq x \leq 6 \\ 0 & \text{otherwise} \end{cases}$$

6 (a) Show that the median of X is 3.87, correct to three significant figures.

[3 marks]

6 (b) Find the exact value of $P(X > 2)$

[2 marks]



6 (c) The continuous random variable Y has probability density function

$$g(y) = \begin{cases} \frac{1}{2}y^2 - \frac{1}{6}y^3 & 1 \leq y \leq 3 \\ 0 & \text{otherwise} \end{cases}$$

6 (c) (i) Show that $\text{Var}\left(\frac{1}{Y}\right) = \frac{2}{81}$

[4 marks]

6 (c) (ii) The random variable X has variance $\frac{939}{361}$ and is independent of Y

Find $\text{Var}\left(2X - \frac{3}{Y}\right)$, giving your answer to three significant figures.

[2 marks]

Turn over ►



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2021 AQA and its licensors. All rights reserved.



1 6

Jun21/7366/2S



2 1 6 A 7 3 6 6 / 2 S